

2019

ICD - 10

CM

ERRATA

Proctors: This errata replaces a missing section in AAPC's 2019 ICD-10-CM code book.

Examinees: If your code book is missing this section, you are allowed to print this and bring it to your examination. Highlighting, underlining, and brief notations needed for day-to-day coding is permitted on the printed side of the page. Long passages of information are not permitted on the blank pages of your printout (215-246).



PUBLISHER'S NOTICE

Coding, billing, and reimbursement decisions should not be made based solely upon information within this ICD-10-CM code book. Application of the information in this book does not imply or guarantee claims payment. Make inquiries of your local carriers' bulletins, policy announcements, etc., to resolve local billing requirements. Finally, the law, applicable regulations, payers' instructions, interpretations, enforcement, etc., of ICD-10-CM codes may change at any time in any particular area. Information in this book is solely based on ICD-10-CM rules and regulations.

This ICD-10-CM is designed to be an accurate and authoritative source regarding coding, and every reasonable effort has been made to ensure accuracy and completeness of content. However, this publisher makes no guarantee, warranty, or representation that this publication is complete, accurate, or without errors. It is understood that this publisher is not rendering any legal or professional services or advice in this code book and bears no liability for any results or consequences arising from use of this ICD-10-CM book.

AAPC'S COMMITMENT TO ACCURACY

This publisher is committed to providing our members accurate and reliable materials. However, codes and the guidelines by which they are applied change or are reinterpreted through the year. Check www.aapc.com periodically for updates. To report corrections and updates, please contact AAPC Customer Service via 1-800-626-2633 or via email to code.books@aapc.com.

Get Updates, Coding Tips, and Corrections for this book at www.aapc.com/codebook_updates.

Images/Illustrations by the following artists at shutterstock.com

stockshope - 180896807, 99671552, 180896810, 187162193, 180896855, 180896738, 177790997, 177791516, 180896873 | Blamb - 24129706, 105550307, 101583709, 23557609, 104901704, 104886824, 24764461 | Alila Medical Media - 72231811, 149230337, 155445686, 101696095, 96426923, 97755608, 147943922, 147943910, 155445662, 147943874, 106263593, 125891585, 228843262, 91093100, 116411527, 101205484, 127006943, 128044649, 77803252, 76386163, 79593496, 79592488, 78688351, 75043309, 97190072, 74674165, 73140514, 113164513, 120439864, 127500677, 112082045, 75512560, 147789395, 74226295, 75043312, 88937434, 117587797, 89870971, 128669354, 147789407, 89870962, 110902643, 88241464, 101419795, 101056498, 89144548, 119184292, 128044655, 117983611, 75515092, 120437533, 75923548, 125899337, 127507436, 74586256, 125581514, 125899361, 122081125, 129469667, 88937437, 88094233, 89870968, 121363498, 118506328, 90428200, 88241755, 90181153 | Designua - 430118209, 180938618, 135935735, 165084413, 138357839, 118528180 | Suwin - 405537832 | Vecton - 661087531 | Sakurra - 676139677 | stihii - 109588457, 225637774, 505306105, 505306069, 135303347 | NatthapongSachan - 452997697 | udaix - 502058023, 108531449, 108605000 | ducu59us - 104022683, 125200733, 94324789 | BlueRingMedia - 141161404, 141162229, 141161560 | joshya - 261971498 | Della_Liner - 324447776 | snapgalleria - 142194094 | okili77 - 156466463 | lotan - 186878060 | Alexander_P - 404964388 | Marochkina Anastasiia - 496840036 | logika600 - 501771241 | Athanasia Nomikou -113340007 | Sergii Chepulskyi - 137806217 | Suzanne Tucker - 88023844 | Beneda Miroslav - 125238926 | olavs - 127188179 | somersault1824 - 80995972 | Carolina K. Smith MD - 87546805 | D. Kucharski K. Kucharska - 147360692 | Arkela - 131740481 | Gromovataya - 147818714 | ARZTSAMUI - 150573029 | konmesa - 122366692 | dr OX - 129535535



Copyright 2018 © AAPC
ISBN: 978-1-626886-056

Proctors: This errata is permitted during the examination.

Infection - Infestation

Infection — continued

tunnel T80.212

tunica vaginalis N49.1

tympenic membrane NEC — see Myringitis

typhoid (abortive) (ambulant) (bacillus) — see Typhoid

typhus A75.9

 flea-borne A75.2

 mite-borne A75.3

 recrudescence A75.1

 tick-borne A77.9

 African A77.1

 North Asian A77.2

umbilicus L08.82

ureter N28.86

urethra — see Urethritis

urinary (tract) N39.0

 bladder — see Cystitis

 complicating pregnancy O23.4

 specified type NEC O23.3

 kidney — see Infection, kidney

 newborn P39.3

 puerperal (postpartum) O86.20

 tuberculous A18.13

 urethra — see Urethritis

uterus, uterine — see Endometritis

vaccination T88.0

vaccinia not from vaccination B08.011

vagina (acute) — see Vaginitis

varicella B01.9

varicose veins — see Varix

vas deferens NEC N49.1

vesical — see Cystitis

Vibrio

 cholerae A00.0

 El Tor A00.1

 parahaemolyticus (food poisoning) A05.3

 vulnificus

 as cause of disease classified elsewhere B96.82

 foodborne intoxication A05.5

Vincent's (gum) (mouth) (tonsil) A69.1

virus, viral NOS B34.9

 adenovirus

 as cause of disease classified elsewhere B97.0

 unspecified nature or site B34.0

 arbovirus, arbovirus arthropod-borne A94

 as cause of disease classified elsewhere B97.89

 adenovirus B97.0

 coronavirus B97.29

 SARS-associated B97.21

 coxsackievirus B97.11

 echovirus B97.12

 enterovirus B97.10

 coxsackievirus B97.11

 echovirus B97.12

 specified NEC B97.19

 human

 immunodeficiency, type 2 (HIV 2) B97.35

 T-cell lymphotropic,

 type I (HTLV-I) B97.33

 type II (HTLV-II) B97.34

 metapneumovirus B97.81

 papillomavirus B97.7

 parvovirus B97.6

 reovirus B97.5

 respiratory syncytial B97.4

 retrovirus B97.30

 human

 immunodeficiency, type 2 (HIV 2) B97.35

 T-cell lymphotropic,

 type I (HTLV-I) B97.33

 type II (HTLV-II) B97.34

 lentivirus B97.31

 oncovirus B97.32

 specified NEC B97.39

 specified NEC B97.89

 central nervous system A89

 atypical A81.9

 specified NEC A81.89

 enterovirus NEC A88.8

 meningitis A87.0

 slow virus A81.9

 specified NEC A81.89

 specified NEC A88.8

 chest J98.8

 cotia B08.8

 coxsackie (see also Infection, coxsackie) B34.1

 as cause of disease classified elsewhere B97.11

 ECHO

 as cause of disease classified elsewhere B97.12

 unspecified nature or site B34.1

Infection — continued

virus — continued

 encephalitis, tick-borne A84.9

 enterovirus, as cause of disease classified elsewhere B97.10

 coxsackievirus B97.11

 echovirus B97.12

 specified NEC B97.19

 exanthem NOS B09

 human papilloma as cause of disease classified elsewhere B97.7

 human metapneumovirus as cause of disease classified elsewhere B97.81

 intestine — see Enteritis, viral

 respiratory syncytial

 as cause of disease classified elsewhere B97.4

 bronchopneumonia J12.1

 common cold syndrome J00

 nasopharyngitis (acute) J00

 rhinovirus

 as cause of disease classified elsewhere B97.89

 unspecified nature or site B34.8

 slow A81.9

 specified NEC A81.89

 specified type NEC B33.8

 as cause of disease classified elsewhere B97.89

 unspecified nature or site B34.8

 unspecified nature or site B34.9

 West Nile — see Virus, West Nile

 vulva (acute) — see Vulvitis

 West Nile — see Virus, West Nile

 whipworm B79

 worms B83.9

 specified type NEC B83.8

 Wuchereria (bancrofti) B74.0

 malayi B74.1

 yatapoxvirus B08.70

 specified NEC B08.79

 yeast (see also Candidiasis) B37.9

 yellow fever — see Fever, yellow

 Yersinia

 enterocolitica (intestinal) A04.6

 pestis — see Plague

 pseudotuberculosis A28.2

 Zeis' gland — see Hordeolum

 Zika virus A92.5

 congenital P35.4

 zoonotic bacterial NOS A28.9

 Zopfia senegalensis B47.0

 Infective, infectious — see condition

 infertility

 female N97.9

 age-related N97.8

 associated with

 anovulation N97.0

 cervical (mucus) disease or anomaly N88.3

 congenital anomaly

 cervix N88.3

 fallopian tube N97.1

 uterus N97.2

 vagina N97.8

 dysmucorrhea N88.3

 fallopian tube disease or anomaly N97.1

 pituitary-hypothalamic origin E23.0

 specified origin NEC N97.8

 Stein-Leventhal syndrome E28.2

 uterine disease or anomaly N97.2

 vaginal disease or anomaly N97.8

 due to

 cervical anomaly N88.3

 fallopian tube anomaly N97.1

 ovarian failure E28.39

 Stein-Leventhal syndrome E28.2

 uterine anomaly N97.2

 vaginal anomaly N97.8

 nonimplantation N97.2

 origin

 cervical N88.3

 tubal (block) (occlusion) (stenosis) N97.1

 uterine N97.2

 vaginal N97.8

 male N46.9

 azoospermia N46.01

 extratesticular cause N46.029

 drug therapy N46.021

 efferent duct obstruction N46.023

 infection N46.022

 radiation N46.024

 specified cause NEC N46.029

 systemic disease N46.025

 oligospermia N46.11

 extratesticular cause N46.129

Infertility — continued

male — continued

 drug therapy N46.121

 efferent duct obstruction N46.123

 infection N46.122

 radiation N46.124

 specified cause NEC N46.129

 systemic disease N46.125

 specified type NEC N46.8

 Infestation B88.9

 Acanthocheilonema (perstans) (streptocerca) B74.4

 Acariasis B88.0

 demodex folliculorum B88.0

 sarcoptes scabiei B86

 trombiculae B88.0

 Agamofilaria streptocerca B74.4

 Ancylostoma, ankylostoma, (braziliense) (caninum) (ceylanicum) (duodenale) B76.0

 americanum B76.1

 new world B76.1

 Anisakis larvae, anisakiasis B81.0

 arthropod NEC B88.2

 Ascaris lumbricoides — see Ascariasis

 Balantidium coli A07.0

 beef tapeworm B68.1

 Bothriocephalus (latus) B70.0

 larval B70.1

 broad tapeworm B70.0

 larval B70.1

 Brugia (malayi) B74.1

 timori B74.2

 candiru B88.8

 Capillaria

 hepatica B83.8

 philippinensis B81.1

 cat liver fluke B66.0

 cestodes B71.9

 diphyllobothrium — see Infestation, diphyllobothrium

 diphyllobothrium

 dipylidiasis B71.1

 hymenolepiasis B71.0

 specified type NEC B71.8

 chigger B88.0

 chigo, chigoe B88.1

 Clonorchis (sinensis) (liver) B66.1

 coccidia A07.3

 crab-lice B85.3

 Cysticercus cellulosae — see Cysticercosis

 Demodex (folliculorum) B88.0

 Dermanyssus gallinae B88.0

 Dermatobia (hominis) — see Myiasis

 Dibothriocephalus (latus) B70.0

 larval B70.1

 Dicrocoelium dendriticum B66.2

 Diphyllobothrium (adult) (latum) (intestinal) (pacificum) B70.0

 larval B70.1

 Diplogonoporus (grandis) B71.8

 Dipylidium caninum B67.4

 Distoma hepaticum B66.3

 dog tapeworm B67.4

 Dracunculus medinensis B72

 dragon worm B72

 dwarf tapeworm B71.0

 Echinococcus — see Echinococcus

 Echinostomum ilocanum B66.8

 Entamoeba (histolytica) — see Infection, Ameba

 Enterobius vermicularis B80

 eyelid

 in (due to)

 leishmaniasis B55.1

 loiasis B74.3

 onchocerciasis B73.09

 phthiriasis B85.3

 parasitic NOS B89

 eyeworm B74.3

 Fasciola (gigantica) (hepatica) (indica) B66.3

 Fasciolopsis (buski) (intestine) B66.5

 filarial B74.9

 bancroftian B74.0

 conjunctiva B74.9

 due to

 Acanthocheilonema (perstans) (streptocerca) B74.4

 Brugia (malayi) B74.1

 timori B74.2

 Dracunculus medinensis B72

 guinea worm B72

 loa loa B74.3

 Mansonella (ozzardi) (perstans) (streptocerca) B74.4

 Onchocerca volvulus B73.00

Infestation - Inflammation

Proctors: This errata is permitted during the examination.

Infestation — continued

filarial — continued
 eye B73.00
 eyelid B73.09
 Wuchereria (bancrofti) B74.0
 Malayan B74.1
 ozzardi B74.4
 specified type NEC B74.8
 fish tapeworm B70.0
 larval B70.1
 fluke B66.9
 blood NOS — see Schistosomiasis
 cat liver B66.0
 intestinal B66.5
 liver (sheep) B66.3
 cat B66.0
 Chinese B66.1
 due to clonorchiasis B66.1
 oriental B66.1
 lancet B66.2
 lung (oriental) B66.4
 sheep liver B66.3
 specified type NEC B66.8
 fly larvae — see Myiasis
 Gasterophilus (intestinalis) — see Myiasis
 Gastrodiscoides hominis B66.8
 Giardia lamblia A07.1
 Gnathostoma (spinigerum) B83.1
 Gongylonema B83.8
 guinea worm B72
 helminth B83.9
 angiostrongyliasis B83.2
 intestinal B81.3
 gnathostomiasis B83.1
 hirudiniasis, internal B83.4
 intestinal B82.0
 angiostrongyliasis B81.3
 anisakiasis B81.0
 ascariasis — see Ascariasis
 capillariasis B81.1
 cysticercosis — see Cysticercosis
 diphyllorhynchiasis — see Infestation,
 diphyllorhynchiasis
 dracunculiasis B72
 echinococcus — see Echinococcosis
 enterobiasis B80
 filariasis — see Infestation, filarial
 fluke — see Infestation, fluke
 hookworm — see Infestation, hookworm
 mixed (types classifiable to more than one of
 the titles B65.0-B81.3 and B81.8) B81.4
 onchocerciasis — see Onchocerciasis
 schistosomiasis — see Infestation, schistosoma
 specified
 cestode NEC — see Infestation, cestode
 type NEC B81.8
 strongyloidiasis — see Strongyloidiasis
 taenia — see Infestation, taenia
 trichinellosis B75
 trichostrongyliasis B81.2
 trichuriasis B79
 specified type NEC B83.8
 syngamiasis B83.3
 visceral larva migrans B83.0
 Heterophyes (heterophyes) B66.8
 hookworm B76.9
 ancylostomiasis B76.0
 necatoriasis B76.1
 specified type NEC B76.8
 Hymenolepis (diminuta) (nana) B71.0
 intestinal NEC B82.9
 leeches (aquatic) (land) — see Hirudiniasis
 Leishmania — see Leishmaniasis
 lice, louse — see Infestation, Pediculus
 Linguatula B88.8
 Liponyssoides sanguineus B88.0
 Loa loa B74.3
 conjunctival B74.3
 eyelid B74.3
 louse — see Infestation, Pediculus
 maggots — see Myiasis
 Mansonella (ozzardi) (perstans) (streptocerca) B74.4
 Medina (worm) B72
 Metagonimus (yokogawai) B66.8
 microfilaria streptocerca — see Onchocerciasis
 eye B73.00
 eyelid B73.09
 mites B88.9
 scabie B86
 Monilia (albicans) — see Candidiasis
 mouth B37.0
 Necator americanus B76.1

Infestation — continued

nematode NEC (intestinal) B82.0
 Ancylostoma B76.0
 conjunctiva NEC B83.9
 Enterobius vermicularis B80
 Gnathostoma spinigerum B83.1
 physaloptera B80
 specified NEC B81.8
 trichostrongylus B81.2
 trichuris (trichuria) B79
 Oesophagostomum (apiostomum) B81.8
 Oestrus ovis (see also Myiasis) B87.9
 Onchocerca (volvulus) — see Onchocerciasis
 Opisthorchis (felineus) (viverrini) B66.0
 orbit, parasitic NOS B89
 Oxyuris vermicularis B80
 Paragonimus (westerni) B66.4
 parasite, parasitic B89
 eyelid B89
 intestinal NOS B82.9
 mouth B37.0
 skin B88.9
 tongue B37.0
 Parastrongylus
 cantonensis B83.2
 costaricensis B81.3
 Pediculus B85.2
 body B85.1
 capitis (humanus) (any site) B85.0
 corporis (humanus) (any site) B85.1
 head B85.0
 mixed (classifiable to more than one of the titles
 B85.0-B85.3) B85.4
 pubis (any site) B85.3
 Pentastoma B88.8
 Phthirus (pubis) (any site) B85.3
 with any infestation classifiable to B85.0-B85.2
 B85.4
 pinworm B80
 pork tapeworm (adult) B68.0
 protozoal NEC B64
 intestinal A07.9
 specified NEC A07.8
 specified NEC B60.8
 pubic, louse B85.3
 rat tapeworm B71.0
 red bug B88.0
 roundworm (large) NEC B82.0
 Ascariasis (see also Ascariasis) B77.9
 sandflea B88.1
 Sarcoptes scabiei B86
 scabies B86
 Schistosoma B65.9
 bovis B65.8
 cercariae B65.3
 haematobium B65.0
 intercalatum B65.8
 japonicum B65.2
 mansoni B65.1
 mattheei B65.8
 mekongi B65.8
 specified type NEC B65.8
 spindale B65.8
 screw worms — see Myiasis
 skin NOS B88.9
 Sparganium (mansoni) (proliferum) (baxteri) B70.1
 larval B70.1
 specified type NEC B88.8
 Spirometra larvae B70.1
 Stellantchasmus falcatus B66.8
 Strongyloides stercoralis — see Strongyloidiasis
 Taenia B68.9
 diminuta B71.0
 echinococcus — see Echinococcus
 mediocanellata B68.1
 nana B71.0
 saginata B68.1
 solium (intestinal form) B68.0
 larval form — see Cysticercosis
 Taeniarhynchus saginatus B68.1
 tapeworm B71.9
 beef B68.1
 broad B70.0
 larval B70.1
 dog B67.4
 dwarf B71.0
 fish B70.0
 larval B70.1
 pork B68.0
 rat B71.0
 Ternidens diminutus B81.8
 Tetranychus molestissimus B88.0

Infestation — continued

threadworm B80
 tongue B37.0
 Toxocara (canis) (cati) (felis) B83.0
 trematode (s) NEC — see Infestation, fluke
 Trichinella (spiralis) B75
 Trichocephalus B79
 Trichomonas — see Trichomoniasis
 Trichostrongylus B81.2
 Trichuris (trichiura) B79
 Trombicula (irritans) B88.0
 Tunga penetrans B88.1
 Uncinaria americana B76.1
 Vandellia cirrhosa B88.8
 whipworm B79
 worms B83.9
 intestinal B82.0
 Wuchereria (bancrofti) B74.0
Infiltrate, infiltration
 amyloid (generalized) (localized) — see Amyloidosis
 calcareous NEC R89.7
 localized — see Degeneration, by site
 calcium salt R89.7
 cardiac
 fatty — see Degeneration, myocardial
 glycolytic E74.02 [I43]
 corneal — see Edema, cornea
 eyelid — see Inflammation, eyelid
 glycogen, glycolytic — see Disease, glycogen
 storage
 heart, cardiac
 fatty — see Degeneration, myocardial
 glycolytic E74.02 [I43]
 inflammatory in vitreous H43.89
 kidney N28.89
 leukemic — see Leukemia
 liver K76.89
 fatty — see Fatty, liver NEC
 glycogen (see also Disease, glycogen
 storage) E74.03 [K77]
 lung R91.8
 eosinophilic J82
 lymphatic (see also Leukemia, lymphatic) C91.9
 gland I88.9
 muscle, fatty M62.89
 myocardium, myocardial
 fatty — see Degeneration, myocardial
 glycolytic E74.02 [I43]
 on chest X-ray R91.8
 pulmonary R91.8
 with eosinophilia J82
 skin (lymphocytic) L98.6
 thymus (gland) (fatty) E32.8
 urine R39.0
 vesicant agent
 antineoplastic chemotherapy T80.810
 other agent NEC T80.818
 vitreous body H43.89
Infirmity R68.89
 senile R54
**Inflammation, inflamed, inflammatory (with
 exudation)**
 abducent (nerve) — see Strabismus, paralytic, sixth
 nerve
 accessory sinus (chronic) — see Sinusitis
 adrenal (gland) E27.8
 alveoli, teeth M27.3
 scorbutic E54
 anal canal, anus K62.89
 antrum (chronic) — see Sinusitis, maxillary
 appendix — see Appendicitis
 arachnoid — see Meningitis
 areola N61.0
 puerperal, postpartum or gestational — see
 Infection, nipple
 areolar tissue NOS L08.9
 artery — see Arteritis
 auditory meatus (external) — see Otitis, externa
 Bartholin's gland N75.8
 bile duct (common) (hepatic) or passage — see
 Cholangitis
 bladder — see Cystitis
 bone — see Osteomyelitis
 brain (see also Encephalitis)
 membrane — see Meningitis
 breast N61.0
 puerperal, postpartum, gestational — see
 Mastitis, obstetric
 broad ligament — see Disease, pelvis, inflammatory
 bronchi — see Bronchitis
 catarrhal J00
 cecum — see Appendicitis

Proctors: This errata is permitted during the examination.

Inflammation

Inflammation — continued

cerebral (see also Encephalitis)
 membrane — see Meningitis
 cerebrospinal
 meningococcal A39.0
 cervix (uteri) — see Cervicitis
 chest J98.8
 chorioretinal H30.9
 cyclitis — see Cyclitis
 disseminated H30.10
 generalized H30.13
 peripheral H30.12
 posterior pole H30.11
 epitheliopathy — see Epitheliopathy
 focal H30.00
 juxtapapillary H30.01
 macular H30.04
 paramacular — see Inflammation, chorioretinal,
 focal, macular
 peripheral H30.03
 posterior pole H30.02
 specified type NEC H30.89
 choroid — see Inflammation, chorioretinal
 chronic, postmastoidectomy cavity — see
 Complications, postmastoidectomy, inflammation
 colon — see Enteritis
 connective tissue (diffuse) NEC — see Disorder, soft
 tissue, specified type NEC
 cornea — see Keratitis
 corpora cavernosa N48.29
 cranial nerve — see Disorder, nerve, cranial
 Douglas' cul-de-sac or pouch (chronic) N73.0
 due to device, implant or graft (see also
 Complications, by site and type, infection or
 inflammation)
 arterial graft T82.7
 breast (implant) T85.79
 catheter T85.79
 dialysis (renal) T82.7
 intraperitoneal T85.71
 infusion T82.7
 cranial T85.735
 intrathecal T85.735
 spinal (epidural) (subdural) T85.735
 subarachnoid T85.735
 urinary T83.518
 cystostomy T83.510
 Hopkins T83.518
 ileostomy T83.518
 nephrostomy T83.512
 specified NEC T83.518
 urethral indwelling T83.511
 urostomy T83.518
 electronic (electrode) (pulse generator) (stimulator)
 bone T84.7
 cardiac T82.7
 nervous system T85.738
 brain T85.731
 cranial nerve T85.732
 gastric nerve T85.732
 neurostimulator generator T85.734
 peripheral nerve T85.732
 sacral nerve T85.732
 spinal cord T85.733
 vagal nerve T85.732
 urinary T83.590
 fixation, internal (orthopedic) NEC — see
 Complication, fixation device, infection
 gastrointestinal (bile duct) (esophagus) T85.79
 neurostimulator electrode (lead) T85.732
 genital NEC T83.69
 heart NEC T82.7
 valve (prosthesis) T82.6
 graft T82.7
 joint prosthesis — see Complication, joint
 prosthesis, infection
 ocular (corneal graft) (orbital implant)
 NEC T85.79
 orthopedic NEC T84.7
 penile (cylinder) (pump) (reservoir) T83.61
 specified NEC T85.79
 testicular T83.62
 urinary NEC T83.598
 ileal conduit stent T83.593
 implanted neurostimulation T83.590
 implanted sphincter T83.591
 indwelling ureteral stent T83.592
 nephroureteral stent T83.593
 specified stent NEC T83.593
 vascular NEC T82.7
 ventricular intracranial (communicating)
 shunt T85.730

Inflammation — continued

duodenum K29.80
 with bleeding K29.81
 dura mater — see Meningitis
 ear (middle) (see also Otitis, media)
 external — see Otitis, externa
 inner — see subcategory H83.0
 epididymis — see Epididymitis
 esophagus K20.9
 ethmoidal (sinus) (chronic) — see Sinusitis,
 ethmoidal
 eustachian tube (catarrhal) — see Salpingitis,
 eustachian
 eyelid H01.9
 abscess — see Abscess, eyelid
 blepharitis — see Blepharitis
 chalazion — see Chalazion
 dermatosis (noninfectious) — see Dermatitis, eyelid
 hordeolum — see Hordeolum
 specified NEC H01.8
 fallopian tube — see Salpingo-oophoritis
 fascia — see Myositis
 follicular, pharynx J31.2
 frontal (sinus) (chronic) — see Sinusitis, frontal
 gallbladder — see Cholecystitis
 gastric — see Gastritis
 gastrointestinal — see Enteritis
 genital organ (internal) (diffuse)
 female — see Disease, pelvis, inflammatory
 male N49.9
 multiple sites N49.8
 specified NEC N49.8
 gland (lymph) — see Lymphadenitis
 glottis — see Laryngitis
 granular, pharynx J31.2
 gum K05.10
 nonplaque induced K05.11
 plaque induced K05.10
 heart — see Carditis
 hepatic duct — see Cholangitis
 ileoanal (internal) pouch K91.850
 ileum (see also Enteritis)
 regional or terminal — see Enteritis, regional
 intestine (any part) — see Enteritis
 intestinal pouch K91.850
 jaw (acute) (bone) (chronic) (lower) (suppurative)
 (upper) M27.2
 joint NEC — see Arthritis
 sacroiliac M46.1
 kidney — see Nephritis
 knee (joint) M13.169
 tuberculous A18.02
 labium (majus) (minus) — see Vulvitis
 lacrimal
 gland — see Dacryoadenitis
 passages (duct) (sac) (see also Dacryocystitis)
 canaliculitis — see Canaliculitis, lacrimal
 larynx — see Laryngitis
 leg NOS L08.9
 lip K13.0
 liver (capsule) (see also Hepatitis)
 chronic K73.9
 suppurative K75.0
 lung (acute) (see also Pneumonia)
 chronic J98.4
 lymph gland or node — see Lymphadenitis
 lymphatic vessel — see Lymphangitis
 maxilla, maxillary M27.2
 sinus (chronic) — see Sinusitis, maxillary
 membranes of brain or spinal cord — see Meningitis
 meninges — see Meningitis
 mouth K12.1
 muscle — see Myositis
 myocardium — see Myocarditis
 nasal sinus (chronic) — see Sinusitis
 nasopharynx — see Nasopharyngitis
 navel L08.82
 nerve NEC — see Neuralgia
 nipple N61.0
 puerperal, postpartum or gestational — see
 Infection, nipple
 nose — see Rhinitis
 oculomotor (nerve) — see Strabismus, paralytic,
 third nerve
 optic nerve — see Neuritis, optic
 orbit (chronic) H05.10
 acute H05.00
 abscess — see Abscess, orbit
 cellulitis — see Cellulitis, orbit
 osteomyelitis — see Osteomyelitis, orbit
 periostitis — see Periostitis, orbital
 tenonitis — see Tenonitis, eye

Inflammation — continued

orbit — continued
 granuloma — see Granuloma, orbit
 myositis — see Myositis, orbital
 ovary — see Salpingo-oophoritis
 oviduct — see Salpingo-oophoritis
 pancreas (acute) — see Pancreatitis
 parametrium N73.0
 parotid region L08.9
 pelvis, female — see Disease, pelvis, inflammatory
 penis (corpora cavernosa) N48.29
 perianal K62.89
 pericardium — see Pericarditis
 perineum (female) (male) L08.9
 perirectal K62.89
 peritoneum — see Peritonitis
 peritubercle — see Disease, pelvis, inflammatory
 perivesical — see Cystitis
 petrous bone (acute) (chronic) — see Petrositis
 pharynx (acute) — see Pharyngitis
 pia mater — see Meningitis
 pleura — see Pleurisy
 polyp, colon (see also Polyp, colon,
 inflammatory) K51.40
 prostate (see also Prostatitis)
 specified type NEC N41.8
 rectosigmoid — see Rectosigmoiditis
 rectum (see also Proctitis) K62.89
 respiratory, upper (see also Infection, respiratory,
 upper) J06.9
 acute, due to radiation J70.0
 chronic, due to external agent — see condition,
 respiratory, chronic, due to
 due to
 chemicals, gases, fumes or vapors
 (inhalation) J68.2
 radiation J70.1
 retina — see Chorioretinitis
 retrocecal — see Appendicitis
 retroperitoneal — see Peritonitis
 salivary duct or gland (any) (suppurative) — see
 Sialoadenitis
 scorbutic, alveoli, teeth E54
 scrotum N49.2
 seminal vesicle — see Vesiculitis
 sigmoid — see Enteritis
 sinus — see Sinusitis
 Skene's duct or gland — see Urethritis
 skin L08.9
 spermatic cord N49.1
 sphenoidal (sinus) — see Sinusitis, sphenoidal
 spinal
 cord — see Encephalitis
 membrane — see Meningitis
 nerve — see Disorder, nerve
 spine — see Spondylopathy, inflammatory
 spleen (capsule) D73.89
 stomach — see Gastritis
 subcutaneous tissue L08.9
 suprarenal (gland) E27.8
 synovial — see Tenosynovitis
 tendon (sheath) NEC — see Tenosynovitis
 testis — see Orchitis
 throat (acute) — see Pharyngitis
 thymus (gland) E32.8
 thyroid (gland) — see Thyroiditis
 tongue K14.0
 tonsil — see Tonsillitis
 trachea — see Tracheitis
 trochlear (nerve) — see Strabismus, paralytic, fourth
 nerve
 tubal — see Salpingo-oophoritis
 tuberculous NEC — see Tuberculosis
 tubo-ovarian — see Salpingo-oophoritis
 tunica vaginalis N49.1
 tympanic membrane — see Tympanitis
 umbilicus, umbilical L08.82
 uterine ligament — see Disease, pelvis,
 inflammatory
 uterus (catarrhal) — see Endometritis
 uveal tract (anterior) NOS (see also Iridocyclitis)
 posterior — see Chorioretinitis
 vagina — see Vaginitis
 vas deferens N49.1
 vein (see also Phlebitis)
 intracranial or intraspinal (septic) G08
 thrombotic I80.9
 leg — see Phlebitis, leg
 lower extremity — see Phlebitis, leg
 vocal cord J38.3
 vulva — see Vulvitis
 Wharton's duct (suppurative) — see Sialoadenitis

Inflation - Injury

Proctors: This errata is permitted during the examination.

Inflation, lung, imperfect (newborn) — see Atelectasis
Influenza (bronchial) (epidemic) (respiratory (upper)) (unidentified influenza virus) J11.1

with

- digestive manifestations J11.2
- encephalopathy J11.81
- enteritis J11.2
- gastroenteritis J11.2
- gastrointestinal manifestations J11.2
- laryngitis J11.1
- myocarditis J11.82
- otitis media J11.83
- pharyngitis J11.1
- pneumonia J11.00
 - specified type J11.08
- respiratory manifestations NEC J11.1
- specified manifestation NEC J11.89

A/H5N1 (see also Influenza, due to, identified novel influenza A virus) J09.X2

avian (see also Influenza, due to, identified novel influenza A virus) J09.X2

bird (see also Influenza, due to, identified novel influenza A virus) J09.X2

novel (2009) H1N1 influenza (see also Influenza, due to, identified influenza virus NEC) J10.1

novel influenza A/H1N1 (see also Influenza, due to, identified influenza virus NEC) J10.1

due to

- avian (see also Influenza, due to, identified novel influenza A virus) J09.X2
- identified influenza virus NEC J10.1
 - with
 - digestive manifestations J10.2
 - encephalopathy J10.81
 - enteritis J10.2
 - gastroenteritis J10.2
 - gastrointestinal manifestations J10.2
 - laryngitis J10.1
 - myocarditis J10.82
 - otitis media J10.83
 - pharyngitis J10.1
 - pneumonia (unspecified type) J10.00
 - with same identified influenza virus J10.01
 - specified type NEC J10.08
 - respiratory manifestations NEC J10.1
 - specified manifestation NEC J10.89
 - identified novel influenza A virus J09.X2
 - with
 - digestive manifestations J09.X3
 - encephalopathy J09.X9
 - enteritis J09.X3
 - gastroenteritis J09.X3
 - gastrointestinal manifestations J09.X3
 - laryngitis J09.X2
 - myocarditis J09.X9
 - otitis media J09.X9
 - pharyngitis J09.X2
 - pneumonia J09.X1
 - respiratory manifestations NEC J09.X2
 - specified manifestation NEC J09.X9
 - upper respiratory symptoms J09.X2

of other animal origin, not bird or swine (see also Influenza, due to, identified novel influenza A virus) J09.X2

swine (viruses that normally cause infections in pigs) (see also Influenza, due to, identified novel influenza A virus) J09.X2

Influenza-like disease — see Influenza

Influenzal — see Influenza

Infraction, Freiberg's (metatarsal head) — see

Osteochondrosis, juvenile, metatarsus

Infraeruption of tooth (teeth) M26.34

Infusion complication, misadventure, or reaction — see Complications, infusion

Ingestion

chemical — see Table of Drugs and Chemicals, by substance, poisoning

drug or medicament

- correct substance properly administered — see Table of Drugs and Chemicals, by drug, adverse effect
- overdose or wrong substance given or taken — see Table of Drugs and Chemicals, by drug, poisoning

foreign body — see Foreign body, alimentary tract

tularemia A21.3

Ingrowing

hair (beard) L73.1

nail (finger) (toe) L60.0

Inguinal (see also condition)

testicle Q53.9

- bilateral Q53.212
- unilateral Q53.112

Inhalant-induced

anxiety disorder F18.980

depressive disorder F18.94

major neurocognitive disorder F18.97

mild neurocognitive disorder F18.988

psychotic disorder F18.959

Inhalation

anthrax A22.1

flame T27.3

food or foreign body — see Foreign body, by site

gases, fumes, or vapors NEC T59.9

- specified agent — see Table of Drugs and Chemicals, by substance

liquid or vomitus — see Asphyxia

meconium (newborn) P24.00

- with
 - pneumonia (pneumonitis) P24.01
 - with respiratory symptoms P24.01

mucus — see Asphyxia, mucus

oil or gasoline (causing suffocation) — see Foreign body, by site

smoke J70.5

- due to chemicals, gases, fumes and vapors J68.9

steam — see Toxicity, vapors

stomach contents or secretions — see Foreign body, by site

- due to anesthesia (general) (local) or other sedation T88.59
- in labor and delivery O74.0
- in pregnancy O29.01
- postpartum, puerperal O89.01

Inhibition, orgasm

female F52.31

male F52.32

Inhibitor, systemic lupus erythematosus (presence of) D68.62

Iniencephalus, iniencephaly Q00.2

Injection, traumatic jet (air) (industrial) (water) (paint or dye) T70.4

Injury (see also specified injury type) T14.90

- abdomen, abdominal S39.91
 - blood vessel — see Injury, blood vessel, abdomen
 - cavity — see Injury, intra-abdominal
 - contusion S30.1
 - internal — see Injury, intra-abdominal
 - intra-abdominal organ — see Injury, intra-abdominal
 - nerve — see Injury, nerve, abdomen
 - open — see Wound, open, abdomen
 - specified NEC S39.81
 - superficial — see Injury, superficial, abdomen
- Achilles tendon S86.00
 - laceration S86.02
 - specified type NEC S86.09
 - strain S86.01
- acoustic, resulting in deafness — see Injury, nerve, acoustic
- adrenal (gland) S37.819
 - contusion S37.812
 - laceration S37.813
 - specified type NEC S37.818
- alveolar (process) S09.93
- ankle S99.91
 - contusion — see Contusion, ankle
 - dislocation — see Dislocation, ankle
 - fracture — see Fracture, ankle
 - nerve — see Injury, nerve, ankle
 - open — see Wound, open, ankle
 - specified type NEC S99.81
 - sprain — see Sprain, ankle
 - superficial — see Injury, superficial, ankle
- anterior chamber, eye — see Injury, eye, specified site NEC
- anus — see Injury, abdomen
- aorta (thoracic) S25.00
 - abdominal S35.00
 - laceration (minor) (superficial) S35.01
 - major S35.02
 - specified type NEC S35.09
 - laceration (minor) (superficial) S25.01
 - major S25.02
 - specified type NEC S25.09
- arm (upper) S49.9
 - blood vessel — see Injury, blood vessel, arm
 - contusion — see Contusion, arm, upper
 - fracture — see Fracture, humerus
 - lower — see Injury, forearm
 - muscle — see Injury, muscle, shoulder
 - nerve — see Injury, nerve, arm
 - open — see Wound, open, arm
 - specified type NEC S49.8
 - superficial — see Injury, superficial, arm

Injury — continued

- artery (complicating trauma) (see also Injury, blood vessel, by site)
 - cerebral or meningeal — see Injury, intracranial
- auditory canal (external) (meatus) S09.91
- auricle, auris, ear S09.91
- axilla — see Injury, shoulder
- back — see Injury, back, lower
- bile duct S36.13
- birth (see also Birth, injury) P15.9
- bladder (sphincter) S37.20
 - at delivery O71.5
 - contusion S37.22
 - laceration S37.23
 - obstetrical trauma O71.5
 - specified type NEC S37.29
- blast (air) (hydraulic) (immersion) (underwater) NEC T14.8
 - acoustic nerve trauma — see Injury, nerve, acoustic
 - bladder — see Injury, bladder
 - brain — see Concussion
 - colon — see Injury, intestine, large, blast injury
 - ear (primary) S09.31
 - secondary S09.39
 - generalized T70.8
 - lung — see Injury, intrathoracic, lung, blast injury
 - multiple body organs T70.8
 - peritoneum S36.81
 - rectum S36.61
 - retroperitoneum S36.898
 - small intestine S36.419
 - duodenum S36.410
 - specified site NEC S36.418
 - specified
 - intra-abdominal organ NEC S36.898
 - pelvic organ NEC S37.899
- blood vessel NEC T14.8
 - abdomen S35.9
 - aorta — see Injury, aorta, abdominal
 - celiac artery — see Injury, blood vessel, celiac artery
 - iliac vessel — see Injury, blood vessel, iliac
 - laceration S35.91
 - mesenteric vessel — see Injury, mesenteric
 - portal vein — see Injury, blood vessel, portal vein
 - renal vessel — see Injury, blood vessel, renal
 - specified vessel NEC S35.8X
 - splenic vessel — see Injury, blood vessel, splenic
 - vena cava — see Injury, vena cava, inferior
 - ankle — see Injury, blood vessel, foot
 - aorta (abdominal) (thoracic) — see Injury, aorta
 - arm (upper) NEC S45.90
 - forearm — see Injury, blood vessel, forearm
 - laceration S45.91
 - specified
 - site NEC S45.80
 - laceration S45.81
 - specified type NEC S45.89
 - type NEC S45.99
 - superficial vein S45.30
 - laceration S45.31
 - specified type NEC S45.39
 - axillary
 - artery S45.00
 - laceration S45.01
 - specified type NEC S45.09
 - vein S45.20
 - laceration S45.21
 - specified type NEC S45.29
 - azygos vein — see Injury, blood vessel, thoracic, specified site NEC
 - brachial
 - artery S45.10
 - laceration S45.11
 - specified type NEC S45.19
 - vein S45.20
 - laceration S45.219
 - specified type NEC S45.29
 - carotid artery (common) (external) (internal, extracranial) S15.00
 - internal, intracranial S06.8
 - laceration (minor) (superficial) S15.01
 - major S15.02
 - specified type NEC S15.09
 - celiac artery S35.219
 - branch S35.299
 - laceration (minor) (superficial) S35.291
 - major S35.292
 - specified NEC S35.298
 - laceration (minor) (superficial) S35.211
 - major S35.212
 - specified type NEC S35.218

Proctors: This errata is permitted during the examination.

Injury

Injury — continued

blood vessel NEC — continued
 cerebral — see Injury, intracranial
 deep plantar — see Injury, blood vessel, plantar artery
 digital (hand) — see Injury, blood vessel, finger dorsal
 artery (foot) S95.00 ☑
 laceration S95.01 ☑
 specified type NEC S95.09 ☑
 vein (foot) S95.20 ☑
 laceration S95.21 ☑
 specified type NEC S95.29 ☑
 due to accidental laceration during procedure — see Laceration, accidental complicating surgery
 extremity — see Injury, blood vessel, limb femoral
 artery (common) (superficial) S75.00 ☑
 laceration (minor) (superficial) S75.01 ☑
 major S75.02 ☑
 specified type NEC S75.09 ☑
 vein (hip level) (thigh level) S75.10 ☑
 laceration (minor) (superficial) S75.11 ☑
 major S75.12 ☑
 specified type NEC S75.19 ☑
 finger S65.50 ☑
 index S65.50 ☑
 laceration S65.51 ☑
 specified type NEC S65.59 ☑
 laceration S65.51 ☑
 little S65.50 ☑
 laceration S65.51 ☑
 specified type NEC S65.59 ☑
 middle S65.50 ☑
 laceration S65.51 ☑
 specified type NEC S65.59 ☑
 specified type NEC S65.59 ☑
 thumb — see Injury, blood vessel, thumb
 foot S95.90 ☑
 dorsal
 artery — see Injury, blood vessel, dorsal, artery
 vein — see Injury, blood vessel, dorsal, vein
 laceration S95.91 ☑
 plantar artery — see Injury, blood vessel, plantar artery
 specified
 site NEC S95.80 ☑
 laceration S95.81 ☑
 specified type NEC S95.89 ☑
 specified type NEC S95.99 ☑
 forearm S55.90 ☑
 laceration S55.91 ☑
 radial artery — see Injury, blood vessel, radial artery
 specified
 site NEC S55.80 ☑
 laceration S55.81 ☑
 specified type NEC S55.89 ☑
 type NEC S55.99 ☑
 ulnar artery — see Injury, blood vessel, ulnar artery
 vein S55.20 ☑
 laceration S55.21 ☑
 specified type NEC S55.29 ☑
 gastric
 artery — see Injury, mesenteric, artery, branch
 vein — see Injury, blood vessel, abdomen
 gastroduodenal artery — see Injury, mesenteric, artery, branch
 greater saphenous vein (lower leg level) S85.30 ☑
 hip (and thigh) level S75.20 ☑
 laceration (minor) (superficial) S75.21 ☑
 major S75.22 ☑
 specified type NEC S75.29 ☑
 laceration S85.31 ☑
 specified type NEC S85.39 ☑
 hand (level) S65.90 ☑
 finger — see Injury, blood vessel, finger
 laceration S65.91 ☑
 palmar arch — see Injury, blood vessel, palmar arch
 radial artery — see Injury, blood vessel, radial artery, hand
 specified
 site NEC S65.80 ☑
 laceration S65.81 ☑
 specified type NEC S65.89 ☑
 type NEC S65.99 ☑
 thumb — see Injury, blood vessel, thumb
 ulnar artery — see Injury, blood vessel, ulnar artery, hand

Injury — continued

blood vessel NEC — continued
 head S09.0 ☑
 intracranial — see Injury, intracranial
 multiple S09.0 ☑
 hepatic
 artery — see Injury, mesenteric, artery
 vein — see Injury, vena cava, inferior
 hip S75.90 ☑
 femoral artery — see Injury, blood vessel, femoral, artery
 femoral vein — see Injury, blood vessel, femoral, vein
 greater saphenous vein — see Injury, blood vessel, greater saphenous, hip level
 laceration S75.91 ☑
 specified
 site NEC S75.80 ☑
 laceration S75.81 ☑
 specified type NEC S75.89 ☑
 type NEC S75.99 ☑
 hypogastric (artery) (vein) — see Injury, blood vessel, iliac
 iliac S35.5 ☑
 artery S35.51 ☑
 specified vessel NEC S35.5 ☑
 uterine vessel — see Injury, blood vessel, uterine
 vein S35.51 ☑
 innominate — see Injury, blood vessel, thoracic, innominate
 intercostal (artery) (vein) — see Injury, blood vessel, thoracic, intercostal
 jugular vein (external) S15.20 ☑
 internal S15.30 ☑
 laceration (minor) (superficial) S15.31 ☑
 major S15.32 ☑
 specified type NEC S15.39 ☑
 laceration (minor) (superficial) S15.21 ☑
 major S15.22 ☑
 specified type NEC S15.29 ☑
 leg (level) (lower) S85.90 ☑
 greater saphenous — see Injury, blood vessel, greater saphenous
 laceration S85.91 ☑
 lesser saphenous — see Injury, blood vessel, lesser saphenous
 peroneal artery — see Injury, blood vessel, peroneal artery
 popliteal
 artery — see Injury, blood vessel, popliteal, artery
 vein — see Injury, blood vessel, popliteal, vein
 specified
 site NEC S85.80 ☑
 laceration S85.81 ☑
 specified type NEC S85.89 ☑
 type NEC S85.99 ☑
 thigh — see Injury, blood vessel, hip
 tibial artery — see Injury, blood vessel, tibial artery
 lesser saphenous vein (lower leg level) S85.40 ☑
 laceration S85.41 ☑
 specified type NEC S85.49 ☑
 limb
 lower — see Injury, blood vessel, leg
 upper — see Injury, blood vessel, arm
 lower back — see Injury, blood vessel, abdomen
 specified NEC — see Injury, blood vessel, abdomen, specified, site NEC
 mammary (artery) (vein) — see Injury, blood vessel, thoracic, specified site NEC
 mesenteric (inferior) (superior)
 artery — see Injury, mesenteric, artery
 vein — see Injury, mesenteric, vein
 neck S15.9 ☑
 specified site NEC S15.8 ☑
 ovarian (artery) (vein) — see subcategory S35.8 ☑
 palmar arch (superficial) S65.20 ☑
 deep S65.30 ☑
 laceration S65.31 ☑
 specified type NEC S65.39 ☑
 laceration S65.21 ☑
 specified type NEC S65.29 ☑
 pelvis — see Injury, blood vessel, abdomen
 specified NEC — see Injury, blood vessel, abdomen, specified, site NEC
 peroneal artery S85.20 ☑
 laceration S85.21 ☑
 specified type NEC S85.29 ☑
 plantar artery (deep) (foot) S95.10 ☑
 laceration S95.11 ☑
 specified type NEC S95.19 ☑

Injury — continued

blood vessel NEC — continued
 popliteal
 artery S85.00 ☑
 laceration S85.01 ☑
 specified type NEC S85.09 ☑
 vein S85.50 ☑
 laceration S85.51 ☑
 specified type NEC S85.59 ☑
 portal vein S35.319 ☑
 laceration S35.311 ☑
 specified type NEC S35.318 ☑
 precerebral — see Injury, blood vessel, neck
 pulmonary (artery) (vein) — see Injury, blood vessel, thoracic, pulmonary
 radial artery (forearm level) S55.10 ☑
 hand and wrist (level) S65.10 ☑
 laceration S65.11 ☑
 specified type NEC S65.19 ☑
 laceration S55.11 ☑
 specified type NEC S55.19 ☑
 renal
 artery S35.40 ☑
 laceration S35.41 ☑
 specified NEC S35.49 ☑
 vein S35.40 ☑
 laceration S35.41 ☑
 specified NEC S35.49 ☑
 saphenous vein (greater) (lower leg level) — see Injury, blood vessel, greater saphenous
 hip and thigh level — see Injury, blood vessel, greater saphenous, hip level
 lesser — see Injury, blood vessel, lesser saphenous
 shoulder
 specified NEC — see Injury, blood vessel, arm, specified site NEC
 superficial vein — see Injury, blood vessel, arm, superficial vein
 specified NEC T14.8 ☑
 splenic
 artery — see Injury, blood vessel, celiac artery, branch
 vein S35.329 ☑
 laceration S35.321 ☑
 specified NEC S35.328 ☑
 subclavian — see Injury, blood vessel, thoracic, innominate
 thigh — see Injury, blood vessel, hip
 thoracic S25.90 ☑
 aorta S25.00 ☑
 laceration (minor) (superficial) S25.01 ☑
 major S25.02 ☑
 specified type NEC S25.09 ☑
 azygos vein — see Injury, blood vessel, thoracic, specified, site NEC
 innominate
 artery S25.10 ☑
 laceration (minor) (superficial) S25.11 ☑
 major S25.12 ☑
 specified type NEC S25.19 ☑
 vein S25.30 ☑
 laceration (minor) (superficial) S25.31 ☑
 major S25.32 ☑
 specified type NEC S25.39 ☑
 intercostal S25.50 ☑
 laceration S25.51 ☑
 specified type NEC S25.59 ☑
 laceration S25.91 ☑
 mammary vessel — see Injury, blood vessel, thoracic, specified, site NEC
 pulmonary S25.40 ☑
 laceration (minor) (superficial) S25.41 ☑
 major S25.42 ☑
 specified type NEC S25.49 ☑
 specified
 site NEC S25.80 ☑
 laceration S25.81 ☑
 specified type NEC S25.89 ☑
 type NEC S25.99 ☑
 subclavian — see Injury, blood vessel, thoracic, innominate
 vena cava (superior) S25.20 ☑
 laceration (minor) (superficial) S25.21 ☑
 major S25.22 ☑
 specified type NEC S25.29 ☑
 thumb S65.40 ☑
 laceration S65.41 ☑
 specified type NEC S65.49 ☑
 tibial artery S85.10 ☑
 anterior S85.13 ☑
 laceration S85.14 ☑
 specified injury NEC S85.15 ☑

Injury

Proctors: This errata is permitted during the examination.

Injury — continued

blood vessel NEC — continued
 laceration S85.11 ☑
 posterior S85.16 ☑
 laceration S85.17 ☑
 specified injury NEC S85.18 ☑
 specified injury NEC S85.12 ☑
 ulnar artery (forearm level) S55.00 ☑
 hand and wrist (level) S65.00 ☑
 laceration S65.01 ☑
 specified type NEC S65.09 ☑
 laceration S55.01 ☑
 specified type NEC S55.09 ☑
 upper arm (level) — see Injury, blood vessel, arm
 superficial vein — see Injury, blood vessel, arm,
 superficial vein
 uterine S35.5 ☑
 artery S35.53 ☑
 vein S35.53 ☑
 vena cava — see Injury, vena cava
 vertebral artery S15.10 ☑
 laceration (minor) (superficial) S15.11 ☑
 major S15.12 ☑
 specified type NEC S15.19 ☑
 wrist (level) — see Injury, blood vessel, hand
 brachial plexus S14.3 ☑
 newborn P14.3
 brain (traumatic) S06.9 ☑
 diffuse (axonal) S06.2X ☑
 focal S06.30 ☑
 brainstem S06.38 ☑
 breast NOS S29.9 ☑
 broad ligament — see Injury, pelvic organ, specified
 site NEC
 bronchus, bronchi — see Injury, intrathoracic,
 bronchus
 brow S09.90 ☑
 buttock S39.92 ☑
 canthus, eye S05.90 ☑
 cardiac plexus — see Injury, nerve, thorax,
 sympathetic
 cauda equina S34.3 ☑
 cavernous sinus — see Injury, intracranial
 cecum — see Injury, colon
 celiac ganglion or plexus — see Injury, nerve,
 lumbosacral, sympathetic
 cerebellum — see Injury, intracranial
 cerebral — see Injury, intracranial
 cervix (uteri) — see Injury, uterus
 cheek (wall) S09.93 ☑
 chest — see Injury, thorax
 childbirth (newborn) (see also Birth, injury)
 maternal NEC O71.9
 chin S09.93 ☑
 choroid (eye) — see Injury, eye, specified site NEC
 clitoris S39.94 ☑
 coccyx (see also Injury, back, lower)
 complicating delivery O71.6
 colon — see Injury, intestine, large
 common bile duct — see Injury, liver
 conjunctiva (superficial) — see Injury, eye,
 conjunctiva
 conus medullaris — see Injury, spinal, sacral
 cord
 spermatic (pelvic region) S37.898 ☑
 scrotal region S39.848 ☑
 spinal — see Injury, spinal cord, by region
 cornea — see Injury, eye, specified site NEC
 abrasion — see Injury, eye, cornea, abrasion
 cortex (cerebral) (see also Injury, intracranial)
 visual — see Injury, nerve, optic
 costal region NEC S29.9 ☑
 costochondral NEC S29.9 ☑
 cranial
 cavity — see Injury, intracranial
 nerve — see Injury, nerve, cranial
 crushing — see Crush
 cutaneous sensory nerve
 cystic duct — see Injury, liver
 deep tissue — see Contusion, by site
 meaning pressure ulcer — see Ulcer, pressure,
 unstageable, by site
 delivery (newborn) P15.9
 maternal NEC O71.9
 Descemet's membrane — see Injury, eyeball,
 penetrating
 diaphragm — see Injury, intrathoracic, diaphragm
 duodenum — see Injury, intestine, small,
 duodenum
 ear (auricle) (external) (canal) S09.91 ☑
 abrasion — see Abrasion, ear
 bite — see Bite, ear

Injury — continued

ear — continued
 blister — see Blister, ear
 bruise — see Contusion, ear
 contusion — see Contusion, ear
 external constriction — see Constriction, external,
 ear
 hematoma — see Hematoma, ear
 inner — see Injury, ear, middle
 laceration — see Laceration, ear
 middle S09.30 ☑
 blast — see Injury, blast, ear
 specified NEC S09.39 ☑
 puncture — see Puncture, ear
 superficial — see Injury, superficial, ear
 eighth cranial nerve (acoustic or auditory) — see
 Injury, nerve, acoustic
 elbow S59.90 ☑
 contusion — see Contusion, elbow
 dislocation — see Dislocation, elbow
 fracture — see Fracture, ulna, upper end
 open — see Wound, open, elbow
 specified NEC S59.80 ☑
 sprain — see Sprain, elbow
 superficial — see Injury, superficial, elbow
 eleventh cranial nerve (accessory) — see Injury,
 nerve, accessory
 epidyymis S39.94 ☑
 epigastric region S39.91 ☑
 epiglottis NEC S19.89 ☑
 esophageal plexus — see Injury, nerve, thorax,
 sympathetic
 esophagus (thoracic part) (see also Injury,
 intrathoracic, esophagus)
 cervical NEC S19.85 ☑
 eustachian tube S09.30 ☑
 eye S05.9 ☑
 avulsion S05.7 ☑
 ball — see Injury, eyeball
 conjunctiva S05.0 ☑
 cornea
 abrasion S05.0 ☑
 laceration S05.3 ☑
 with prolapse S05.2 ☑
 lacrimal apparatus S05.8X ☑
 orbit penetration S05.4 ☑
 specified site NEC S05.8X ☑
 eyeball S05.8X ☑
 contusion S05.1 ☑
 penetrating S05.6 ☑
 with
 foreign body S05.5 ☑
 prolapse or loss of intraocular tissue S05.2 ☑
 without prolapse or loss of intraocular
 tissue S05.3 ☑
 specified type NEC S05.8 ☑
 eyebrow S09.93 ☑
 eyelid S09.93 ☑
 abrasion — see Abrasion, eyelid
 contusion — see Contusion, eyelid
 open — see Wound, open, eyelid
 face S09.93 ☑
 fallopian tube S37.509 ☑
 bilateral S37.502 ☑
 blast injury S37.512 ☑
 contusion S37.522 ☑
 laceration S37.532 ☑
 specified type NEC S37.592 ☑
 blast injury (primary) S37.519 ☑
 bilateral S37.512 ☑
 secondary — see Injury, fallopian tube,
 specified type NEC
 unilateral S37.511 ☑
 contusion S37.529 ☑
 bilateral S37.522 ☑
 unilateral S37.521 ☑
 laceration S37.539 ☑
 bilateral S37.532 ☑
 unilateral S37.531 ☑
 specified type NEC S37.599 ☑
 bilateral S37.592 ☑
 unilateral S37.591 ☑
 unilateral S37.501 ☑
 blast injury S37.511 ☑
 contusion S37.521 ☑
 laceration S37.531 ☑
 specified type NEC S37.591 ☑
 fascia — see Injury, muscle
 fifth cranial nerve (trigeminal) — see Injury, nerve,
 trigeminal
 finger (nail) S69.9 ☑
 blood vessel — see Injury, blood vessel, finger

Injury — continued

finger — continued
 contusion — see Contusion, finger
 dislocation — see Dislocation, finger
 fracture — see Fracture, finger
 muscle — see Injury, muscle, finger
 nerve — see Injury, nerve, digital, finger
 open — see Wound, open, finger
 specified NEC S69.8 ☑
 sprain — see Sprain, finger
 superficial — see Injury, superficial, finger
 first cranial nerve (olfactory) — see Injury, nerve,
 olfactory
 flank — see Injury, abdomen
 foot S99.92 ☑
 blood vessel — see Injury, blood vessel, foot
 contusion — see Contusion, foot
 dislocation — see Dislocation, foot
 fracture — see Fracture, foot
 muscle — see Injury, muscle, foot
 open — see Wound, open, foot
 specified type NEC S99.82 ☑
 sprain — see Sprain, foot
 superficial — see Injury, superficial, foot
 forceps NOS P15.9
 forearm S59.91 ☑
 blood vessel — see Injury, blood vessel, forearm
 contusion — see Contusion, forearm
 fracture — see Fracture, forearm
 muscle — see Injury, muscle, forearm
 nerve — see Injury, nerve, forearm
 open — see Wound, open, forearm
 specified NEC S59.81 ☑
 superficial — see Injury, superficial, forearm
 forehead S09.90 ☑
 fourth cranial nerve (trochlear) — see Injury, nerve,
 trochlear
 gallbladder S36.129 ☑
 contusion S36.122 ☑
 laceration S36.123 ☑
 specified NEC S36.128 ☑
 ganglion
 celiac, coeliac — see Injury, nerve, lumbosacral,
 sympathetic
 gasserian — see Injury, nerve, trigeminal
 stellate — see Injury, nerve, thorax, sympathetic
 thoracic sympathetic — see Injury, nerve, thorax,
 sympathetic
 gasserian ganglion — see Injury, nerve, trigeminal
 gastric artery — see Injury, blood vessel, celiac
 artery, branch
 gastroduodenal artery — see Injury, blood vessel,
 celiac artery, branch
 gastrointestinal tract — see Injury, intra-abdominal
 with open wound into abdominal cavity —
 see Wound, open, with penetration into
 peritoneal cavity
 colon — see Injury, intestine, large
 rectum — see Injury, intestine, large, rectum
 with open wound into abdominal
 cavity S36.61 ☑
 specified site NEC — see Injury, intra-abdominal,
 specified, site NEC
 stomach — see Injury, stomach
 small intestine — see Injury, intestine, small
 genital organ (s)
 external S39.94 ☑
 specified NEC S39.848 ☑
 internal S37.90 ☑
 fallopian tube — see Injury, fallopian tube
 ovary — see Injury, ovary
 prostate — see Injury, prostate
 seminal vesicle — see Injury, pelvis, organ,
 specified site NEC
 uterus — see Injury, uterus
 vas deferens — see Injury, pelvis, organ,
 specified site NEC
 obstetrical trauma O71.9
 gland
 lacrimal laceration — see Injury, eye, specified
 site NEC
 salivary S09.93 ☑
 thyroid NEC S19.84 ☑
 globe (eye) S05.90 ☑
 specified NEC S05.8X ☑
 groin — see Injury, abdomen
 gum S09.90 ☑
 hand S69.9 ☑
 blood vessel — see Injury, blood vessel, hand
 contusion — see Contusion, hand
 fracture — see Fracture, hand
 muscle — see Injury, muscle, hand

Proctors: This errata is permitted during the examination.

Injury

Injury — continued
 hand — *continued*
 nerve — see Injury, nerve, hand
 open — see Wound, open, hand
 specified NEC S69.8 ✓
 sprain — see Sprain, hand
 superficial — see Injury, superficial, hand
 head S09.90 ✓
 with loss of consciousness S06.9 ✓
 specified NEC S09.8 ✓
 heart S26.90 ✓
 with hemopericardium S26.00 ✓
 contusion S26.01 ✓
 laceration (mild) S26.020 ✓
 moderate S26.021 ✓
 major S26.022 ✓
 specified type NEC S26.09 ✓
 contusion S26.91 ✓
 laceration S26.92 ✓
 specified type NEC S26.99 ✓
 without hemopericardium S26.10 ✓
 contusion S26.11 ✓
 laceration S26.12 ✓
 specified type NEC S26.19 ✓
 heel — see Injury, foot
 hepatic
 artery — see Injury, blood vessel, celiac artery, branch
 duct — see Injury, liver
 vein — see Injury, vena cava, inferior
 hip S79.91 ✓
 blood vessel — see Injury, blood vessel, hip
 contusion — see Contusion, hip
 dislocation — see Dislocation, hip
 fracture — see Fracture, femur, neck
 muscle — see Injury, muscle, hip
 nerve — see Injury, nerve, hip
 open — see Wound, open, hip
 sprain — see Sprain, hip
 superficial — see Injury, superficial, hip
 specified NEC S79.81 ✓
 hymen S39.94 ✓
 hypogastric
 blood vessel — see Injury, blood vessel, iliac plexus — see Injury, nerve, lumbosacral, sympathetic
 ileum — see Injury, intestine, small
 iliac region S39.91 ✓
 instrumental (during surgery) — see Laceration, accidental complicating surgery
 birth injury — see Birth, injury
 nonsurgical — see Injury, by site
 obstetrical O71.9
 bladder O71.5
 cervix O71.3
 high vaginal O71.4
 perineal NOS O70.9
 urethra O71.5
 uterus O71.5
 with rupture or perforation O71.1
 internal T14.8 ✓
 aorta — see Injury, aorta
 bladder (sphincter) — see Injury, bladder with
 ectopic or molar pregnancy O08.6
 following ectopic or molar pregnancy O08.6
 obstetrical trauma O71.5
 bronchus, bronchi — see Injury, intrathoracic, bronchus
 cecum — see Injury, intestine, large
 cervix (uteri) (see also Injury, uterus)
 with ectopic or molar pregnancy O08.6
 following ectopic or molar pregnancy O08.6
 obstetrical trauma O71.3
 chest — see Injury, intrathoracic
 gastrointestinal tract — see Injury, intra-abdominal
 heart — see Injury, heart
 intestine NEC — see Injury, intestine
 intrauterine — see Injury, uterus
 mesentery — see Injury, intra-abdominal, specified, site NEC
 pelvis, pelvic (organ) S37.90 ✓
 following ectopic or molar pregnancy (subsequent episode) O08.6
 obstetrical trauma NEC O71.5
 rupture or perforation O71.1
 specified NEC S39.83 ✓
 rectum — see Injury, intestine, large, rectum
 stomach — see Injury, stomach
 ureter — see Injury, ureter

Injury — continued
 internal — *continued*
 urethra (sphincter) following ectopic or molar pregnancy O08.6
 uterus — see Injury, uterus
 interscapular area — see Injury, thorax
 intestine
 large S36.509 ✓
 ascending (right) S36.500 ✓
 blast injury (primary) S36.510 ✓
 secondary S36.590 ✓
 contusion S36.520 ✓
 laceration S36.530 ✓
 specified type NEC S36.590 ✓
 blast injury (primary) S36.519 ✓
 ascending (right) S36.510 ✓
 descending (left) S36.512 ✓
 rectum S36.61 ✓
 sigmoid S36.513 ✓
 specified site NEC S36.518 ✓
 transverse S36.511 ✓
 contusion S36.529 ✓
 ascending (right) S36.520 ✓
 descending (left) S36.522 ✓
 rectum S36.62 ✓
 sigmoid S36.523 ✓
 specified site NEC S36.528 ✓
 transverse S36.521 ✓
 descending (left) S36.502 ✓
 blast injury (primary) S36.512 ✓
 secondary S36.592 ✓
 contusion S36.522 ✓
 laceration S36.532 ✓
 specified type NEC S36.592 ✓
 laceration S36.539 ✓
 ascending (right) S36.530 ✓
 descending (left) S36.532 ✓
 rectum S36.63 ✓
 sigmoid S36.533 ✓
 specified site NEC S36.538 ✓
 transverse S36.531 ✓
 rectum S36.60 ✓
 blast injury (primary) S36.61 ✓
 secondary S36.69 ✓
 contusion S36.62 ✓
 laceration S36.63 ✓
 specified type NEC S36.69 ✓
 sigmoid S36.503 ✓
 blast injury (primary) S36.513 ✓
 secondary S36.593 ✓
 contusion S36.523 ✓
 laceration S36.533 ✓
 specified type NEC S36.593 ✓
 specified
 site NEC S36.508 ✓
 blast injury (primary) S36.518 ✓
 secondary S36.598 ✓
 contusion S36.528 ✓
 laceration S36.538 ✓
 specified type NEC S36.598 ✓
 type NEC S36.599 ✓
 ascending (right) S36.590 ✓
 descending (left) S36.592 ✓
 rectum S36.69 ✓
 sigmoid S36.593 ✓
 specified site NEC S36.598 ✓
 transverse S36.591 ✓
 transverse S36.501 ✓
 blast injury (primary) S36.511 ✓
 secondary S36.591 ✓
 contusion S36.521 ✓
 laceration S36.531 ✓
 specified type NEC S36.591 ✓
 small S36.409 ✓
 blast injury (primary) S36.419 ✓
 duodenum S36.410 ✓
 secondary S36.499 ✓
 duodenum S36.490 ✓
 specified site NEC S36.498 ✓
 specified site NEC S36.418 ✓
 contusion S36.429 ✓
 duodenum S36.420 ✓
 specified site NEC S36.428 ✓
 duodenum S36.400 ✓
 blast injury (primary) S36.410 ✓
 secondary S36.490 ✓
 contusion S36.420 ✓
 laceration S36.430 ✓
 specified NEC S36.490 ✓
 laceration S36.439 ✓
 duodenum S36.430 ✓
 specified site NEC S36.438 ✓

Injury — continued
 intestine — *continued*
 specified
 type NEC S36.499 ✓
 duodenum S36.490 ✓
 specified site NEC S36.498 ✓
 site NEC S36.408 ✓
 intra-abdominal S36.90 ✓
 adrenal gland — see Injury, adrenal gland
 bladder — see Injury, bladder
 colon — see Injury, intestine, large
 contusion S36.92 ✓
 fallopian tube — see Injury, fallopian tube
 gallbladder — see Injury, gallbladder
 intestine — see Injury, intestine
 laceration S36.93 ✓
 liver — see Injury, liver
 kidney — see Injury, kidney
 ovary — see Injury, ovary
 pancreas — see Injury, pancreas
 pelvic NOS S37.90 ✓
 peritoneum — see Injury, intra-abdominal, specified, site NEC
 prostate — see Injury, prostate
 rectum — see Injury, intestine, large, rectum
 retroperitoneum — see Injury, intra-abdominal, specified, site NEC
 seminal vesicle — see Injury, pelvis, organ, specified site NEC
 small intestine — see Injury, intestine, small
 specified
 site NEC S36.899 ✓
 contusion S36.892 ✓
 laceration S36.893 ✓
 specified type NEC S36.898 ✓
 type NEC S36.99 ✓
 pelvic S37.90 ✓
 specified
 site NEC S37.899 ✓
 specified type NEC S37.898 ✓
 type NEC S37.99 ✓
 spleen — see Injury, spleen
 stomach — see Injury, stomach
 ureter — see Injury, ureter
 urethra — see Injury, urethra
 uterus — see Injury, uterus
 vas deferens — see Injury, pelvis, organ, specified site NEC
 intracranial (traumatic) S06.9 ✓
 cerebellar hemorrhage, traumatic — see Injury, intracranial, focal
 cerebral edema, traumatic S06.1X ✓
 diffuse S06.1X ✓
 focal S06.1X ✓
 diffuse (axonal) S06.2X ✓
 epidural hemorrhage (traumatic) S06.4X ✓
 focal brain injury S06.30 ✓
 contusion — see Contusion, cerebral
 laceration — see Laceration, cerebral
 intracerebral hemorrhage, traumatic S06.36 ✓
 left side S06.35 ✓
 right side S06.34 ✓
 subarachnoid hemorrhage, traumatic S06.6X ✓
 subdural hemorrhage, traumatic S06.5X ✓
 intraocular — see Injury, eyeball, penetrating
 intrathoracic S27.9 ✓
 bronchus S27.409 ✓
 bilateral S27.402 ✓
 blast injury (primary) S27.419 ✓
 bilateral S27.412 ✓
 secondary — see Injury, intrathoracic, bronchus, specified type NEC
 unilateral S27.411 ✓
 contusion S27.429 ✓
 bilateral S27.422 ✓
 unilateral S27.421 ✓
 laceration S27.439 ✓
 bilateral S27.432 ✓
 unilateral S27.431 ✓
 specified type NEC S27.499 ✓
 bilateral S27.492 ✓
 unilateral S27.491 ✓
 unilateral S27.401 ✓
 diaphragm S27.809 ✓
 contusion S27.802 ✓
 laceration S27.803 ✓
 specified type NEC S27.808 ✓
 esophagus (thoracic) S27.819 ✓
 contusion S27.812 ✓
 laceration S27.813 ✓
 specified type NEC S27.818 ✓
 heart — see Injury, heart

Injury

Proctors: This errata is permitted during the examination.

Injury — continued

intrathoracic — continued
 hemopneumothorax S27.2 ✓
 hemothorax S27.1 ✓
 lung S27.309 ✓
 aspiration J69.0
 bilateral S27.302 ✓
 blast injury (primary) S27.319 ✓
 bilateral S27.312 ✓
 secondary — see Injury, intrathoracic, lung, specified type NEC
 unilateral S27.311 ✓
 contusion S27.329 ✓
 bilateral S27.322 ✓
 unilateral S27.321 ✓
 laceration S27.339 ✓
 bilateral S27.332 ✓
 unilateral S27.331 ✓
 specified type NEC S27.399 ✓
 bilateral S27.392 ✓
 unilateral S27.391 ✓
 unilateral S27.301 ✓
 pleura S27.60 ✓
 laceration S27.63 ✓
 specified type NEC S27.69 ✓
 pneumothorax S27.0 ✓
 specified organ NEC S27.899 ✓
 contusion S27.892 ✓
 laceration S27.893 ✓
 specified type NEC S27.898 ✓
 thoracic duct — see Injury, intrathoracic, specified organ NEC
 thymus gland — see Injury, intrathoracic, specified organ NEC
 trachea, thoracic S27.50 ✓
 blast (primary) S27.51 ✓
 contusion S27.52 ✓
 laceration S27.53 ✓
 specified type NEC S27.59 ✓
 iris — see Injury, eye, specified site NEC
 penetrating — see Injury, eyeball, penetrating
 jaw S09.93 ✓
 jejunum — see Injury, intestine, small
 joint NOS T14.8 ✓
 old or residual — see Disorder, joint, specified type NEC
 kidney S37.00 ✓
 acute (nontraumatic) N17.9
 contusion — see Contusion, kidney
 laceration — see Laceration, kidney
 specified NEC S37.09 ✓
 knee S89.9 ✓
 contusion — see Contusion, knee
 dislocation — see Dislocation, knee
 meniscus (lateral) (medial) — see Sprain, knee, specified site NEC
 old injury or tear — see Derangement, knee, meniscus, due to old injury
 open — see Wound, open, knee
 specified NEC S89.8 ✓
 sprain — see Sprain, knee
 superficial — see Injury, superficial, knee
 labium (majus) (minus) S39.94 ✓
 labyrinth, ear S09.30 ✓
 lacrimal apparatus, duct, gland, or sac — see Injury, eye, specified site NEC
 larynx NEC S19.81 ✓
 leg (lower) S89.9 ✓
 blood vessel — see Injury, blood vessel, leg
 contusion — see Contusion, leg
 fracture — see Fracture, leg
 muscle — see Injury, muscle, leg
 nerve — see Injury, nerve, leg
 open — see Wound, open, leg
 specified NEC S89.8 ✓
 superficial — see Injury, superficial, leg
 lens, eye — see Injury, eye, specified site NEC
 penetrating — see Injury, eyeball, penetrating
 limb NEC T14.8 ✓
 lip S09.93 ✓
 liver S36.119 ✓
 contusion S36.112 ✓
 laceration S36.113 ✓
 major (stellate) S36.116 ✓
 minor S36.114 ✓
 moderate S36.115 ✓
 specified NEC S36.118 ✓
 lower back S39.92 ✓
 specified NEC S39.82 ✓
 lumbar, lumbosacral (region) S39.92 ✓
 plexus — see Injury, lumbosacral plexus
 lumbosacral plexus S34.4 ✓

Injury — continued

lung (see also Injury, intrathoracic, lung)
 aspiration J69.0
 transfusion-related (TRALI) J95.84
 lymphatic thoracic duct — see Injury, intrathoracic, specified organ NEC
 malar region S09.93 ✓
 mastoid region S09.90 ✓
 maxilla S09.93 ✓
 mediastinum — see Injury, intrathoracic, specified organ NEC
 membrane, brain — see Injury, intracranial
 meningeal artery — see Injury, intracranial, subdural hemorrhage
 meninges (cerebral) — see Injury, intracranial
 mesenteric
 artery
 branch S35.299 ✓
 laceration (minor) (superficial) S35.291 ✓
 major S35.292 ✓
 specified NEC S35.298 ✓
 inferior S35.239 ✓
 laceration (minor) (superficial) S35.231 ✓
 major S35.232 ✓
 specified NEC S35.238 ✓
 superior S35.229 ✓
 laceration (minor) (superficial) S35.221 ✓
 major S35.222 ✓
 specified NEC S35.228 ✓
 plexus (inferior) (superior) — see Injury, nerve, lumbosacral, sympathetic
 vein
 inferior S35.349 ✓
 laceration S35.341 ✓
 specified NEC S35.348 ✓
 superior S35.339 ✓
 laceration S35.331 ✓
 specified NEC S35.338 ✓
 mesentery — see Injury, intra-abdominal, specified site NEC
 mesosalpinx — see Injury, pelvic organ, specified site NEC
 middle ear S09.30 ✓
 midthoracic region NOS S29.9 ✓
 mouth S09.93 ✓
 multiple NOS T07 ✓
 muscle (and fascia) (and tendon)
 abdomen S39.001 ✓
 laceration S39.021 ✓
 specified type NEC S39.091 ✓
 strain S39.011 ✓
 abductor
 thumb, forearm level — see Injury, muscle, thumb, abductor
 adductor
 thigh S76.20 ✓
 laceration S76.22 ✓
 specified type NEC S76.29 ✓
 strain S76.21 ✓
 ankle — see Injury, muscle, foot
 anterior muscle group, at leg level (lower) S86.20 ✓
 laceration S86.22 ✓
 specified type NEC S86.29 ✓
 strain S86.21 ✓
 arm (upper) — see Injury, muscle, shoulder
 biceps (parts NEC) S46.20 ✓
 laceration S46.22 ✓
 long head S46.10 ✓
 laceration S46.12 ✓
 strain S46.11 ✓
 specified type NEC S46.19 ✓
 specified type NEC S46.29 ✓
 strain S46.21 ✓
 extensor
 finger (s) (other than thumb) — see Injury, muscle, finger by site, extensor
 forearm level, specified NEC — see Injury, muscle, forearm, extensor
 thumb — see Injury, muscle, thumb, extensor
 toe (large) (ankle level) (foot level) — see Injury, muscle, toe, extensor
 finger
 extensor (forearm level) S56.40 ✓
 hand level S66.309 ✓
 laceration S66.329 ✓
 specified type NEC S66.399 ✓
 strain S66.319 ✓
 laceration S56.429 ✓
 specified type NEC S56.499 ✓
 strain S56.419 ✓
 flexor (forearm level) S56.10 ✓

Injury — continued

muscle — continued
 hand level S66.109 ✓
 laceration S66.129 ✓
 specified type NEC S66.199 ✓
 strain S66.119 ✓
 laceration S56.129 ✓
 specified type NEC S56.199 ✓
 strain S56.119 ✓
 intrinsic S66.509 ✓
 laceration S66.529 ✓
 specified type NEC S66.599 ✓
 strain S66.519 ✓
 index
 extensor (forearm level)
 hand level S66.308 ✓
 laceration S66.32 ✓
 specified type NEC S66.39 ✓
 strain S66.31 ✓
 specified type NEC S56.492 ✓
 flexor (forearm level)
 hand level S66.108 ✓
 laceration S66.12 ✓
 specified type NEC S66.19 ✓
 strain S66.11 ✓
 specified type NEC S56.19 ✓
 strain S56.11 ✓
 intrinsic S66.50 ✓
 laceration S66.52 ✓
 specified type NEC S66.59 ✓
 strain S66.51 ✓
 little
 extensor (forearm level)
 hand level S66.30 ✓
 laceration S66.32 ✓
 specified type NEC S66.39 ✓
 strain S66.31 ✓
 laceration S56.42 ✓
 specified type NEC S56.49 ✓
 strain S56.41 ✓
 flexor (forearm level)
 hand level S66.10 ✓
 laceration S66.12 ✓
 specified type NEC S66.19 ✓
 strain S66.11 ✓
 laceration S56.12 ✓
 specified type NEC S56.19 ✓
 strain S56.11 ✓
 intrinsic S66.50 ✓
 laceration S66.52 ✓
 specified type NEC S66.59 ✓
 strain S66.51 ✓
 middle
 extensor (forearm level)
 hand level S66.30 ✓
 laceration S66.32 ✓
 specified type NEC S66.39 ✓
 strain S66.31 ✓
 laceration S56.42 ✓
 specified type NEC S56.49 ✓
 strain S56.41 ✓
 flexor (forearm level)
 hand level S66.10 ✓
 laceration S66.12 ✓
 specified type NEC S66.19 ✓
 strain S66.11 ✓
 laceration S56.12 ✓
 specified type NEC S56.19 ✓
 strain S56.11 ✓
 intrinsic S66.50 ✓
 laceration S66.52 ✓
 specified type NEC S66.59 ✓
 strain S66.51 ✓
 ring
 extensor (forearm level)
 hand level S66.30 ✓
 laceration S66.32 ✓
 specified type NEC S66.39 ✓
 strain S66.31 ✓
 laceration S56.42 ✓
 specified type NEC S56.49 ✓
 strain S56.41 ✓
 flexor (forearm level)
 hand level S66.10 ✓
 laceration S66.12 ✓
 specified type NEC S66.19 ✓
 strain S66.11 ✓
 laceration S56.12 ✓
 specified type NEC S56.19 ✓
 strain S56.11 ✓
 intrinsic S66.50 ✓
 laceration S66.52 ✓
 specified type NEC S66.59 ✓
 strain S66.51 ✓

Proctors: This errata is permitted during the examination.

Injury

Injury — continued

muscle — continued
 specified type NEC S66.59
 strain S66.51

flexor
 finger (s) (other than thumb) — see Injury, muscle, finger
 forearm level, specified NEC — see Injury, muscle, forearm, flexor
 thumb — see Injury, muscle, thumb, flexor
 toe (long) (ankle level) (foot level) — see Injury, muscle, toe, flexor

foot S96.90
 intrinsic S96.20
 laceration S96.22
 specified type NEC S96.29
 strain S96.21
 laceration S96.92
 long extensor, toe — see Injury, muscle, toe, extensor
 long flexor, toe — see Injury, muscle, toe, flexor
 specified
 site NEC S96.80
 laceration S96.82
 specified type NEC S96.89
 strain S96.81
 type NEC S96.99
 strain S96.91
 forearm (level) S56.90
 extensor S56.50
 laceration S56.52
 specified type NEC S56.59
 strain S56.51
 flexor S56.20
 laceration S56.22
 specified type NEC S56.29
 strain S56.21
 laceration S56.92
 specified S56.99
 site NEC S56.80
 laceration S56.82
 strain S56.81
 type NEC S56.89
 strain S56.91

hand (level) S66.90
 laceration S66.92
 specified
 site NEC S66.80
 laceration S66.82
 specified type NEC S66.89
 strain S66.81
 type NEC S66.99
 strain S66.91

head S09.10
 laceration S09.12
 specified type NEC S09.19
 strain S09.11

hip NEC S76.00
 laceration S76.02
 specified type NEC S76.09
 strain S76.01

intrinsic
 ankle and foot level — see Injury, muscle, foot, intrinsic
 finger (other than thumb) — see Injury, muscle, finger by site, intrinsic
 foot (level) — see Injury, muscle, foot, intrinsic
 thumb — see Injury, muscle, thumb, intrinsic

leg (level) (lower) S86.90
 Achilles tendon — see Injury, Achilles tendon
 anterior muscle group — see Injury, muscle, anterior muscle group
 laceration S86.92
 peroneal muscle group — see Injury, muscle, peroneal muscle group
 posterior muscle group — see Injury, muscle, posterior muscle group, leg level
 specified
 site NEC S86.80
 laceration S86.82
 specified type NEC S86.89
 strain S86.81
 type NEC S86.99
 strain S86.91

long
 extensor toe, at ankle and foot level — see Injury, muscle, toe, extensor
 flexor, toe, at ankle and foot level — see Injury, muscle, toe, flexor
 head, biceps — see Injury, muscle, biceps, long head
 lower back S39.002

Injury — continued

muscle — continued
 laceration S39.022
 specified type NEC S39.092
 strain S39.012

neck (level) S16.9
 laceration S16.2
 specified type NEC S16.8
 strain S16.1

pelvis S39.003
 laceration S39.023
 specified type NEC S39.093
 strain S39.013

peroneal muscle group, at leg level
 (lower) S86.30
 laceration S86.32
 specified type NEC S86.39
 strain S86.31

posterior muscle (group)
 leg level (lower) S86.10
 laceration S86.12
 specified type NEC S86.19
 strain S86.11

thigh level S76.30
 laceration S76.32
 specified type NEC S76.39
 strain S76.31

quadriceps (thigh) S76.10
 laceration S76.12
 specified type NEC S76.19
 strain S76.11

shoulder S46.90
 laceration S46.92
 rotator cuff — see Injury, rotator cuff
 specified site NEC S46.80
 laceration S46.82
 strain S46.81
 specified type NEC S46.89
 strain S46.91
 specified type NEC S46.99

thigh NEC (level) S76.90
 adductor — see Injury, muscle, adductor, thigh
 laceration S76.92
 posterior muscle (group) — see Injury, muscle, posterior muscle, thigh level
 quadriceps — see Injury, muscle, quadriceps
 specified
 site NEC S76.80
 laceration S76.82
 specified type NEC S76.89
 strain S76.81
 type NEC S76.99
 strain S76.91

thorax (level) S29.009
 back wall S29.002
 front wall S29.001
 laceration S29.029
 back wall S29.022
 front wall S29.021
 specified type NEC S29.099
 back wall S29.092
 front wall S29.091
 strain S29.019
 back wall S29.012
 front wall S29.011

thumb
 abductor (forearm level) S56.30
 laceration S56.32
 specified type NEC S56.39
 strain S56.31

extensor (forearm level) S56.30
 hand level S66.20
 laceration S66.22
 specified type NEC S66.29
 strain S66.21
 laceration S56.32
 specified type NEC S56.39
 strain S56.31

flexor (forearm level) S56.00
 hand level S66.00
 laceration S66.02
 specified type NEC S66.09
 strain S66.01
 laceration S56.02
 specified type NEC S56.09
 strain S56.01

wrist level — see Injury, muscle, thumb, flexor, hand level

intrinsic S66.40
 laceration S66.42
 specified type NEC S66.49
 strain S66.41

Injury — continued

muscle — continued
 toe (see also Injury, muscle, foot)
 extensor, long S96.10
 laceration S96.12
 specified type NEC S96.19
 strain S96.11

flexor, long S96.00
 laceration S96.02
 specified type NEC S96.09
 strain S96.01

triceps S46.30
 laceration S46.32
 specified type NEC S46.39
 strain S46.31

wrist (and hand) level — see Injury, muscle, hand
 musculocutaneous nerve — see Injury, nerve, musculocutaneous
 myocardium — see Injury, heart
 nape — see Injury, neck
 nasal (septum) (sinus) S09.92
 nasopharynx S09.92

neck S19.9
 specified NEC S19.80
 specified site NEC S19.89

nerve NEC T14.8
 abdomen S34.9
 peripheral S34.6
 specified site NEC S34.8

abductors S04.4
 contusion S04.4
 laceration S04.4
 specified type NEC S04.4

abducent — see Injury, nerve, abductors
 accessory S04.7
 contusion S04.7
 laceration S04.7
 specified type NEC S04.7

acoustic S04.6
 contusion S04.6
 laceration S04.6
 specified type NEC S04.6

ankle S94.9
 cutaneous sensory S94.3
 specified site NEC — see subcategory S94.8

anterior crural, femoral — see Injury, nerve, femoral

arm (upper) S44.9
 axillary — see Injury, nerve, axillary
 cutaneous — see Injury, nerve, cutaneous, arm
 median — see Injury, nerve, median, upper arm
 musculocutaneous — see Injury, nerve, musculocutaneous
 radial — see Injury, nerve, radial, upper arm
 specified site NEC — see subcategory S44.8
 ulnar — see Injury, nerve, ulnar, arm
 auditory — see Injury, nerve, acoustic
 axillary S44.3

brachial plexus — see Injury, brachial plexus
 cervical sympathetic S14.5

cranial S04.9
 contusion S04.9

eighth (acoustic or auditory) — see Injury, nerve, acoustic
 eleventh (accessory) — see Injury, nerve, accessory
 fifth (trigeminal) — see Injury, nerve, trigeminal
 first (olfactory) — see Injury, nerve, olfactory
 fourth (trochlear) — see Injury, nerve, trochlear
 laceration S04.9

ninth (glossopharyngeal) — see Injury, nerve, glossopharyngeal
 second (optic) — see Injury, nerve, optic
 seventh (facial) — see Injury, nerve, facial
 sixth (abducent) — see Injury, nerve, abductors
 specified
 nerve NEC S04.89
 contusion S04.89
 laceration S04.89
 specified type NEC S04.89
 type NEC S04.9

tenth (pneumogastric or vagus) — see Injury, nerve, vagus

third (oculomotor) — see Injury, nerve, oculomotor

twelfth (hypoglossal) — see Injury, nerve, hypoglossal
 cutaneous sensory
 ankle (level) S94.3
 arm (upper) (level) S44.5
 foot (level) — see Injury, nerve, cutaneous sensory, ankle

Injury

Proctors: This errata is permitted during the examination.

Injury — continued

nerve NEC — continued

- forearm (level) S54.3 ✓
- hip (level) S74.2 ✓
- leg (lower level) S84.2 ✓
- shoulder (level) — see Injury, nerve, cutaneous sensory, arm
- thigh (level) — see Injury, nerve, cutaneous sensory, hip
- deep peroneal — see Injury, nerve, peroneal, foot digital
- finger S64.4 ✓
- index S64.49 ✓
- little S64.49 ✓
- middle S64.49 ✓
- ring S64.49 ✓
- thumb S64.3 ✓
- toe — see Injury, nerve, ankle, specified site NEC
- eighth cranial (acoustic or auditory) — see Injury, nerve, acoustic
- eleventh cranial (accessory) — see Injury, nerve, accessory
- facial S04.5 ✓
- contusion S04.5 ✓
- laceration S04.5 ✓
- newborn P11.3
- specified type NEC S04.5 ✓
- femoral (hip level) (thigh level) S74.1 ✓
- fifth cranial (trigeminal) — see Injury, nerve, trigeminal
- finger (digital) — see Injury, nerve, digital, finger
- first cranial (olfactory) — see Injury, nerve, olfactory
- foot S94.9 ✓
- cutaneous sensory S94.3 ✓
- deep peroneal S94.2 ✓
- lateral plantar S94.0 ✓
- medial plantar S94.1 ✓
- specified site NEC — see subcategory S94.8 ✓
- forearm (level) S54.9 ✓
- cutaneous sensory — see Injury, nerve, cutaneous sensory, forearm
- median — see Injury, nerve, median
- radial — see Injury, nerve, radial
- specified site NEC — see subcategory S54.8 ✓
- ulnar — see Injury, nerve, ulnar
- fourth cranial (trochlear) — see Injury, nerve, trochlear
- glossopharyngeal S04.89 ✓
- specified type NEC S04.89 ✓
- hand S64.9 ✓
- median — see Injury, nerve, median, hand
- radial — see Injury, nerve, radial, hand
- specified NEC — see subcategory S64.8 ✓
- ulnar — see Injury, nerve, ulnar, hand
- hip (level) S74.9 ✓
- cutaneous sensory — see Injury, nerve, cutaneous sensory, hip
- femoral — see Injury, nerve, femoral
- sciatic — see Injury, nerve, sciatic
- specified site NEC — see subcategory S74.8 ✓
- hypoglossal S04.89 ✓
- specified type NEC S04.89 ✓
- lateral plantar S94.0 ✓
- leg (lower) S84.9 ✓
- cutaneous sensory — see Injury, nerve, cutaneous sensory, leg
- peroneal — see Injury, nerve, peroneal
- specified site NEC — see subcategory S84.8 ✓
- tibial — see Injury, nerve, tibial
- upper — see Injury, nerve, thigh
- lower
- back — see Injury, nerve, abdomen, specified site NEC
- peripheral — see Injury, nerve, abdomen, peripheral
- limb — see Injury, nerve, leg
- lumbar spinal — see Injury, nerve, spinal, lumbar
- lumbar plexus — see Injury, nerve, lumbosacral, sympathetic
- lumbosacral
- plexus — see Injury, nerve, lumbosacral, sympathetic
- sympathetic S34.5 ✓
- medial plantar S94.1 ✓
- median (forearm level) S54.1 ✓
- hand (level) S64.1 ✓
- upper arm (level) S44.1 ✓
- wrist (level) — see Injury, nerve, median, hand
- musculocutaneous S44.4 ✓
- musculospiral (upper arm level) — see Injury, nerve, radial, upper arm

Injury — continued

nerve NEC — continued

- neck S14.9 ✓
- peripheral S14.4 ✓
- specified site NEC S14.8 ✓
- sympathetic S14.5 ✓
- ninth cranial (glossopharyngeal) — see Injury, nerve, glossopharyngeal
- oculomotor S04.1 ✓
- contusion S04.1 ✓
- laceration S04.1 ✓
- specified type NEC S04.1 ✓
- olfactory S04.81 ✓
- specified type NEC S04.81 ✓
- optic S04.01 ✓
- contusion S04.01 ✓
- laceration S04.01 ✓
- specified type NEC S04.01 ✓
- pelvic girdle — see Injury, nerve, hip
- pelvis — see Injury, nerve, abdomen, specified site NEC
- peripheral — see Injury, nerve, abdomen, peripheral
- peripheral NEC T14.8 ✓
- abdomen — see Injury, nerve, abdomen, peripheral
- lower back — see Injury, nerve, abdomen, peripheral
- neck — see Injury, nerve, neck, peripheral
- pelvis — see Injury, nerve, abdomen, peripheral
- specified NEC T14.8 ✓
- peroneal (lower leg level) S84.1 ✓
- foot S94.2 ✓
- plexus
- brachial — see Injury, brachial plexus
- celiac, coeliac — see Injury, nerve, lumbosacral, sympathetic
- mesenteric, inferior — see Injury, nerve, lumbosacral, sympathetic
- sacral — see Injury, lumbosacral plexus
- spinal
- brachial — see Injury, brachial plexus
- lumbosacral — see Injury, lumbosacral plexus
- pneumogastric — see Injury, nerve, vagus
- radial (forearm level) S54.2 ✓
- hand (level) S64.2 ✓
- upper arm (level) S44.2 ✓
- wrist (level) — see Injury, nerve, radial, hand
- root — see Injury, nerve, spinal, root
- sacral plexus — see Injury, lumbosacral plexus
- sacral spinal — see Injury, nerve, spinal, sacral
- sciatic (hip level) S74.0 ✓
- second cranial (optic) — see Injury, nerve, optic
- seventh cranial (facial) — see Injury, nerve, facial
- shoulder — see Injury, nerve, arm
- sixth cranial (abducent) — see Injury, nerve, abducens
- spinal
- plexus — see Injury, nerve, plexus, spinal
- root
- cervical S14.2 ✓
- dorsal S24.2 ✓
- lumbar S34.21 ✓
- sacral S34.22 ✓
- thoracic — see Injury, nerve, spinal, root, dorsal
- splanchnic — see Injury, nerve, lumbosacral, sympathetic
- sympathetic NEC — see Injury, nerve, lumbosacral, sympathetic
- cervical — see Injury, nerve, cervical
- sympathetic
- tenth cranial (pneumogastric or vagus) — see Injury, nerve, vagus
- thigh (level) — see Injury, nerve, hip
- cutaneous sensory — see Injury, nerve, cutaneous sensory, hip
- femoral — see Injury, nerve, femoral
- sciatic — see Injury, nerve, sciatic
- specified NEC — see Injury, nerve, hip
- third cranial (oculomotor) — see Injury, nerve, oculomotor
- thorax S24.9 ✓
- peripheral S24.3 ✓
- specified site NEC S24.8 ✓
- sympathetic S24.4 ✓
- thumb, digital — see Injury, nerve, digital, thumb
- tibial (lower leg level) (posterior) S84.0 ✓
- toe — see Injury, nerve, ankle
- trigeminal S04.3 ✓
- contusion S04.3 ✓
- laceration S04.3 ✓

Injury — continued

nerve NEC — continued

- specified type NEC S04.3 ✓
- trochlear S04.2 ✓
- contusion S04.2 ✓
- laceration S04.2 ✓
- specified type NEC S04.2 ✓
- twelfth cranial (hypoglossal) — see Injury, nerve, hypoglossal
- ulnar (forearm level) S54.0 ✓
- arm (upper) (level) S44.0 ✓
- hand (level) S64.0 ✓
- wrist (level) — see Injury, nerve, ulnar, hand
- vagus S04.89 ✓
- specified type NEC S04.89 ✓
- wrist (level) — see Injury, nerve, hand
- ninth cranial nerve (glossopharyngeal) — see Injury, nerve, glossopharyngeal
- nose (septum) S09.92 ✓
- obstetrical O71.9
- specified NEC O71.9
- occipital (region) (scalp) S09.90 ✓
- lobe — see Injury, intracranial
- optic chiasm S04.02 ✓
- optic radiation S04.03 ✓
- optic tract and pathways S04.03 ✓
- orbit, orbital (region) — see Injury, eye
- penetrating (with foreign body) — see Injury, eye, orbit, penetrating
- specified NEC — see Injury, eye, specified site NEC
- ovary, ovarian S37.409 ✓
- bilateral S37.402 ✓
- contusion S37.422 ✓
- laceration S37.432 ✓
- specified type NEC S37.492 ✓
- blood vessel — see Injury, blood vessel, ovarian
- contusion S37.429 ✓
- bilateral S37.422 ✓
- unilateral S37.421 ✓
- laceration S37.439 ✓
- bilateral S37.432 ✓
- unilateral S37.431 ✓
- specified type NEC S37.499 ✓
- bilateral S37.492 ✓
- unilateral S37.491 ✓
- unilateral S37.401 ✓
- contusion S37.421 ✓
- laceration S37.431 ✓
- specified type NEC S37.491 ✓
- palate (hard) (soft) S09.93 ✓
- pancreas S36.209 ✓
- body S36.201 ✓
- contusion S36.221 ✓
- laceration S36.231 ✓
- major S36.261 ✓
- minor S36.241 ✓
- moderate S36.251 ✓
- specified type NEC S36.291 ✓
- contusion S36.229 ✓
- head S36.200 ✓
- contusion S36.220 ✓
- laceration S36.230 ✓
- major S36.260 ✓
- minor S36.240 ✓
- moderate S36.250 ✓
- specified type NEC S36.290 ✓
- laceration S36.239 ✓
- major S36.269 ✓
- minor S36.249 ✓
- moderate S36.259 ✓
- specified type NEC S36.299 ✓
- tail S36.202 ✓
- contusion S36.222 ✓
- laceration S36.232 ✓
- major S36.262 ✓
- minor S36.242 ✓
- moderate S36.252 ✓
- specified type NEC S36.292 ✓
- parietal (region) (scalp) S09.90 ✓
- lobe — see Injury, intracranial
- patellar ligament (tendon) S76.10 ✓
- laceration S76.12 ✓
- specified NEC S76.19 ✓
- strain S76.11 ✓
- pelvis, pelvic (floor) S39.93 ✓
- complicating delivery O70.1
- joint or ligament, complicating delivery O71.6
- organ S37.90 ✓
- with ectopic or molar pregnancy O08.6
- complication of abortion — see Abortion
- contusion S37.92 ✓
- following ectopic or molar pregnancy O08.6

Proctors: This errata is permitted during the examination.

Injury

Injury — continued

pelvis — *continued*

- laceration S37.93 ✓
- obstetrical trauma NEC O71.5
- specified
 - site NEC S37.899 ✓
 - contusion S37.892 ✓
 - laceration S37.893 ✓
 - specified type NEC S37.898 ✓
 - type NEC S37.99 ✓
- specified NEC S39.83 ✓

penis S39.94 ✓

perineum S39.94 ✓

peritoneum S36.81 ✓

- laceration S36.893 ✓

periurethral tissue — *see* Injury, urethra

complicating delivery O71.82

phalanges

- foot — *see* Injury, foot
- hand — *see* Injury, hand

pharynx NEC S19.85 ✓

pleura — *see* Injury, intrathoracic, pleura

plexus

- brachial — *see* Injury, brachial plexus
- cardiac — *see* Injury, nerve, thorax, sympathetic
- celiac, coeliac — *see* Injury, nerve, lumbosacral, sympathetic
- esophageal — *see* Injury, nerve, thorax, sympathetic
- hypogastric — *see* Injury, nerve, lumbosacral, sympathetic
- lumbar, lumbosacral — *see* Injury, lumbosacral plexus
- mesenteric — *see* Injury, nerve, lumbosacral, sympathetic
- pulmonary — *see* Injury, nerve, thorax, sympathetic

postcardiac surgery (syndrome) I97.0

prepuce S39.94 ✓

prostate S37.829 ✓

- contusion S37.822 ✓
- laceration S37.823 ✓
- specified type NEC S37.828 ✓

pubic region S39.94 ✓

pudendum S39.94 ✓

pulmonary plexus — *see* Injury, nerve, thorax, sympathetic

rectovaginal septum NEC S39.83 ✓

rectum — *see* Injury, intestine, large, rectum

retina — *see* Injury, eye, specified site NEC

- penetrating — *see* Injury, eyeball, penetrating

retroperitoneal — *see* Injury, intra-abdominal, specified site NEC

rotator cuff (muscle(s)) (tendon(s)) S46.00 ✓

- laceration S46.02 ✓
- specified type NEC S46.09 ✓
- strain S46.01 ✓

round ligament — *see* Injury, pelvic organ, specified site NEC

sacral plexus — *see* Injury, lumbosacral plexus

salivary duct or gland S09.93 ✓

scalp S09.90 ✓

- newborn (birth injury) P12.9
- due to monitoring (electrode) (sampling incision) P12.4
- specified NEC P12.89
- caput succedaneum P12.81

scapular region — *see* Injury, shoulder

sclera — *see* Injury, eye, specified site NEC

- penetrating — *see* Injury, eyeball, penetrating

scrotum S39.94 ✓

second cranial nerve (optic) — *see* Injury, nerve, optic

seminal vesicle — *see* Injury, pelvic organ, specified site NEC

seventh cranial nerve (facial) — *see* Injury, nerve, facial

shoulder S49.9 ✓

- blood vessel — *see* Injury, blood vessel, arm
- contusion — *see* Contusion, shoulder
- dislocation — *see* Dislocation, shoulder
- fracture — *see* Fracture, shoulder
- muscle — *see* Injury, muscle, shoulder
- nerve — *see* Injury, nerve, shoulder
- open — *see* Wound, open, shoulder
- specified type NEC S49.8 ✓
- sprain — *see* Sprain, shoulder girdle
- superficial — *see* Injury, superficial, shoulder

sinus

- cavernous — *see* Injury, intracranial
- nasal S09.92 ✓

Injury — continued

sixth cranial nerve (abducent) — *see* Injury, nerve, abducens

skeleton, birth injury P13.9

- specified part NEC P13.8

skin NEC T14.8 ✓

- surface intact — *see* Injury, superficial

skull NEC S09.90 ✓

- specified NEC T14.8 ✓

spermatic cord (pelvic region) S37.898 ✓

scrotal region S39.848 ✓

spinal (cord)

cervical (neck) S14.109 ✓

anterior cord syndrome S14.139 ✓

- C1 level S14.131 ✓
- C2 level S14.132 ✓
- C3 level S14.133 ✓
- C4 level S14.134 ✓
- C5 level S14.135 ✓
- C6 level S14.136 ✓
- C7 level S14.137 ✓
- C8 level S14.138 ✓

Brown-Séquard syndrome S14.149 ✓

- C1 level S14.141 ✓
- C2 level S14.142 ✓
- C3 level S14.143 ✓
- C4 level S14.144 ✓
- C5 level S14.145 ✓
- C6 level S14.146 ✓
- C7 level S14.147 ✓
- C8 level S14.148 ✓

C1 level S14.101 ✓

C2 level S14.102 ✓

C3 level S14.103 ✓

C4 level S14.104 ✓

C5 level S14.105 ✓

C6 level S14.106 ✓

C7 level S14.107 ✓

C8 level S14.108 ✓

central cord syndrome S14.129 ✓

- C1 level S14.121 ✓
- C2 level S14.122 ✓
- C3 level S14.123 ✓
- C4 level S14.124 ✓
- C5 level S14.125 ✓
- C6 level S14.126 ✓
- C7 level S14.127 ✓
- C8 level S14.128 ✓

complete lesion S14.119 ✓

- C1 level S14.111 ✓
- C2 level S14.112 ✓
- C3 level S14.113 ✓
- C4 level S14.114 ✓
- C5 level S14.115 ✓
- C6 level S14.116 ✓
- C7 level S14.117 ✓
- C8 level S14.118 ✓

concussion S14.0 ✓

edema S14.0 ✓

incomplete lesion specified NEC S14.159 ✓

- C1 level S14.151 ✓
- C2 level S14.152 ✓
- C3 level S14.153 ✓
- C4 level S14.154 ✓
- C5 level S14.155 ✓
- C6 level S14.156 ✓
- C7 level S14.157 ✓
- C8 level S14.158 ✓

posterior cord syndrome S14.159 ✓

- C1 level S14.151 ✓
- C2 level S14.152 ✓
- C3 level S14.153 ✓
- C4 level S14.154 ✓
- C5 level S14.155 ✓
- C6 level S14.156 ✓
- C7 level S14.157 ✓
- C8 level S14.158 ✓

dorsal — *see* Injury, spinal, thoracic

lumbar S34.109 ✓

complete lesion S34.119 ✓

- L1 level S34.111 ✓
- L2 level S34.112 ✓
- L3 level S34.113 ✓
- L4 level S34.114 ✓
- L5 level S34.115 ✓

concussion S34.01 ✓

edema S34.01 ✓

incomplete lesion S34.129 ✓

- L1 level S34.121 ✓
- L2 level S34.122 ✓
- L3 level S34.123 ✓
- L4 level S34.124 ✓
- L5 level S34.125 ✓

Injury — continued

spinal — *continued*

- L1 level S34.101 ✓
- L2 level S34.102 ✓
- L3 level S34.103 ✓
- L4 level S34.104 ✓
- L5 level S34.105 ✓

nerve root NEC

- cervical — *see* Injury, nerve, spinal, root, cervical
- dorsal — *see* Injury, nerve, spinal, root, dorsal
- lumbar S34.21 ✓
- sacral S34.22 ✓
- thoracic — *see* Injury, nerve, spinal, root, dorsal

plexus

- brachial — *see* Injury, brachial plexus
- lumbosacral — *see* Injury, lumbosacral plexus

sacral S34.139 ✓

- complete lesion S34.131 ✓
- incomplete lesion S34.132 ✓

thoracic S24.109 ✓

anterior cord syndrome S24.139 ✓

- T1 level S24.131 ✓
- T2-T6 level S24.132 ✓
- T7-T10 level S24.133 ✓
- T11-T12 level S24.134 ✓

Brown-Séquard syndrome S24.149 ✓

- T1 level S24.141 ✓
- T2-T6 level S24.142 ✓
- T7-T10 level S24.143 ✓
- T11-T12 level S24.144 ✓

complete lesion S24.119 ✓

- T1 level S24.111 ✓
- T2-T6 level S24.112 ✓
- T7-T10 level S24.113 ✓
- T11-T12 level S24.114 ✓

concussion S24.0 ✓

edema S24.0 ✓

incomplete lesion specified NEC S24.159 ✓

- T1 level S24.151 ✓
- T2-T6 level S24.152 ✓
- T7-T10 level S24.153 ✓
- T11-T12 level S24.154 ✓

posterior cord syndrome S24.159 ✓

- T1 level S24.151 ✓
- T2-T6 level S24.152 ✓
- T7-T10 level S24.153 ✓
- T11-T12 level S24.154 ✓

- T1 level S24.101 ✓
- T2-T6 level S24.102 ✓
- T7-T10 level S24.103 ✓
- T11-T12 level S24.104 ✓

splanchnic nerve — *see* Injury, nerve, lumbosacral, sympathetic

spleen S36.00 ✓

- contusion S36.029 ✓
- major S36.021 ✓
- minor S36.020 ✓
- laceration S36.039 ✓
- major (massive) (stellate) S36.032 ✓
- moderate S36.031 ✓
- superficial (capsular) (minor) S36.030 ✓
- specified type NEC S36.00 ✓

splenic artery — *see* Injury, blood vessel, celiac artery, branch

stellate ganglion — *see* Injury, nerve, thorax, sympathetic

sternal region S29.9 ✓

stomach S36.30 ✓

- contusion S36.32 ✓
- laceration S36.33 ✓
- specified type NEC S36.39 ✓

subconjunctival — *see* Injury, eye, conjunctiva

subcutaneous NEC T14.8 ✓

submaxillary region S09.93 ✓

submental region S09.93 ✓

subungual

- fingers — *see* Injury, hand
- toes — *see* Injury, foot

superficial NEC T14.8 ✓

- abdomen, abdominal (wall) S30.92 ✓
- abrasion S30.811 ✓
- bite S30.871 ✓
- insect S30.861 ✓
- contusion S30.1 ✓
- external constriction S30.841 ✓
- foreign body S30.851 ✓

abrasion — *see* Abrasion, by site

adnexa, eye NEC — *see* Injury, eye, specified site NEC

alveolar process — *see* Injury, superficial, oral cavity

ankle S90.91 ✓

Injury

Proctors: This errata is permitted during the examination.

Injury — continued

superficial NEC — continued

abrasion — see Abrasion, ankle
blister — see Blister, ankle
bite — see Bite, ankle
contusion — see Contusion, ankle
external constriction — see Constriction, external, ankle
foreign body — see Foreign body, superficial, ankle

anus S30.98

arm (upper) S40.92
abrasion — see Abrasion, arm
bite — see Bite, superficial, arm
blister — see Blister, arm (upper)
contusion — see Contusion, arm
external constriction — see Constriction, external, arm
foreign body — see Foreign body, superficial, arm

auditory canal (external) (meatus) — see Injury, superficial, ear

auricle — see Injury, superficial, ear

axilla — see Injury, superficial, arm
back (see also Injury, superficial, thorax, back)
lower S30.91
abrasion S30.810
contusion S30.0
external constriction S30.840
superficial
bite NEC S30.870
insect S30.860
foreign body S30.850

bite NEC — see Bite, superficial NEC, by site
blister — see Blister, by site

breast S20.10
abrasion — see Abrasion, breast
bite — see Bite, superficial, breast
contusion — see Contusion, breast
external constriction — see Constriction, external, breast
foreign body — see Foreign body, superficial, breast

brow — see Injury, superficial, head, specified NEC

buttock S30.91

calf — see Injury, superficial, leg

canthus, eye — see Injury, superficial, periocular area

cheek (external) — see Injury, superficial, head, specified NEC
internal — see Injury, superficial, oral cavity

chest wall — see Injury, superficial, thorax

chin — see Injury, superficial, head NEC

clitoris S30.95

conjunctiva — see Injury, eye, conjunctiva
with foreign body (in conjunctival sac) — see Foreign body, conjunctival sac

contusion — see Contusion, by site

costal region — see Injury, superficial, thorax

digit (s)
hand — see Injury, superficial, finger

ear (auricle) (canal) (external) S00.40
abrasion — see Abrasion, ear
bite — see Bite, superficial, ear
contusion — see Contusion, ear
external constriction — see Constriction, external, ear
foreign body — see Foreign body, superficial, ear

elbow S50.90
abrasion — see Abrasion, elbow
bite — see Bite, superficial, elbow
blister — see Blister, elbow
contusion — see Contusion, elbow
external constriction — see Constriction, external, elbow
foreign body — see Foreign body, superficial, elbow

epididymis S30.94

epigastric region S30.92

epiglottis — see Injury, superficial, throat

esophagus
cervical — see Injury, superficial, throat
external constriction — see Constriction, external, by site

extremity NEC T14.8

eyeball NEC — see Injury, eye, specified site NEC

eyebrow — see Injury, superficial, periocular area

eyelid S00.20
abrasion — see Abrasion, eyelid
bite — see Bite, superficial, eyelid
contusion — see Contusion, eyelid

Injury — continued

superficial NEC — continued

external constriction — see Constriction, external, eyelid

foreign body — see Foreign body, superficial, eyelid

face NEC — see Injury, superficial, head, specified NEC

finger (s) S60.949
abrasion — see Abrasion, finger
bite — see Bite, superficial, finger
blister — see Blister, finger
contusion — see Contusion, finger
external constriction — see Constriction, external, finger
foreign body — see Foreign body, superficial, finger

insect bite — see Bite, by site, superficial, insect

index S60.94

little S60.94

middle S60.94

ring S60.94

flank S30.92

foot S90.92
abrasion — see Abrasion, foot
bite — see Bite, foot
blister — see Blister, foot
contusion — see Contusion, foot
external constriction — see Constriction, external, foot
foreign body — see Foreign body, superficial, foot

forearm S50.91
abrasion — see Abrasion, forearm
bite — see Bite, forearm, superficial
blister — see Blister, forearm
contusion — see Contusion, forearm
elbow only — see Injury, superficial, elbow
external constriction — see Constriction, external, forearm
foreign body — see Foreign body, superficial, forearm

forehead — see Injury, superficial, head NEC

foreign body — see Foreign body, superficial

genital organs, external
female S30.97
male S30.96

globe (eye) — see Injury, eye, specified site NEC

groin S30.92

gum — see Injury, superficial, oral cavity

hand S60.92
abrasion — see Abrasion, hand
bite — see Bite, superficial, hand
contusion — see Contusion, hand
external constriction — see Constriction, external, hand
foreign body — see Foreign body, superficial, hand

head S00.90
ear — see Injury, superficial, ear
eyelid — see Injury, superficial, eyelid
nose S00.30
oral cavity S00.502
scalp S00.00
specified site NEC S00.80

heel — see Injury, superficial, foot

hip S70.91
abrasion — see Abrasion, hip
bite — see Bite, superficial, hip
blister — see Blister, hip
contusion — see Contusion, hip
external constriction — see Constriction, external, hip
foreign body — see Foreign body, superficial, hip

iliac region — see Injury, superficial, abdomen

inguinal region — see Injury, superficial, abdomen

insect bite — see Bite, by site, superficial, insect

interscapular region — see Injury, superficial, thorax, back

jaw — see Injury, superficial, head, specified NEC

knee S80.91
abrasion — see Abrasion, knee
bite — see Bite, superficial, knee
blister — see Blister, knee
contusion — see Contusion, knee
external constriction — see Constriction, external, knee
foreign body — see Foreign body, superficial, knee

labium (majus) (minus) S30.95

lacrimal (apparatus) (gland) (sac) — see Injury, eye, specified site NEC

larynx — see Injury, superficial, throat

Injury — continued

superficial NEC — continued

leg (lower) S80.92
abrasion — see Abrasion, leg
bite — see Bite, superficial, leg
contusion — see Contusion, leg
external constriction — see Constriction, external, leg
foreign body — see Foreign body, superficial, leg
knee — see Injury, superficial, knee

limb NEC T14.8

lip S00.501
lower back S30.91

lumbar region S30.91

malar region — see Injury, superficial, head, specified NEC

mammary — see Injury, superficial, breast

mastoid region — see Injury, superficial, head, specified NEC

mouth — see Injury, superficial, oral cavity

muscle NEC T14.8

nail NEC T14.8
finger — see Injury, superficial, finger
toe — see Injury, superficial, toe

nasal (septum) — see Injury, superficial, nose

neck S10.90
specified site NEC S10.80

nose (septum) S00.30

occipital region — see Injury, superficial, scalp

oral cavity S00.502

orbital region — see Injury, superficial, periocular area

palate — see Injury, superficial, oral cavity

palm — see Injury, superficial, hand

parietal region — see Injury, superficial, scalp

pelvis S30.91
girdle — see Injury, superficial, hip

penis S30.93

perineum
female S30.95
male S30.91

periocular area S00.20
abrasion — see Abrasion, eyelid
bite — see Bite, superficial, eyelid
contusion — see Contusion, eyelid
external constriction — see Constriction, external, eyelid
foreign body — see Foreign body, superficial, eyelid

phalanges
finger — see Injury, superficial, finger
toe — see Injury, superficial, toe

pharynx — see Injury, superficial, throat

pinna — see Injury, superficial, ear

popliteal space — see Injury, superficial, knee

prepuce S30.93

pubic region S30.91

puddendum
female S30.97
male S30.96

sacral region S30.91

scalp S00.00

scapular region — see Injury, superficial, shoulder

sclera — see Injury, eye, specified site NEC

scrotum S30.94

shin — see Injury, superficial, leg

shoulder S40.91
abrasion — see Abrasion, shoulder
bite — see Bite, superficial, shoulder
blister — see Blister, shoulder
contusion — see Contusion, shoulder
external constriction — see Constriction, external, shoulder
foreign body — see Foreign body, superficial, shoulder

skin NEC T14.8

sternal region — see Injury, superficial, thorax, front

subconjunctival — see Injury, eye, specified site NEC

subcutaneous NEC T14.8

submaxillary region — see Injury, superficial, head, specified NEC

submental region — see Injury, superficial, head, specified NEC

subungual
finger (s) — see Injury, superficial, finger
toe (s) — see Injury, superficial, toe

supraclavicular fossa — see Injury, superficial, neck

Proctors: This errata is permitted during the examination.

Injury - Insomnia

Injury — continued

superficial NEC — *continued*
 supraorbital — *see* Injury, superficial, head, specified NEC
 temple — *see* Injury, superficial, head, specified NEC
 temporal region — *see* Injury, superficial, head, specified NEC
 testis S30.94
 thigh S70.92
 abrasion — *see* Abrasion, thigh
 bite — *see* Bite, superficial, thigh
 blister — *see* Blister, thigh
 contusion — *see* Contusion, thigh
 external constriction — *see* Constriction, external, thigh
 foreign body — *see* Foreign body, superficial, thigh
 thorax, thoracic (wall) S20.90
 abrasion — *see* Abrasion, thorax
 back S20.40
 bite — *see* Bite, thorax, superficial
 blister — *see* Blister, thorax
 contusion — *see* Contusion, thorax
 external constriction — *see* Constriction, external, thorax
 foreign body — *see* Foreign body, superficial, thorax
 front S20.30
 throat S10.10
 abrasion S10.11
 bite S10.17
 insect S10.16
 blister S10.12
 contusion S10.0
 external constriction S10.14
 foreign body S10.15
 thumb S60.93
 abrasion — *see* Abrasion, thumb
 bite — *see* Bite, superficial, thumb
 blister — *see* Blister, thumb
 contusion — *see* Contusion, thumb
 external constriction — *see* Constriction, external, thumb
 foreign body — *see* Foreign body, superficial, thumb
 insect bite — *see* Bite, by site, superficial, insect
 specified type NEC S60.39
 toe (s) S90.93
 abrasion — *see* Abrasion, toe
 bite — *see* Bite, toe
 blister — *see* Blister, toe
 contusion — *see* Contusion, toe
 external constriction — *see* Constriction, external, toe
 foreign body — *see* Foreign body, superficial, toe
 great S90.93
 tongue — *see* Injury, superficial, oral cavity
 tooth, teeth — *see* Injury, superficial, oral cavity
 trachea S10.10
 tunica vaginalis S30.94
 tympanum, tympanic membrane — *see* Injury, superficial, ear
 uvula — *see* Injury, superficial, oral cavity
 vagina S30.95
 vocal cords — *see* Injury, superficial, throat
 vulva S30.95
 wrist S60.91
 supraclavicular region — *see* Injury, neck
 supraorbital S09.93
 suprarenal gland (multiple) — *see* Injury, adrenal
 surgical complication (external or internal site) — *see* Laceration, accidental complicating surgery
 temple S09.90
 temporal region S09.90
 tendon (*see also* Injury, muscle, by site)
 abdomen — *see* Injury, muscle, abdomen
 Achilles — *see* Injury, Achilles tendon
 lower back — *see* Injury, muscle, lower back
 pelvic organs — *see* Injury, muscle, pelvis
 tenth cranial nerve (pneumogastric or vagus) — *see* Injury, nerve, vagus
 testis S39.94
 thigh S79.92
 blood vessel — *see* Injury, blood vessel, hip
 contusion — *see* Contusion, thigh
 fracture — *see* Fracture, femur
 muscle — *see* Injury, muscle, thigh
 nerve — *see* Injury, nerve, thigh
 open — *see* Wound, open, thigh
 specified NEC S79.82
 superficial — *see* Injury, superficial, thigh

Injury — continued

third cranial nerve (oculomotor) — *see* Injury, nerve, oculomotor
 thorax, thoracic S29.9
 blood vessel — *see* Injury, blood vessel, thorax
 cavity — *see* Injury, intrathoracic
 dislocation — *see* Dislocation, thorax
 external (wall) S29.9
 contusion — *see* Contusion, thorax
 nerve — *see* Injury, nerve, thorax
 open — *see* Wound, open, thorax
 specified NEC S29.8
 sprain — *see* Sprain, thorax
 superficial — *see* Injury, superficial, thorax
 fracture — *see* Fracture, thorax
 internal — *see* Injury, intrathoracic
 intrathoracic organ — *see* Injury, intrathoracic
 sympathetic ganglion — *see* Injury, nerve, thorax, sympathetic
 throat (*see also* Injury, neck) S19.9
 thumb S69.9
 blood vessel — *see* Injury, blood vessel, thumb
 contusion — *see* Contusion, thumb
 dislocation — *see* Dislocation, thumb
 fracture — *see* Fracture, thumb
 muscle — *see* Injury, muscle, thumb
 nerve — *see* Injury, nerve, digital, thumb
 open — *see* Wound, open, thumb
 specified NEC S69.8
 sprain — *see* Sprain, thumb
 superficial — *see* Injury, superficial, thumb
 thymus (gland) — *see* Injury, intrathoracic, specified organ NEC
 thyroid (gland) NEC S19.84
 toe S99.92
 contusion — *see* Contusion, toe
 dislocation — *see* Dislocation, toe
 fracture — *see* Fracture, toe
 muscle — *see* Injury, muscle, toe
 open — *see* Wound, open, toe
 specified type NEC S99.82
 sprain — *see* Sprain, toe
 superficial — *see* Injury, superficial, toe
 tongue S09.93
 tonsil S09.93
 tooth S09.93
 trachea (cervical) NEC S19.82
 thoracic — *see* Injury, intrathoracic, trachea, thoracic
 transfusion-related acute lung (TRALI) J95.84
 tunica vaginalis S39.94
 twelfth cranial nerve (hypoglossal) — *see* Injury, nerve, hypoglossal
 ureter S37.10
 contusion S37.12
 laceration S37.13
 specified type NEC S37.19
 urethra (sphincter) S37.30
 at delivery O71.5
 contusion S37.32
 laceration S37.33
 specified type NEC S37.39
 urinary organ S37.90
 contusion S37.92
 laceration S37.93
 specified
 site NEC S37.899
 contusion S37.892
 laceration S37.893
 specified type NEC S37.898
 type NEC S37.99
 uterus, uterine S37.60
 with ectopic or molar pregnancy O08.6
 blood vessel — *see* Injury, blood vessel, iliac
 contusion S37.62
 laceration S37.63
 cervix at delivery O71.3
 rupture associated with obstetrics — *see* Rupture, uterus
 specified type NEC S37.69
 uvula S09.93
 vagina S39.93
 abrasion S30.814
 bite S31.45
 insect S30.864
 superficial NEC S30.874
 contusion S30.23
 crush S38.03
 during delivery — *see* Laceration, vagina, during delivery
 external constriction S30.844
 insect bite S30.864

Injury — continued

vagina — *continued*
 laceration S31.41
 with foreign body S31.42
 open wound S31.40
 puncture S31.43
 with foreign body S31.44
 superficial S30.95
 foreign body S30.854
 vas deferens — *see* Injury, pelvic organ, specified site NEC
 vascular NEC T14.8
 vein — *see* Injury, blood vessel
 vena cava (superior) S25.20
 inferior S35.10
 laceration (minor) (superficial) S35.11
 major S35.12
 specified type NEC S35.19
 laceration (minor) (superficial) S25.21
 major S25.22
 specified type NEC S25.29
 vesical (sphincter) — *see* Injury, bladder
 visual cortex S04.04
 vitreous (humor) S05.90
 specified NEC S05.8X
 vocal cord NEC S19.83
 vulva S39.94
 abrasion S30.814
 bite S31.45
 insect S30.864
 superficial NEC S30.874
 contusion S30.23
 crush S38.03
 during delivery — *see* Laceration, perineum, female, during delivery
 external constriction S30.844
 insect bite S30.864
 laceration S31.41
 with foreign body S31.42
 open wound S31.40
 puncture S31.43
 with foreign body S31.44
 superficial S30.95
 foreign body S30.854
 whiplash (cervical spine) S13.4
 wrist S69.9
 blood vessel — *see* Injury, blood vessel, hand
 contusion — *see* Contusion, wrist
 dislocation — *see* Dislocation, wrist
 fracture — *see* Fracture, wrist
 muscle — *see* Injury, muscle, hand
 nerve — *see* Injury, nerve, hand
 open — *see* Wound, open, wrist
 specified NEC S69.8
 sprain — *see* Sprain, wrist
 superficial — *see* Injury, superficial, wrist
Inoculation (*see also* Vaccination)
 complication or reaction — *see* Complications, vaccination
Insanity, insane (*see also* Psychosis)
 adolescent — *see* Schizophrenia
 confusional F28
 acute or subacute F05
 delusional F22
 senile F03
Insect
 bite — *see* Bite, by site, superficial, insect
 venomous, poisoning NEC (by) — *see* Venom, arthropod
Insensitivity
 adrenocorticotropin hormone (ACTH) E27.49
 androgen E34.50
 complete E34.51
 partial E34.52
Insertion
 cord (umbilical) lateral or velamentous O43.12
 intrauterine contraceptive device (encounter for) — *see* Intrauterine contraceptive device
Insolation (sunstroke) T67.0
Insomnia (organic) G47.00
 adjustment F51.02
 adjustment disorder F51.02
 behavioral, of childhood Z73.819
 combined type Z73.812
 limit setting type Z73.811
 sleep-onset association type Z73.810
 childhood Z73.819
 chronic F51.04
 somatized tension F51.04
 conditioned F51.04
 due to
 alcohol

Insomnia - Insufficiency

Proctors: This errata is permitted during the examination.

Insomnia — *continued*

due to — *continued*

- abuse F10.182
- dependence F10.282
- use F10.982
- amphetamines
- abuse F15.182
- dependence F15.282
- use F15.982
- anxiety disorder F51.05
- caffeine
- abuse F15.182
- dependence F15.282
- use F15.982
- cocaine
- abuse F14.182
- dependence F14.282
- use F14.982
- depression F51.05
- drug NEC
- abuse F19.182
- dependence F19.282
- use F19.982
- medical condition G47.01
- mental disorder NEC F51.05
- opioid
- abuse F11.182
- dependence F11.282
- use F11.982
- psychoactive substance NEC
- abuse F19.182
- dependence F19.282
- use F19.982
- sedative, hypnotic, or anxiolytic
- abuse F13.182
- dependence F13.282
- use F13.982
- stimulant NEC
- abuse F15.182
- dependence F15.282
- use F15.982
- fatal familial (FFI) A81.83
- idiopathic F51.01
- learned F51.3
- nonorganic origin F51.01
- not due to a substance or known physiological condition F51.01
- specified NEC F51.09
- paradoxical F51.03
- primary F51.01
- psychiatric F51.05
- psychophysiological F51.04
- related to psychopathology F51.05
- short-term F51.02
- specified NEC G47.09
- stress-related F51.02
- transient F51.02
- without objective findings F51.02

Inspiration

food or foreign body — *see* Foreign body, by site

mucus — *see* Asphyxia, mucus

Insipissated bile syndrome (newborn) P59.1

Instability

emotional (excessive) F60.3

joint (post-traumatic) M25.30

- ankle M25.37
- due to old ligament injury — *see* Disorder, ligament
- elbow M25.32
- flail — *see* Flail, joint
- foot M25.37
- hand M25.34
- hip M25.35
- knee M25.36
- lumbosacral — *see* subcategory M53.2
- prosthesis — *see* Complications, joint prosthesis, mechanical, displacement, by site
- sacroiliac — *see* subcategory M53.2
- secondary to
- old ligament injury — *see* Disorder, ligament
- removal of joint prosthesis M96.89
- shoulder (region) M25.31
- spine — *see* subcategory M53.2
- wrist M25.33
- knee (chronic) M23.5
- lumbosacral — *see* subcategory M53.2
- nervous F48.8
- personality (emotional) F60.3
- spine — *see* Instability, joint, spine
- vasomotor R55

Institutional syndrome (childhood) F94.2

Institutionalization, affecting child Z62.22

disinhibited attachment F94.2

Insufficiency, insufficient

accommodation, old age H52.4

adrenal (gland) E27.40

- primary E27.1

adrenocortical E27.40

- drug-induced E27.3
- iatrogenic E27.3
- primary E27.1

anatomic crown height K08.89

anterior (occlusal) guidance M26.54

anus K62.89

aortic (valve) I35.1

- with
- mitral (valve) disease I08.0
- with tricuspid (valve) disease I08.3
- stenosis I35.2
- tricuspid (valve) disease I08.2
- with mitral (valve) disease I08.3

congenital Q23.1

rheumatic I06.1

- with
- mitral (valve) disease I08.0
- with tricuspid (valve) disease I08.3
- stenosis I06.2
- with mitral (valve) disease I08.0
- with tricuspid (valve) disease I08.3
- tricuspid (valve) disease I08.2
- with mitral (valve) disease I08.3

specified cause NEC I35.1

syphilitic A52.03

arterial I77.1

- basilar G45.0
- carotid (hemispheric) G45.1
- cerebral I67.81
- coronary (acute or subacute) I24.8
- mesenteric K55.1
- peripheral I73.9
- precerebral (multiple) (bilateral) G45.2
- vertebral G45.0

arteriovenous I99.8

biliary K83.8

cardiac (*see also* Insufficiency, myocardial)

- due to presence of (cardiac) prosthesis I97.11
- postprocedural I97.11

cardiorenal, hypertensive I13.2

cardiovascular — *see* Disease, cardiovascular

cerebrovascular (acute) I67.81

- with transient focal neurological signs and symptoms G45.8

circulatory NEC I99.8

- newborn P29.89

clinical crown length K08.89

convergence H51.11

coronary (acute or subacute) I24.8

- chronic or with a stated duration of over 4 weeks I25.89

corticoadrenal E27.40

- primary E27.1

dietary E63.9

divergence H51.8

food T73.0

gastroesophageal K22.8

gonadal

- ovary E28.39
- testis E29.1

heart (*see also* Insufficiency, myocardial)

- newborn P29.0
- valve — *see* Endocarditis

hepatic — *see* Failure, hepatic

idiopathic autonomic G90.09

interocclusal distance of fully erupted teeth (ridge) M26.36

kidney N28.9

- acute N28.9
- chronic N18.9

lacrimal (secretion) H04.12

passages — *see* Stenosis, lacrimal

liver — *see* Failure, hepatic

lung — *see* Insufficiency, pulmonary

mental (congenital) — *see* Disability, intellectual

mesenteric K55.1

mitral (valve) I34.0

- with
- aortic valve disease I08.0
- with tricuspid (valve) disease I08.3
- obstruction or stenosis I05.2
- with aortic valve disease I08.0
- tricuspid (valve) disease I08.1
- with aortic (valve) disease I08.3

congenital Q23.3

rheumatic I05.1

- with

Insufficiency — *continued*

mitral — *continued*

- aortic valve disease I08.0
- with tricuspid (valve) disease I08.3
- obstruction or stenosis I05.2
- with aortic valve disease I08.0
- with tricuspid (valve) disease I08.3
- tricuspid (valve) disease I08.1
- with aortic (valve) disease I08.3

active or acute I01.1

- with chorea, rheumatic (Sydenham's) I02.0

specified cause, except rheumatic I34.0

muscle (*see also* Disease, muscle)

heart — *see* Insufficiency, myocardial

ocular NEC H50.9

myocardial, myocardium (with arteriosclerosis) (*see also* Failure, heart) I50.9

- with
- rheumatic fever (conditions in I00) I09.0
- active, acute or subacute I01.2
- with chorea I02.0
- inactive or quiescent (with chorea) I09.0

congenital Q24.8

hypertensive — *see* Hypertension, heart

newborn P29.0

rheumatic I09.0

- active, acute, or subacute I01.2

syphilitic A52.06

nourishment T73.0

pancreatic K86.89

- exocrine K86.81

parathyroid (gland) E20.9

peripheral vascular (arterial) I73.9

pituitary E23.0

placental (mother) O36.51

platelets D69.6

prenatal care affecting management of pregnancy O09.3

progressive pluriglandular E31.0

pulmonary J98.4

- acute, following surgery (nonthoracic) J95.2
- thoracic J95.1
- chronic, following surgery J95.3
- following
- shock J98.4
- trauma J98.4
- newborn P28.5
- valve I37.1
- with stenosis I37.2
- congenital Q22.2
- rheumatic I09.89
- with aortic, mitral or tricuspid (valve) disease I08.8

pyloric K31.89

renal (acute) N28.9

- chronic N18.9

respiratory R06.89

- newborn P28.5

rotation — *see* Malrotation

sleep syndrome F51.12

social insurance Z59.7

suprarenal E27.40

- primary E27.1

tarso-orbital fascia, congenital Q10.3

testis E29.1

thyroid (gland) (acquired) E03.9

- congenital E03.1

tricuspid (valve) (rheumatic) I07.1

- with
- aortic (valve) disease I08.2
- with mitral (valve) disease I08.3
- mitral (valve) disease I08.1
- with aortic (valve) disease I08.3
- obstruction or stenosis I07.2
- with aortic (valve) disease I08.2
- with mitral (valve) disease I08.3

congenital Q22.8

nonrheumatic I36.1

- with stenosis I36.2

urethral sphincter R32

valve, valvular (heart) I38

- aortic — *see* Insufficiency, aortic (valve)
- mitral — *see* Insufficiency, mitral (valve)
- pulmonary — *see* Insufficiency, pulmonary, valve
- tricuspid — *see* Insufficiency, tricuspid (valve)

congenital Q24.8

vascular I99.8

- intestine K55.9
- acute (*see also* Ischemia, intestine, acute) K55.059
- mesenteric K55.1
- peripheral I73.9
- renal — *see* Hypertension, kidney

Proctors: This errata is permitted during the examination.

Insufficiency - Iridocyclitis

Insufficiency — continued

velopharyngeal
 acquired K13.79
 congenital Q38.8
 venous (chronic) (peripheral) I87.2
 ventricular — see Insufficiency, myocardial
 welfare support Z59.7

Insufflation, fallopian Z31.41

Insular — see condition

Insulinoma
 pancreas
 benign D13.7
 malignant C25.4
 uncertain behavior D37.8
 specified site
 benign — see Neoplasm, by site, benign
 malignant — see Neoplasm, by site, malignant
 uncertain behavior — see Neoplasm, by site,
 uncertain behavior
 unspecified site
 benign D13.7
 malignant C25.4
 uncertain behavior D37.8

Insuloma — see Insulinoma

Interference
 balancing side M26.56
 non-working side M26.56

Intermenstrual — see condition

Intermittent — see condition

Internal — see condition

Interrogation
 cardiac defibrillator (automatic)
 (implantable) Z45.02
 cardiac pacemaker Z45.018
 cardiac (event) (loop) recorder Z45.09
 infusion pump (implanted) (intrathecal) Z45.1
 neurostimulator Z46.2

Interruption
 aortic arch Q25.21
 bundle of His I44.30
 phase-shift, sleep cycle — see Disorder, sleep,
 circadian rhythm
 sleep phase-shift, or 24 hour sleep-wake cycle —
 see Disorder, sleep, circadian rhythm

Interstitial — see condition

Intertrigo L30.4
 labialis K13.0

Intervertebral disc — see condition

Intestine, intestinal — see condition

Intolerance
 carbohydrate K90.49
 disaccharide, hereditary E73.0
 fat NEC K90.49
 pancreatic K90.3
 food K90.49
 dietary counseling and surveillance Z71.3
 fructose E74.10
 hereditary E74.12
 glucose (-galactose) E74.39
 gluten K90.41
 lactose E73.9
 specified NEC E73.8
 lysine E72.3
 milk NEC K90.49
 lactose E73.9
 protein K90.49
 starch NEC K90.49
 sucrose (-isomaltose) E74.31

Intoxicated NEC (without dependence) — see Alcohol,
 intoxication

Intoxication
 acid E87.2
 alcoholic (acute) (without dependence) — see
 Alcohol, intoxication
 alimentary canal K52.1
 amphetamine (without dependence) — see Abuse,
 drug, stimulant, with intoxication
 with dependence — see Dependence, drug,
 stimulant, with intoxication
 anxiolytic (acute) (without dependence) — see
 Abuse, drug, sedative, with intoxication
 with dependence — see Dependence, drug,
 sedative, with intoxication
 caffeine F15.929
 with dependence — see Dependence, drug,
 stimulant, with intoxication
 cannabinoids (acute) (without dependence) — see
 Use, cannabis, with intoxication
 with
 abuse — see Abuse, drug, cannabis, with
 intoxication
 dependence — see Dependence, drug,
 cannabis, with intoxication

Intoxication — continued

chemical — see Table of Drugs and Chemicals
 via placenta or breast milk — see Absorption,
 chemical, through placenta
 cocaine (acute) (without dependence) — see Abuse,
 drug, cocaine, with intoxication
 with dependence — see Dependence, drug,
 cocaine, with intoxication

drug
 acute (without dependence) — see Abuse, drug,
 by type with intoxication
 with dependence — see Dependence, drug, by
 type with intoxication
 addictive
 via placenta or breast milk — see Absorption,
 drug, addictive, through placenta
 newborn P93.8
 gray baby syndrome P93.0
 overdose or wrong substance given or taken —
 see Table of Drugs and Chemicals, by drug,
 poisoning
 enteric K52.1
 foodborne A05.9
 bacterial A05.9
 classical (Clostridium botulinum) A05.1
 due to
 Bacillus cereus A05.4
 bacterium A05.9
 specified NEC A05.8
 Clostridium
 botulinum A05.1
 perfringens A05.2
 welchii A05.2
 Salmonella A02.9
 with
 (gastro) enteritis A02.0
 localized infection (s) A02.20
 arthritis A02.23
 meningitis A02.21
 osteomyelitis A02.24
 pneumonia A02.22
 pyelonephritis A02.25
 specified NEC A02.29
 sepsis A02.1
 specified manifestation NEC A02.8
 Staphylococcus A05.0
 Vibrio
 parahaemolyticus A05.3
 vulnificus A05.5
 enterotoxin, staphylococcal A05.0
 noxious — see Poisoning, food, noxious
 gastrointestinal K52.1
 hallucinogenic (without dependence) — see Abuse,
 drug, hallucinogen, with intoxication
 with dependence — see Dependence, drug,
 hallucinogen, with intoxication
 hypnotic (acute) (without dependence) — see
 Abuse, drug, sedative, with intoxication
 with dependence — see Dependence, drug,
 sedative, with intoxication
 inhalant (acute) (without dependence) — see
 Abuse, drug, inhalant, with intoxication
 with dependence — see Dependence, drug,
 inhalant, with intoxication
 meaning
 inebriation — see category F10
 poisoning — see Table of Drugs and Chemicals
 methyl alcohol (acute) (without dependence) — see
 Alcohol, intoxication
 opioid (acute) (without dependence) — see Abuse,
 drug, opioid, with intoxication
 with dependence — see Dependence, drug,
 opioid, with intoxication
 pathologic NEC (without dependence) — see
 Alcohol, intoxication
 phenicyclidine (without dependence) — see Abuse,
 drug, hallucinogen, with intoxication
 with dependence — see Dependence, drug,
 hallucinogen, with intoxication
 potassium (K) E87.5
 psychoactive substance NEC (without dependence)
 — see Abuse, drug, psychoactive NEC, with
 intoxication
 with dependence — see Dependence, drug,
 psychoactive NEC, with intoxication
 sedative (acute) (without dependence) — see
 Abuse, drug, sedative, with intoxication
 with dependence — see Dependence, drug,
 sedative, with intoxication
 serum (see also Reaction, serum) T80.69
 uremic — see Uremia

Intoxication — continued

volatile solvents (acute) (without dependence) —
 see Abuse, drug, inhalant, with intoxication
 with dependence — see Dependence, drug,
 inhalant, with intoxication
 water E87.79

Intraabdominal testis, testes
 bilateral Q53.211
 unilateral Q53.111

Intracranial — see condition

Intrahepatic gallbladder Q44.1

Intriligamentous — see condition

Intrathoracic (see also condition)
 kidney Q63.2

Intrauterine contraceptive device
 checking Z30.431
 insertion Z30.430
 immediately following removal Z30.433
 in situ Z97.5
 management Z30.431
 reinsertion Z30.433
 removal Z30.432
 replacement Z30.433
 retention in pregnancy O26.3 ✓

Intraventricular — see condition

Intrinsic deformity — see Deformity

Intubation, difficult or failed T88.4 ✓

Intumescence, lens (eye) (cataract) — see Cataract

Intussusception (bowel) (colon) (enteric) (ileocecal)
 (ileocolic) (intestine) (rectum) K56.1
 appendix K38.8
 congenital Q43.8
 ureter (with obstruction) N13.5

Invagination (bowel, colon, intestine or rectum) K56.1

Inversion
 albumin-globulin (A-G) ratio E88.09
 bladder N32.89
 cecum — see Intussusception
 cervix N88.8
 chromosome in normal individual Q95.1
 circadian rhythm — see Disorder, sleep, circadian
 rhythm
 nipple N64.59
 congenital Q83.8
 gestational — see Retraction, nipple
 puerperal, postpartum — see Retraction, nipple
 nyctohemeral rhythm — see Disorder, sleep,
 circadian rhythm
 optic papilla Q14.2
 organ or site, congenital NEC — see Anomaly, by
 site
 sleep rhythm — see Disorder, sleep, circadian
 rhythm
 testis (congenital) Q55.29
 uterus (chronic) (postinfectious) (postpartal,
 old) N85.5
 postpartum O71.2
 vagina (posthysterectomy) N99.3
 ventricular Q20.5

Investigation (see also Examination) Z04.9
 clinical research subject (control) (normal
 comparison) (participant) Z00.6

Involuntary movement, abnormal R25.9

Involuntal, involuntal (see also condition)
 breast, cystic — see Dysplasia, mammary, specified
 type NEC
 depression (single episode) F32.89
 recurrent episode F33.9
 melancholia (single episode) F32.89
 recurrent episode F33.8
 ovary, senile — see Atrophy, ovary
 thymus failure E32.8

I.Q.
 under 20 F73
 20-34 F72
 35-49 F71
 50-69 F70

IRDS (type I) P22.0
 type II P22.1

Irideremia Q13.1

Iridis rubeosis — see Disorder, iris, vascular

Iridochoroiditis (panuveitis) — see Panuveitis

Iridocyclitis H20.9
 acute H20.0 ✓
 hypopyon H20.05 ✓
 primary H20.01 ✓
 recurrent H20.02 ✓
 secondary (noninfectious) H20.04 ✓
 infectious H20.03 ✓
 chronic H20.1 ✓
 due to allergy — see Iridocyclitis, acute, secondary
 endogenous — see Iridocyclitis, acute, primary

Iridocyclitis - Itch

Proctors: This errata is permitted during the examination.

Iridocyclitis — *continued*

Fuchs' — see *Cyclitis*, Fuchs' heterochromic gonococcal A54.32
 granulomatous — see *Iridocyclitis*, chronic herpes, herpetic (simplex) B00.51
 zoster B02.32
 hypopyon — see *Iridocyclitis*, acute, hypopyon in (due to)
 ankylosing spondylitis M45.9
 gonococcal infection A54.32
 herpes (simplex) virus B00.51
 zoster B02.32
 infectious disease NOS B99
 parasitic disease NOS B89 [H22]
 sarcoidosis D86.83
 syphilis A51.43
 tuberculosis A18.54
 zoster B02.32
 lens-induced H20.2
 nongranulomatous — see *Iridocyclitis*, acute recurrent — see *Iridocyclitis*, acute, recurrent rheumatic — see *Iridocyclitis*, chronic subacute — see *Iridocyclitis*, acute sympathetic — see *Uveitis*, sympathetic syphilitic (secondary) A51.43
 tuberculous (chronic) A18.54
 Vogt-Koyanagi H20.82

Iridocyclochoroiditis (panuveitis) — see *Panuveitis*

Iridodialysis H21.53

Iridodonesis H21.89

Iridoplegia (complete) (partial) (reflex) H57.09

Iridoschisis H21.25

Iris (see *also* condition)
 bombé — see *Membrane*, pupillary

Iritis (see *also* *Iridocyclitis*)
 chronic — see *Iridocyclitis*, chronic diabetic — see E08-E13 with .39
 due to
 herpes simplex B00.51
 leprosy A30.9 [H22]
 gonococcal A54.32
 gouty (see *also* *Gout*, by type) M10.9 [H22]
 granulomatous — see *Iridocyclitis*, chronic lens induced — see *Iridocyclitis*, lens-induced papulosa (syphilitic) A52.71
 rheumatic — see *Iridocyclitis*, chronic syphilitic (secondary) A51.43
 congenital (early) A50.01
 late A52.71
 tuberculous A18.54

Iron — see condition

Iron-miner's lung J63.4

Irradiated enamel (tooth, teeth) K03.89

Irradiation effects, adverse T66

Irreducible, irreducibility — see condition

Irregular, irregularity
 action, heart I49.9
 alveolar process K08.89
 bleeding N92.6
 breathing R06.89
 contour of cornea (acquired) — see *Deformity*, cornea
 congenital Q13.4
 contour, reconstructed breast N65.0
 dentin (in pulp) K04.3
 eye movements H55.89
 nystagmus — see *Nystagmus*
 saccadic H55.81
 labor O62.2
 menstruation (cause unknown) N92.6
 periods N92.6
 prostate N42.9
 pupil — see *Abnormality*, pupillary
 reconstructed breast N65.0
 respiratory R06.89
 septum (nasal) J34.2
 shape, organ or site, congenital NEC — see *Distortion*
 sleep-wake pattern (rhythm) G47.23

Irritable, irritability R45.4
 bladder N32.89
 bowel (syndrome) K58.9
 with
 constipation K58.1
 diarrhea K58.0
 mixed K58.2
 psychogenic F45.8
 specified NEC K58.8
 bronchial — see *Bronchitis*
 cerebral, in newborn P91.3
 colon (see *also* *Irritable*, bowel) K58.9
 with diarrhea K58.0
 psychogenic F45.8

Irritable — *continued*

duodenum K59.8
 heart (psychogenic) F45.8
 hip — see *Derangement*, joint, specified type NEC, hip
 ileum K59.8
 infant R68.12
 jejunum K59.8
 rectum K59.8
 stomach K31.89
 psychogenic F45.8
 sympathetic G90.8
 urethra N36.8

Irritation
 anus K62.89
 axillary nerve G54.0
 bladder N32.89
 brachial plexus G54.0
 bronchial — see *Bronchitis*
 cervical plexus G54.2
 cervix — see *Cervicitis*
 choroid, sympathetic — see *Endophthalmitis*
 cranial nerve — see *Disorder*, nerve, cranial gastric K31.89
 psychogenic F45.8
 globe, sympathetic — see *Uveitis*, sympathetic labyrinth — see *subcategory* H83.2
 lumbosacral plexus G54.1
 meninges (traumatic) — see *Injury*, intracranial nontraumatic — see *Meningismus*
 nerve — see *Disorder*, nerve
 nervous R45.0
 penis N48.89
 perineum NEC L29.3
 peripheral autonomic nervous system G90.8
 peritoneum — see *Peritonitis*
 pharynx J39.2
 plantar nerve — see *Lesion*, nerve, plantar
 spinal (cord) (traumatic) (see *also* *Injury*, spinal cord, by region)
 nerve G58.9
 root NEC — see *Radiculopathy*
 nontraumatic — see *Myelopathy*
 stomach K31.89
 psychogenic F45.8
 sympathetic nerve NEC G90.8
 ulnar nerve — see *Lesion*, nerve, ulnar
 vagina N89.8

Ischemia, ischemic I99.8
 brain — see *Ischemia*, cerebral
 bowel (transient)
 acute (see *also* *Ischemia*, intestine, acute) K55.059
 chronic K55.1
 due to mesenteric artery insufficiency K55.1
 cardiac (see *Disease*, heart, ischemic)
 cardiomyopathy I25.5
 cerebral (chronic) (generalized) I67.82
 arteriosclerotic I67.2
 intermittent G45.9
 newborn P91.0
 recurrent focal G45.8
 transient G45.9
 colon chronic (due to mesenteric artery insufficiency) K55.1
 coronary — see *Disease*, heart, ischemic demand (coronary) (see *also* *Angina*) I24.8
 with myocardial infarction I21.A1
 resulting in myocardial infarction I21.A1
 heart (chronic or with a stated duration of over 4 weeks) I25.9
 acute or with a stated duration of 4 weeks or less I24.9
 subacute I24.9
 infarction, muscle — see *Infarct*, muscle
 intestine (large) (small) (transient) K55.9
 acute K55.059
 diffuse K55.052
 focal K55.051
 large K55.039
 diffuse K55.032
 focal K55.031
 small K55.019
 diffuse K55.012
 focal K55.011
 chronic K55.1
 due to mesenteric artery insufficiency K55.1
 kidney N28.0
 mesenteric, acute (see *also* *Ischemia*, intestine, acute) K55.059
 muscle, traumatic T79.6
 myocardium, myocardial (chronic or with a stated duration of over 4 weeks) I25.9

Ischemia — *continued*

myocardium, myocardial — *continued*
 acute, without myocardial infarction I51.3
 silent (asymptomatic) I25.6
 transient of newborn P29.4
 renal N28.0
 retina, retinal — see *Occlusion*, artery, retina
 small bowel
 acute K55.019
 diffuse K55.012
 focal K55.011
 chronic K55.1
 due to mesenteric artery insufficiency K55.1
 spinal cord G95.11
 subendocardial — see *Insufficiency*, coronary supply (coronary) (see *also* *Angina*) I25.9
 due to vasospasm I20.1

Ischial spine — see condition

Ischialgia — see *Sciatica*

Ischiopagus Q89.4

Ischium, ischial — see condition

Ischuria R34

Iselin's disease or osteochondrosis — see *Osteochondrosis*, juvenile, metatarsus

Islands of
 parotid tissue in
 lymph nodes Q38.6
 neck structures Q38.6
 submaxillary glands in
 fascia Q38.6
 lymph nodes Q38.6
 neck muscles Q38.6

Islet cell tumor, pancreas D13.7

Isoimmunization NEC (see *also* *Incompatibility*)
 affecting management of pregnancy (ABO) (with hydrolysis fetalis) O36.11
 anti-A sensitization O36.11
 anti-B sensitization O36.19
 anti-c sensitization O36.09
 anti-C sensitization O36.09
 anti-e sensitization O36.09
 anti-E sensitization O36.09
 Rh NEC O36.09
 anti-D antibody O36.01
 specified NEC O36.19
 newborn P55.9
 with
 hydrolysis fetalis P56.0
 kernicterus P57.0
 ABO (blood groups) P55.1
 Rhesus (Rh) factor P55.0
 specified type NEC P55.8

Isolation, isolated
 dwelling Z59.8
 family Z63.79
 social Z60.4

Isoleucinosis E71.19

Isomerism atrial appendages (with asplenia or polysplenia) Q20.6

Isosporiasis, isosporosis A07.3

Isovaleric acidemia E71.110

Issue of
 medical certificate Z02.79
 for disability determination Z02.71
 repeat prescription (appliance) (glasses) (medicinal substance, medication, medicine) Z76.0
 contraception — see *Contraception*

Itch, itching (see *also* *Pruritus*)
 baker's L23.6
 barber's B35.0
 bricklayer's L24.5
 cheese B88.0
 clam digger's B65.3
 coolie B76.9
 copra B88.0
 dew B76.9
 dhobi B35.6
 filarial — see *Infestation*, filarial
 grain B88.0
 grocer's B88.0
 ground B76.9
 harvest B88.0
 jock B35.6
 Malabar B35.5
 beard B35.0
 foot B35.3
 scalp B35.0
 meaning scabies B86
 Norwegian B86
 perianal L29.0
 poultrymen's B88.0
 sarcoptic B86

Itch — *continued*

- scabies B86
- scrub B88.0
- straw B88.0
- swimmer's B65.3
- water B76.9
- winter L29.8
- Ivemark's syndrome** (asplenia with congenital heart disease) Q89.01
- Ivory bones** Q78.2
- Ixodiasis** NEC B88.8

J

- Jaccoud's syndrome** — *see* Arthropathy, posttraumatic, chronic
- Jackson's**
 - membrane Q43.3
 - paralysis or syndrome G83.89
 - veil Q43.3
- Jacquet's dermatitis** (diaper dermatitis) L22
- Jadassohn-Pellizari's disease** or anetoderma L90.2
- Jadassohn's**
 - blue nevus — *see* Nevus
 - intraepidermal epithelioma — *see* Neoplasm, skin, benign
- Jaffe-Lichtenstein** (-Uehlinger) syndrome — *see* Dysplasia, fibrous, bone NEC
- Jakob-Creutzfeldt** disease or syndrome — *see* Creutzfeldt-Jakob disease or syndrome
- Jaksch-Luzet** disease D64.89
- Jamaican**
 - neuropathy G92
 - paraplegic tropical ataxic-spastic syndrome G92
- Janet's disease** F48.8
- Janiceps** Q89.4
- Jansky-Bielschowsky** amaurotic idiocy E75.4
- Japanese**
 - B-type encephalitis A83.0
 - river fever A75.3
- Jaundice** (yellow) R17
 - acholuric (familial) (splenomegalic) (*see also* Spherocytosis)
 - acquired D59.8
 - breast-milk (inhibitor) P59.3
 - catarrhal (acute) B15.9
 - with hepatic coma B15.0
 - cholestatic (benign) R17
 - due to or associated with
 - delayed conjugation P59.8
 - associated with (due to) preterm delivery P59.0
 - preterm delivery P59.0
 - epidemic (catarrhal) B15.9
 - with hepatic coma B15.0
 - leptospiral A27.0
 - spirochetal A27.0
 - familial nonhemolytic (congenital) (Gilbert) E80.4
 - Crigler-Najjar E80.5
 - febrile (acute) B15.9
 - with hepatic coma B15.0
 - leptospiral A27.0
 - spirochetal A27.0
 - hematogenous D59.9
 - hemolytic (acquired) D59.9
 - congenital — *see* Spherocytosis
 - hemorrhagic (acute) (leptospiral) (spirochetal) A27.0
 - infectious (acute) (subacute) B15.9
 - with hepatic coma B15.0
 - leptospiral A27.0
 - spirochetal A27.0
 - leptospiral (hemorrhagic) A27.0
 - malignant (without coma) K72.90
 - with coma K72.91
 - newborn P59.9
 - due to or associated with
 - ABO
 - antibodies P55.1
 - incompatibility, maternal/fetal P55.1
 - isoimmunization P55.1
 - absence or deficiency of enzyme system for bilirubin conjugation (congenital) P59.8
 - bleeding P58.1
 - breast milk inhibitors to conjugation P59.3
 - associated with preterm delivery P59.0
 - bruising P58.0
 - Crigler-Najjar syndrome E80.5
 - delayed conjugation P59.8
 - associated with preterm delivery P59.0
 - drugs or toxins

Jaundice — *continued*

- newborn — *continued*
 - given to newborn P58.42
 - transmitted from mother P58.41
 - excessive hemolysis P58.9
 - due to
 - bleeding P58.1
 - bruising P58.0
 - drugs or toxins
 - given to newborn P58.42
 - transmitted from mother P58.41
 - infection P58.2
 - polycythemia P58.3
 - swallowed maternal blood P58.5
 - specified type NEC P58.8
 - galactosemia E74.21
 - Gilbert syndrome E80.4
 - hemolytic disease P55.9
 - ABO isoimmunization P55.1
 - Rh isoimmunization P55.0
 - specified NEC P55.8
 - hepatocellular damage P59.20
 - specified NEC P59.29
 - hereditary hemolytic anemia P58.8
 - hypothyroidism, congenital E03.1
 - incompatibility, maternal/fetal NOS P55.9
 - infection P58.2
 - inspissated bile syndrome P59.1
 - isoimmunization NOS P55.9
 - mucoviscidosis E84.9
 - polycythemia P58.3
 - preterm delivery P59.0
 - Rh
 - antibodies P55.0
 - incompatibility, maternal/fetal P55.0
 - isoimmunization P55.0
 - specified cause NEC P59.8
 - swallowed maternal blood P58.5
 - spherocytosis (congenital) D58.0
 - neonatal — *see* Jaundice, newborn
 - nonhemolytic congenital familial (Gilbert) E80.4
 - nuclear, newborn (*see also* Kernicterus of newborn) P57.9
 - obstructive (*see also* Obstruction, bile duct) K83.1
 - post-immunization — *see* Hepatitis, viral, type, B
 - post-transfusion — *see* Hepatitis, viral, type, B
 - regurgitation (*see also* Obstruction, bile duct) K83.1
 - serum (homologous) (prophylactic) (therapeutic) — *see* Hepatitis, viral, type, B
 - spirochetal (hemorrhagic) A27.0
 - symptomatic R17
 - newborn P59.9
 - Jaw** — *see* condition
 - Jaw-winking** phenomenon or syndrome Q07.8
 - Jealousy**
 - alcoholic F10.988
 - childhood F93.8
 - sibling F93.8
 - Jejunitis** — *see* Enteritis
 - Jejunostomy** status Z93.4
 - Jejunum**, jejunal — *see* condition
 - Jensen's disease** — *see* Inflammation, chorioretinal, focal, juxtapapillary
 - Jerks**, myoclonic G25.3
 - Jervell-Lange-Nielsen** syndrome I45.81
 - Jeune's disease** Q77.2
 - Jigger** disease B88.1
 - Job's syndrome** (chronic granulomatous disease) D71
 - Joint** (*see also* condition)
 - mice — *see* Loose, body, joint
 - knee M23.4
 - Jordan's anomaly** or syndrome D72.0
 - Joseph-Diamond-Blackfan** anemia (congenital hypoplastic) D61.01
 - Jungle yellow fever** A95.0
 - Jüngling's disease** — *see* Sarcoidosis
 - Juvenile** — *see* condition

K

- Kahler's disease** C90.0
- Kakke** E51.11
- Kala-azar** B55.0
- Kallmann's syndrome** E23.0
- Kanner's syndrome** (autism) — *see* Psychosis, childhood
- Kaposi's**
 - dermatosis (xeroderma pigmentosum) Q82.1
 - lichen ruber L44.0
 - acuminatus L44.0
- Kaposi's** — *continued*
 - sarcoma
 - colon C46.4
 - connective tissue C46.1
 - gastrointestinal organ C46.4
 - lung C46.5
 - lymph node (multiple) C46.3
 - palate (hard) (soft) C46.2
 - rectum C46.4
 - skin (multiple sites) C46.0
 - specified site NEC C46.7
 - stomach C46.4
 - unspecified site C46.9
 - varicelliform eruption B00.0
 - vaccinia T88.1
 - Kartagener's syndrome** or triad (sinusitis, bronchiectasis, situs inversus) Q89.3
 - Karyotype**
 - with abnormality except iso (Xq) Q96.2
 - 45,X Q96.0
 - 46,X
 - iso (Xq) Q96.1
 - 46,XX Q98.3
 - with streak gonads Q50.32
 - hermaphrodite (true) Q99.1
 - male Q98.3
 - 46,XY
 - with streak gonads Q56.1
 - female Q97.3
 - hermaphrodite (true) Q99.1
 - 47,XXX Q97.0
 - 47,XXY Q98.0
 - 47,XYY Q98.5
 - Kaschin-Beck disease** — *see* Disease, Kaschin-Beck
 - Katayama's disease** or fever B65.2
 - Kawasaki's syndrome** M30.3
 - Kayser-Fleischer ring** (cornea) (pseudocerosclerosis) H18.04
 - Kaznelson's syndrome** (congenital hypoplastic anemia) D61.01
 - Kearns-Sayre syndrome** H49.81
 - Kedani fever** A75.3
 - Kelis** L91.0
 - Kelly** (-Patterson) syndrome (sideropenic dysphagia) D50.1
 - Keloid**, cheloid L91.0
 - acne L73.0
 - Addison's L94.0
 - cornea — *see* Opacity, cornea
 - Hawkin's L91.0
 - scar L91.0
 - Keloma** L91.0
 - Kenya fever** A77.1
 - Keratectasia** (*see also* Ectasia, cornea)
 - congenital Q13.4
 - Keratinization** of alveolar ridge mucosa
 - excessive K13.23
 - minimal K13.22
 - Keratinized** residual ridge mucosa
 - excessive K13.23
 - minimal K13.22
 - Keratitis** (nodular) (nonulcerative) (simple) (zonular) H16.9
 - with ulceration (central) (marginal) (perforated) (ring) — *see* Ulcer, cornea
 - actinic — *see* Photokeratitis
 - arborescens (herpes simplex) B00.52
 - areolar H16.11
 - bullosa H16.8
 - deep H16.309
 - specified type NEC H16.399
 - dendritic (a) (herpes simplex) B00.52
 - disciform (is) (herpes simplex) B00.52
 - varicella B01.81
 - filamentary H16.12
 - gonococcal (congenital or prenatal) A54.33
 - herpes, herpetic (simplex) B00.52
 - zoster B02.33
 - in (due to)
 - acanthamebiasis B60.13
 - adenovirus B30.0
 - exanthema (*see also* Exanthem) B09
 - herpes (simplex) virus B00.52
 - measles B05.81
 - syphilis A50.31
 - tuberculosis A18.52
 - zoster B02.33
 - interstitial (nonsyphilitic) H16.30
 - diffuse H16.32
 - herpes, herpetic (simplex) B00.52
 - zoster B02.33
 - sclerosing H16.33

Keratitis - Kyphoscoliosis

Proctors: This errata is permitted during the examination.

Keratitis — *continued*

interstitial — *continued*
 specified type NEC H16.39 ☑
 syphilitic (congenital) (late) A50.31
 tuberculous A18.52
 macular H16.11 ☑
 nummular H16.11 ☑
 oyster shuckers' H16.8
 parenchymatous — see Keratitis, interstitial
 petrificans H16.8
 postmeasles B05.81
 punctata
 leprosa A30.9 [H16.14] ☑
 syphilitic (profunda) A50.31
 punctate H16.14 ☑
 purulent H16.8
 rosacea L71.8
 sclerosing H16.33 ☑
 specified type NEC H16.8
 stellate H16.11 ☑
 striate H16.11 ☑
 superficial H16.10 ☑
 with conjunctivitis — see Keratoconjunctivitis
 due to light — see Photokeratitis
 suppurative H16.8
 syphilitic (congenital) (prenatal) A50.31
 trachomatous A71.1
 sequelae B94.0
 tuberculous A18.52
 vesicular H16.8
 xerotic (see also Keratomalacia) H16.8
 vitamin A deficiency E50.4

Keratoacanthoma L85.8

Keratocele — see Descemetocoele

Keratoconjunctivitis H16.20 ☑
 Acanthamoeba B60.13
 adenoviral B30.0
 epidemic B30.0
 exposure H16.21 ☑
 herpes, herpetic (simplex) B00.52
 zoster B02.33
 in exanthema (see also Exanthem) B09
 infectious B30.0
 lagophthalmic — see Keratoconjunctivitis, specified
 type NEC
 neurotrophic H16.23 ☑
 phlyctenular H16.25 ☑
 postmeasles B05.81
 shipyard B30.0
 sicca (Sjogren's) M35.0 ☑
 not Sjogren's H16.22 ☑
 specified type NEC H16.29 ☑
 tuberculous (phlyctenular) A18.52
 vernal H16.26 ☑

Keratoconus H18.60 ☑
 congenital Q13.4
 stable H18.61 ☑
 unstable H18.62 ☑

Keratocyst (dental) (odontogenic) — see Cyst,
 calcifying odontogenic

Keratoderma, keratoderma (congenital) (palmaris et
 plantaris) (symmetrical) Q82.8
 acquired L85.1
 in diseases classified elsewhere L86
 climactericum L85.1
 gonococcal A54.89
 gonorrhoeal A54.89
 punctata L85.2
 Reiter's — see Reiter's disease

Keratodermatocele — see Descemetocoele

Keratoglobus H18.79 ☑
 congenital Q15.8
 with glaucoma Q15.0

Keratothemia — see Pigmentation, cornea, stromal

Keratoiritis (see also Iridocyclitis)
 syphilitic A50.39
 tuberculous A18.54

Keratoma L57.0
 palmaris and plantaris hereditarium Q82.8
 senile L57.0

Keratomalacia H18.44 ☑
 vitamin A deficiency E50.4

Keratomegaly Q13.4

Keratomycosis B49
 nigrans, nigricans (palmaris) B36.1

Keratopathy H18.9
 band H18.42 ☑
 bullous H18.1 ☑
 bullous (aphakic), following cataract
 surgery H59.01 ☑

Keratosiscleritis, tuberculous A18.52

Keratosis L57.0
 actinic L57.0
 arsenical L85.8
 congenital, specified NEC Q80.8
 female genital NEC N94.89
 follicularis Q82.8
 acquired L11.0
 congenita Q82.8
 et parafollicularis in cutem penetrans L87.0
 spinulosa (decalvans) Q82.8
 vitamin A deficiency E50.8
 gonococcal A54.89
 male genital (external) N50.89
 nigricans L83
 obturans, external ear (canal) — see Cholesteatoma,
 external ear
 palmaris et plantaris (inherited) (symmetrical) Q82.8
 acquired L85.1
 penile N48.89
 pharynx J39.2
 pilaris, acquired L85.8
 punctata (palmaris et plantaris) L85.2
 scrotal N50.89
 seborrheic L82.1
 inflamed L82.0
 senile L57.0
 solar L57.0
 tonsillar J35.8
 vagina N89.4
 vegetans Q82.8
 vitamin A deficiency E50.8
 vocal cord J38.3

Kerato-uveitis — see Iridocyclitis

Kerunoparalysis T75.09 ☑

Kerion (celsi) B35.0

Kernicterus of newborn (not due to isoimmunization) P57.9
 due to isoimmunization (conditions in
 P55.0-P55.9) P57.0
 specified type NEC P57.8

Keshan disease E59

Ketoacidosis E87.2
 diabetic — see Diabetes, by type, with ketoacidosis

Ketonuria R82.4

Ketosis NEC E88.89
 diabetic — see Diabetes, by type, with with
 ketoacidosis

Kew Garden fever A79.1

Kidney — see condition

Kienböck's disease (see also Osteochondrosis, juvenile,
 hand, carpal lunate)
 adult M93.1

Kimmelstiel (-Wilson) disease — see Diabetes,
 Kimmelstiel (-Wilson) disease

Kimura disease D21.9
 specified site (see Neoplasm, connective tissue
 benign)

Kink, kinking
 artery I77.1
 hair (acquired) L67.8
 ileum or intestine — see Obstruction, intestine
 Lane's — see Obstruction, intestine
 organ or site, congenital NEC — see Anomaly,
 by site
 ureter (pelvic junction) N13.5
 with
 hydronephrosis N13.1
 with infection N13.6
 pyelonephritis (chronic) N11.1
 congenital Q62.39
 vein (s) I87.8
 caval I87.1
 peripheral I87.1

Kinnier Wilson's disease (hepatolenticular
 degeneration) E83.01

Kissing spine M48.20
 cervical region M48.22
 cervicothoracic region M48.23
 lumbar region M48.26
 lumbosacral region M48.27
 occipito-atlanto-axial region M48.21
 thoracic region M48.24
 thoracolumbar region M48.25

Klatskin's tumor C24.0

Klauder's disease A26.8

Klebs' disease (see also Glomerulonephritis) N05. ☑

Klebsiella (K.) pneumoniae, as cause of disease
 classified elsewhere B96.1

Klein (e)-Levin syndrome G47.13

Kleptomania F63.2

Klinefelter's syndrome Q98.4
 karyotype 47,XXY Q98.0
 male with more than two X chromosomes Q98.1

Klippel-Feil deficiency, disease, or syndrome
 (brevicollis) Q76.1

Klippel's disease I67.2

Klippel-Trenaunay (-Weber) syndrome Q87.2

Klumpke (-Déjerine) palsy, paralysis (birth) (newborn)
 P14.1

Knee — see condition

Knock knee (acquired) M21.06 ☑
 congenital Q74.1

Knot (s)
 intestinal, syndrome (volvulus) K56.2
 surfer S89.8 ☑
 umbilical cord (true) O69.2 ☑

Knottling (of)
 hair L67.8
 intestine K56.2

Knuckle pad (Garrod's) M72.1

Koch's
 infection — see Tuberculosis
 relapsing fever A68.9

Koch-Weeks' conjunctivitis — see Conjunctivitis, acute,
 mucopurulent

Köebner's syndrome Q81.8

Köenig's disease (osteochondritis dissecans) — see
 Osteochondritis, dissecans

Köhler-Pellegrini-Steida disease or syndrome
 (calcification, knee joint) — see Bursitis, tibial
 collateral

Köhler's disease
 patellar — see Osteochondrosis, juvenile, patella
 tarsal navicular — see Osteochondrosis, juvenile,
 tarsus

Koilonychia L60.3
 congenital Q84.6

Kojevnikov's, epilepsy — see Kozhevnikov's epilepsy

Koplik's spots B05.9

Kopp's asthma E32.8

Korsakoff's (Wernicke) disease, psychosis or syndrome
 (alcoholic) F10.96
 with dependence F10.26
 drug-induced
 due to drug abuse — see Abuse, drug, by type,
 with amnestic disorder
 due to drug dependence — see Dependence,
 drug, by type, with amnestic disorder
 nonalcoholic F04

Korsakov's disease, psychosis or syndrome — see
 Korsakoff's disease

Korsakov's disease, psychosis or syndrome — see
 Korsakoff's disease

Kostmann's disease or syndrome (infantile genetic
 agranulocytosis) — see Agranulocytosis

Kozhevnikov's epilepsy G40.109
 intractable G40.119
 with status epilepticus G40.111
 without status epilepticus G40.119
 not intractable G40.109
 with status epilepticus G40.101
 without status epilepticus G40.109

Krabbe's
 disease E75.23
 syndrome, congenital muscle hypoplasia Q79.8

Kraepelin-Morel disease — see Schizophrenia

Kraft-Weber-Dimitri disease Q85.8

Kraurosis
 ani K62.89
 penis N48.0
 vagina N89.8
 vulva N90.4

Kreotoxism A05.9

Krukenberg's
 spindle — see Pigmentation, cornea, posterior
 tumor C79.6 ☑

Kufs' disease E75.4

Kugelberg-Welander disease G12.1

Kuhnt-Junius degeneration (see also Degeneration,
 macula) H35.32 ☑

Kümmell's disease or spondylitis — see Spondylopathy,
 traumatic

Kupffer cell sarcoma C22.3

Kuru A81.81

Kussmaul's
 disease M30.0
 respiration E87.2
 in diabetic acidosis — see Diabetes, by type, with
 ketoacidosis

Kwashiorkor E40
 marasmic, marasmus type E42

Kyasanur Forest disease A98.2

Kyphoscoliosis, kyphoscoliotic (acquired) (see also
 Scoliosis) M41.9
 congenital Q67.5

Proctors: This errata is permitted during the examination.

Kyphoscoliosis - Laceration**Kyphoscoliosis** — *continued*

- heart (disease) I27.1
- sequelae of rickets E64.3
- tuberculous A18.01
- Kyphosis**, kyphotic (acquired) M40.209
- cervical region M40.202
- cervicothoracic region M40.203
- congenital Q76.419
 - cervical region Q76.412
 - cervicothoracic region Q76.413
 - occipito-atlanto-axial region Q76.411
 - thoracic region Q76.414
 - thoracolumbar region Q76.415
- Morquio-Brailsford type (spinal) (*see also* subcategory M49.8) E76.219
- postlaminectomy M96.3
- postradiation therapy M96.2
- postural (adolescent) M40.00
 - cervicothoracic region M40.03
 - thoracic region M40.04
 - thoracolumbar region M40.05
- secondary NEC M40.10
 - cervical region M40.12
 - cervicothoracic region M40.13
 - thoracic region M40.14
 - thoracolumbar region M40.15
- sequelae of rickets E64.3
- specified type NEC M40.299
 - cervical region M40.292
 - cervicothoracic region M40.293
 - thoracic region M40.294
 - thoracolumbar region M40.295
- sphyilitic, congenital A50.56
- thoracic region M40.204
- thoracolumbar region M40.205
- tuberculous A18.01
- Kyrlé disease L87.0

LLabia, labium — *see* condition**Labile**

- blood pressure R09.89
- vasomotor system I73.9

Labioglossal paralysis G12.29

Labiom leporinum — *see* Cleft, lipLabor — *see* DeliveryLabored breathing — *see* Hyperventilation**Labyrinthitis** (circumscribed) (destructive) (diffuse)

- (inner ear) (latent) (purulent) (suppurative) (*see also* subcategory) H83.0
- sphyilitic A52.79

Laceration

- with abortion — *see* Abortion, by type, complicated
- by laceration of pelvic organs
- abdomen, abdominal
 - wall S31.119
 - with
 - foreign body S31.129
 - penetration into peritoneal cavity S31.619
 - with foreign body S31.629
 - epigastric region S31.112
 - with
 - foreign body S31.122
 - penetration into peritoneal cavity S31.612
 - with foreign body S31.622
 - left
 - lower quadrant S31.114
 - with
 - foreign body S31.124
 - penetration into peritoneal cavity S31.614
 - with foreign body S31.624
 - upper quadrant S31.111
 - with
 - foreign body S31.121
 - penetration into peritoneal cavity S31.611
 - with foreign body S31.621
 - periumbilic region S31.115
 - with
 - foreign body S31.125
 - penetration into peritoneal cavity S31.615
 - with foreign body S31.625
 - right
 - lower quadrant S31.113
 - with
 - foreign body S31.123

Laceration — *continued*

- abdomen — *continued*
 - penetration into peritoneal cavity S31.613
 - with foreign body S31.623
 - upper quadrant S31.110
 - with
 - foreign body S31.120
 - penetration into peritoneal cavity S31.610
 - with foreign body S31.620
- accidental, complicating surgery — *see* Complications, surgical, accidental puncture or laceration
- Achilles tendon S86.02
- adrenal gland S37.813
- alveolar (process) — *see* Laceration, oral cavity
- ankle S91.01
 - with
 - foreign body S91.02
- antecubital space — *see* Laceration, elbow
- anus (sphincter) S31.831
 - with
 - ectopic or molar pregnancy O08.6
 - foreign body S31.832
 - complicating delivery — *see* Delivery, complicated, by, laceration, anus (sphincter) following ectopic or molar pregnancy O08.6
 - nontraumatic, nonpuerperal — *see* Fissure, anus
- arm (upper) S41.11
 - with foreign body S41.12
 - lower — *see* Laceration, forearm
- auditory canal (external) (meatus) — *see* Laceration, ear
- auricle, ear — *see* Laceration, ear
- axilla — *see* Laceration, arm
- back (*see also* Laceration, thorax, back)
 - lower S31.010
 - with
 - foreign body S31.020
 - with penetration into retroperitoneal space S31.021
 - penetration into retroperitoneal space S31.011
- bile duct S36.13
- bladder S37.23
 - with ectopic or molar pregnancy O08.6
 - following ectopic or molar pregnancy O08.6
 - obstetrical trauma O71.5
- blood vessel — *see* Injury, blood vessel
- bowel (*see also* Laceration, intestine)
 - with ectopic or molar pregnancy O08.6
 - complicating abortion — *see* Abortion, by type, complicated by, specified condition NEC
 - following ectopic or molar pregnancy O08.6
 - obstetrical trauma O71.5
- brain (any part) (cortex) (diffuse) (membrane) (*see also* Injury, intracranial, diffuse)
 - during birth P10.8
 - with hemorrhage P10.1
 - focal — *see* Injury, intracranial, focal brain injury
- brainstem S06.38
- breast S21.01
 - with foreign body S21.02
- broad ligament S37.893
 - with ectopic or molar pregnancy O08.6
 - following ectopic or molar pregnancy O08.6
 - laceration syndrome N83.8
 - obstetrical trauma O71.6
 - syndrome (laceration) N83.8
- buttock S31.801
 - with foreign body S31.802
 - left S31.821
 - with foreign body S31.822
 - right S31.811
 - with foreign body S31.812
- calf — *see* Laceration, leg
- canaliculus lacrimalis — *see* Laceration, eyelid
- canthus, eye — *see* Laceration, eyelid
- capsule, joint — *see* Sprain
- causing eversion of cervix uteri (old) N86
- central (perineal), complicating delivery O70.9
- cerebellum, traumatic S06.37
- cerebral S06.33
 - left side S06.32
 - during birth P10.8
 - with hemorrhage P10.1
 - right side S06.31
- cervix (uteri)
 - with ectopic or molar pregnancy O08.6
 - following ectopic or molar pregnancy O08.6
 - nonpuerperal, nontraumatic N88.1

Laceration — *continued*

- cervix — *continued*
 - obstetrical trauma (current) O71.3
 - old (postpartal) N88.1
 - traumatic S37.63
- cheek (external) S01.41
 - with foreign body S01.42
 - internal — *see* Laceration, oral cavity
- chest wall — *see* Laceration, thorax
- chin — *see* Laceration, head, specified site NEC
- chordae tendinae NEC I51.1
 - concurrent with acute myocardial infarction — *see* Infarct, myocardium
 - following acute myocardial infarction (current complication) I23.4
- clitoris — *see* Laceration, vulva
- colon — *see* Laceration, intestine, large, colon
- common bile duct S36.13
- cortex (cerebral) — *see* Injury, intracranial, diffuse
- costal region — *see* Laceration, thorax
- cystic duct S36.13
- diaphragm S27.803
- digit (s)
 - hand — *see* Laceration, finger
 - foot — *see* Laceration, toe
- duodenum S36.430
- ear (canal) (external) S01.31
 - with foreign body S01.32
 - drum S09.2
- elbow S51.01
 - with
 - foreign body S51.02
- epididymis — *see* Laceration, testis
- epigastric region — *see* Laceration, abdomen, wall, epigastric region
- esophageal K22.8
 - traumatic
 - cervical S11.21
 - with foreign body S11.22
 - thoracic S27.813
- eye (ball) S05.3
 - with prolapse or loss of intraocular tissue S05.2
 - penetrating S05.6
- eyebrow — *see* Laceration, eyelid
- eyelid S01.11
 - with foreign body S01.12
- face NEC — *see* Laceration, head, specified site NEC
- fallopian tube S37.539
- bilateral S37.532
- unilateral S37.531
- finger (s) S61.219
 - with
 - damage to nail S61.319
 - with
 - foreign body S61.329
 - foreign body S61.229
 - index S61.218
 - with
 - damage to nail S61.318
 - with
 - foreign body S61.328
 - foreign body S61.228
 - left S61.211
 - with
 - damage to nail S61.311
 - with
 - foreign body S61.321
 - foreign body S61.221
 - right S61.210
 - with
 - damage to nail S61.310
 - with
 - foreign body S61.320
 - foreign body S61.220
 - little S61.218
 - with
 - damage to nail S61.318
 - with
 - foreign body S61.328
 - foreign body S61.228
 - left S61.217
 - with
 - damage to nail S61.317
 - with
 - foreign body S61.327
 - foreign body S61.227
 - right S61.216
 - with
 - damage to nail S61.316
 - with
 - foreign body S61.326
 - foreign body S61.226

Laceration

Proctors: This errata is permitted during the examination.

Laceration — *continued*

finger (s) — *continued*
 middle S61.218 ☑
 with
 damage to nail S61.318 ☑
 with
 foreign body S61.328 ☑
 foreign body S61.228 ☑
 left S61.213 ☑
 with
 damage to nail S61.313 ☑
 with
 foreign body S61.323 ☑
 foreign body S61.223 ☑
 right S61.212 ☑
 with
 damage to nail S61.312 ☑
 with
 foreign body S61.322 ☑
 foreign body S61.222 ☑
 ring S61.218 ☑
 with
 damage to nail S61.318 ☑
 with
 foreign body S61.328 ☑
 foreign body S61.228 ☑
 left S61.215 ☑
 with
 damage to nail S61.315 ☑
 with
 foreign body S61.325 ☑
 foreign body S61.225 ☑
 right S61.214 ☑
 with
 damage to nail S61.314 ☑
 with
 foreign body S61.324 ☑
 foreign body S61.224 ☑
 flank S31.119 ☑
 with foreign body S31.129 ☑
 foot (except toe (s) alone) S91.319 ☑
 with foreign body S91.329 ☑
 left S91.312 ☑
 with foreign body S91.322 ☑
 right S91.311 ☑
 with foreign body S91.321 ☑
 toe — see Laceration, toe
 forearm S51.819 ☑
 with
 foreign body S51.829 ☑
 elbow only — see Laceration, elbow
 left S51.812 ☑
 with
 foreign body S51.822 ☑
 right S51.811 ☑
 with
 foreign body S51.821 ☑
 forehead S01.81 ☑
 with foreign body S01.82 ☑
 fourchette O70.0
 with ectopic or molar pregnancy O08.6
 complicating delivery O70.0
 following ectopic or molar pregnancy O08.6
 gallbladder S36.123 ☑
 genital organs, external
 female S31.512 ☑
 with foreign body S31.522 ☑
 vagina — see Laceration, vagina
 vulva — see Laceration, vulva
 male S31.511 ☑
 with foreign body S31.521 ☑
 penis — see Laceration, penis
 scrotum — see Laceration, scrotum
 testis — see Laceration, testis
 groin — see Laceration, abdomen, wall
 gum — see Laceration, oral cavity
 hand S61.419 ☑
 with
 foreign body S61.429 ☑
 finger — see Laceration, finger
 left S61.412 ☑
 with
 foreign body S61.422 ☑
 right S61.411 ☑
 with
 foreign body S61.421 ☑
 thumb — see Laceration, thumb
 head S01.91 ☑
 with foreign body S01.92 ☑
 cheek — see Laceration, cheek
 ear — see Laceration, ear
 eyelid — see Laceration, eyelid

Laceration — *continued*

head — *continued*
 lip — see Laceration, lip
 nose — see Laceration, nose
 oral cavity — see Laceration, oral cavity
 scalp S01.01 ☑
 with foreign body S01.02 ☑
 specified site NEC S01.81 ☑
 with foreign body S01.82 ☑
 temporomandibular area — see Laceration, cheek
 heart — see Injury, heart, laceration
 heel — see Laceration, foot
 hepatic duct S36.13 ☑
 hip S71.019 ☑
 with foreign body S71.029 ☑
 left S71.012 ☑
 with foreign body S71.022 ☑
 right S71.011 ☑
 with foreign body S71.021 ☑
 hymen — see Laceration, vagina
 hypochondrium — see Laceration, abdomen, wall
 hypogastric region — see Laceration, abdomen, wall
 ileum S36.438 ☑
 inguinal region — see Laceration, abdomen, wall
 instep — see Laceration, foot
 internal organ — see Injury, by site
 interscapular region — see Laceration, thorax, back
 intestine
 large
 colon S36.539 ☑
 ascending S36.530 ☑
 descending S36.532 ☑
 sigmoid S36.533 ☑
 specified site NEC S36.538 ☑
 rectum S36.63 ☑
 transverse S36.531 ☑
 small S36.439 ☑
 duodenum S36.430 ☑
 specified site NEC S36.438 ☑
 intra-abdominal organ S36.93 ☑
 intestine — see Laceration, intestine
 liver — see Laceration, liver
 pancreas — see Laceration, pancreas
 peritoneum S36.81 ☑
 specified site NEC S36.893 ☑
 spleen — see Laceration, spleen
 stomach — see Laceration, stomach
 intracranial NEC (see also Injury, intracranial, diffuse)
 birth injury P10.9
 jaw — see Laceration, head, specified site NEC
 jejunum S36.438 ☑
 joint capsule — see Sprain, by site
 kidney S37.03 ☑
 major (greater than 3 cm) (massive) (stellate) S37.06 ☑
 minor (less than 1 cm) S37.04 ☑
 moderate (1 to 3 cm) S37.05 ☑
 multiple S37.06 ☑
 knee S81.01 ☑
 with foreign body S81.02 ☑
 labium (majus) (minus) — see Laceration, vulva
 lacrimal duct — see Laceration, eyelid
 large intestine — see Laceration, intestine, large
 larynx S11.011 ☑
 with foreign body S11.012 ☑
 leg (lower) S81.819 ☑
 with foreign body S81.829 ☑
 foot — see Laceration, foot
 knee — see Laceration, knee
 left S81.812 ☑
 with foreign body S81.822 ☑
 right S81.811 ☑
 with foreign body S81.821 ☑
 upper — see Laceration, thigh
 ligament — see Sprain
 lip S01.511 ☑
 with foreign body S01.521 ☑
 liver S36.113 ☑
 major (stellate) S36.116 ☑
 minor S36.114 ☑
 moderate S36.115 ☑
 loin — see Laceration, abdomen, wall
 lower back — see Laceration, back, lower
 lumbar region — see Laceration, back, lower
 lung S27.339 ☑
 bilateral S27.332 ☑
 unilateral S27.331 ☑
 malar region — see Laceration, head, specified site
 NEC
 mammary — see Laceration, breast

Laceration — *continued*

mastoid region — see Laceration, head, specified site
 NEC
 meninges — see Injury, intracranial, diffuse
 meniscus — see Tear, meniscus
 mesentery S36.893 ☑
 mesosalpinx S37.893 ☑
 mouth — see Laceration, oral cavity
 muscle — see Injury, muscle, by site, laceration
 nail
 finger — see Laceration, finger, with damage to nail
 toe — see Laceration, toe, with damage to nail
 nasal (septum) (sinus) — see Laceration, nose
 nasopharynx — see Laceration, head, specified site
 NEC
 neck S11.91 ☑
 with foreign body S11.92 ☑
 involving
 cervical esophagus S11.21 ☑
 with foreign body S11.22 ☑
 larynx — see Laceration, larynx
 pharynx — see Laceration, pharynx
 thyroid gland — see Laceration, thyroid gland
 trachea — see Laceration, trachea
 specified site NEC S11.81 ☑
 with foreign body S11.82 ☑
 nerve — see Injury, nerve
 nose (septum) (sinus) S01.21 ☑
 with foreign body S01.22 ☑
 ocular NOS S05.3 ☑
 adnexa NOS S01.11 ☑
 oral cavity S01.512 ☑
 with foreign body S01.522 ☑
 orbit (eye) — see Wound, open, ocular, orbit
 ovary S37.439 ☑
 bilateral S37.432 ☑
 unilateral S37.431 ☑
 palate — see Laceration, oral cavity
 palm — see Laceration, hand
 pancreas S36.239 ☑
 body S36.231 ☑
 major S36.261 ☑
 minor S36.241 ☑
 moderate S36.251 ☑
 head S36.230 ☑
 major S36.260 ☑
 minor S36.240 ☑
 moderate S36.250 ☑
 major S36.269 ☑
 minor S36.249 ☑
 moderate S36.259 ☑
 tail S36.232 ☑
 major S36.262 ☑
 minor S36.242 ☑
 moderate S36.252 ☑
 pelvic S31.010 ☑
 with
 foreign body S31.020 ☑
 penetration into retroperitoneal cavity S31.021 ☑
 penetration into retroperitoneal cavity S31.011 ☑
 floor (see also Laceration, back, lower)
 with ectopic or molar pregnancy O08.6
 complicating delivery O70.1
 following ectopic or molar pregnancy O08.6
 old (postpartal) N81.89
 organ S37.93 ☑
 with ectopic or molar pregnancy O08.6
 adrenal gland S37.813 ☑
 bladder S37.23 ☑
 fallopian tube — see Laceration, fallopian tube
 following ectopic or molar pregnancy O08.6
 kidney — see Laceration, kidney
 obstetrical trauma O71.5
 ovary — see Laceration, ovary
 prostate S37.823 ☑
 specified site NEC S37.893 ☑
 ureter S37.13 ☑
 urethra S37.33 ☑
 uterus S37.63 ☑
 penis S31.21 ☑
 with foreign body S31.22 ☑
 perineum
 female S31.41 ☑
 with
 ectopic or molar pregnancy O08.6
 foreign body S31.42 ☑
 during delivery O70.9
 first degree O70.0
 fourth degree O70.3

Proctors: This errata is permitted during the examination.

Laceration - Lactation

Laceration — *continued*
 perineum — *continued*
 second degree O70.1
 third degree (see also Delivery, complicated, by, laceration, perineum, third degree) O70.20
 old (postpartal) N81.89
 postpartal N81.89
 secondary (postpartal) O90.1
 male S31.119 ✓
 with foreign body S31.129 ✓
 periocular area (with or without lacrimal passages) — see Laceration, eyelid
 peritoneum S36.893 ✓
 periumbilic region — see Laceration, abdomen, wall, periumbilic
 periurethral tissue — see Laceration, urethra
 phalanges
 finger — see Laceration, finger
 toe — see Laceration, toe
 pharynx S11.21 ✓
 with foreign body S11.22 ✓
 pinna — see Laceration, ear
 popliteal space — see Laceration, knee
 prepuce — see Laceration, penis
 prostate S37.823 ✓
 pubic region S31.119 ✓
 with foreign body S31.129 ✓
 pudendum — see Laceration, genital organs, external
 rectovaginal septum — see Laceration, vagina
 rectum S36.63 ✓
 retroperitoneum S36.893 ✓
 round ligament S37.893 ✓
 sacral region — see Laceration, back, lower sacroiliac region — see Laceration, back, lower salivary gland — see Laceration, oral cavity
 scalp S01.01 ✓
 with foreign body S01.02 ✓
 scapular region — see Laceration, shoulder
 scrotum S31.31 ✓
 with foreign body S31.32 ✓
 seminal vesicle S37.893 ✓
 shin — see Laceration, leg
 shoulder S41.019 ✓
 with foreign body S41.029 ✓
 left S41.012 ✓
 with foreign body S41.022 ✓
 right S41.011 ✓
 with foreign body S41.021 ✓
 small intestine — see Laceration, intestine, small
 spermatic cord — see Laceration, testis
 spinal cord (meninges) (see also Injury, spinal cord, by region)
 due to injury at birth P11.5
 newborn (birth injury) P11.5
 spleen S36.039 ✓
 major (massive) (stellate) S36.032 ✓
 moderate S36.031 ✓
 superficial (minor) S36.030 ✓
 sternal region — see Laceration, thorax, front
 stomach S36.33 ✓
 submaxillary region — see Laceration, head, specified site NEC
 submental region — see Laceration, head, specified site NEC
 subungual
 finger (s) — see Laceration, finger, with damage to nail
 toe (s) — see Laceration, toe, with damage to nail
 suprarenal gland — see Laceration, adrenal gland
 temple, temporal region — see Laceration, head, specified site NEC
 temporomandibular area — see Laceration, cheek
 tendon — see Injury, muscle, by site, laceration
 Achilles S86.02 ✓
 tentorium cerebelli — see Injury, intracranial, diffuse
 testis S31.31 ✓
 with foreign body S31.32 ✓
 thigh S71.11 ✓
 with foreign body S71.12 ✓
 thorax, thoracic (wall) S21.91 ✓
 with foreign body S21.92 ✓
 back S21.22 ✓
 with penetration into thoracic cavity S21.42 ✓
 front S21.12 ✓
 with penetration into thoracic cavity S21.32 ✓
 back S21.21 ✓
 with
 foreign body S21.22 ✓

Laceration — *continued*
 thorax — *continued*
 with penetration into thoracic cavity S21.42 ✓
 penetration into thoracic cavity S21.41 ✓
 breast — see Laceration, breast
 front S21.11 ✓
 with
 foreign body S21.12 ✓
 with penetration into thoracic cavity S21.32 ✓
 penetration into thoracic cavity S21.31 ✓
 thumb S61.019 ✓
 with
 damage to nail S61.119 ✓
 with
 foreign body S61.129 ✓
 foreign body S61.029 ✓
 left S61.012 ✓
 with
 damage to nail S61.112 ✓
 with
 foreign body S61.122 ✓
 foreign body S61.022 ✓
 right S61.011 ✓
 with
 damage to nail S61.111 ✓
 with
 foreign body S61.121 ✓
 foreign body S61.021 ✓
 thyroid gland S11.11 ✓
 with foreign body S11.12 ✓
 toe (s) S91.119 ✓
 with
 damage to nail S91.219 ✓
 with
 foreign body S91.229 ✓
 foreign body S91.129 ✓
 great S91.113 ✓
 with
 damage to nail S91.213 ✓
 with
 foreign body S91.223 ✓
 foreign body S91.123 ✓
 left S91.112 ✓
 with
 damage to nail S91.212 ✓
 with
 foreign body S91.222 ✓
 foreign body S91.122 ✓
 right S91.111 ✓
 with
 damage to nail S91.211 ✓
 with
 foreign body S91.221 ✓
 foreign body S91.121 ✓
 lesser S91.116 ✓
 with
 damage to nail S91.216 ✓
 with
 foreign body S91.226 ✓
 foreign body S91.126 ✓
 left S91.115 ✓
 with
 damage to nail S91.215 ✓
 with
 foreign body S91.225 ✓
 foreign body S91.125 ✓
 right S91.114 ✓
 with
 damage to nail S91.214 ✓
 with
 foreign body S91.224 ✓
 foreign body S91.124 ✓
 tongue — see Laceration, oral cavity
 trachea S11.021 ✓
 with foreign body S11.022 ✓
 tunica vaginalis — see Laceration, testis
 tympanum, tympanic membrane — see Laceration, ear, drum
 umbilical region S31.115 ✓
 with foreign body S31.125 ✓
 ureter S37.13 ✓
 urethra S37.33 ✓
 with or following ectopic or molar pregnancy O08.6
 obstetrical trauma O71.5
 urinary organ NEC S37.893 ✓
 uterus S37.63 ✓
 with ectopic or molar pregnancy O08.6
 following ectopic or molar pregnancy O08.6
 nonpuerperal, nontraumatic N85.8

Laceration — *continued*
 uterus — *continued*
 obstetrical trauma NEC O71.81
 old (postpartal) N85.8
 uvula — see Laceration, oral cavity
 vagina S31.41 ✓
 with
 ectopic or molar pregnancy O08.6
 foreign body S31.42 ✓
 during delivery O71.4
 with perineal laceration — see Laceration, perineum, female, during delivery
 following ectopic or molar pregnancy O08.6
 nonpuerperal, nontraumatic N89.8
 old (postpartal) N89.8
 vas deferens S37.893 ✓
 vesical — see Laceration, bladder
 vocal cords S11.031 ✓
 with foreign body S11.032 ✓
 vulva S31.41 ✓
 with
 ectopic or molar pregnancy O08.6
 foreign body S31.42 ✓
 complicating delivery O70.0
 following ectopic or molar pregnancy O08.6
 nonpuerperal, nontraumatic N90.89
 old (postpartal) N90.89
 wrist S61.519 ✓
 with
 foreign body S61.529 ✓
 left S61.512 ✓
 with
 foreign body S61.522 ✓
 right S61.511 ✓
 with
 foreign body S61.521 ✓
Lack of
 achievement in school Z55.3
 adequate
 food Z59.4
 intermaxillary vertical dimension of fully erupted teeth M26.36
 sleep Z72.820
 appetite (see Anorexia) R63.0
 awareness R41.9
 care
 in home Z74.2
 of infant (at or after birth) T76.02 ✓
 confirmed T74.02 ✓
 cognitive functions R41.9
 coordination R27.9
 ataxia R27.0
 specified type NEC R27.8
 development (physiological) R62.50
 failure to thrive (child over 28 days old) R62.51
 adult R62.7
 newborn P92.6
 short stature R62.52
 specified type NEC R62.59
 energy R53.83
 financial resources Z59.6
 food T73.0 ✓
 growth R62.52
 heating Z59.1
 housing (permanent) (temporary) Z59.0
 adequate Z59.1
 learning experiences in childhood Z62.898
 leisure time (affecting life-style) Z73.2
 material resources Z59.9
 memory (see also Amnesia)
 mild, following organic brain damage F06.8
 ovulation N97.0
 parental supervision or control of child Z62.0
 person able to render necessary care Z74.2
 physical exercise Z72.3
 play experience in childhood Z62.898
 posterior occlusal support M26.57
 relaxation (affecting life-style) Z73.2
 sexual
 desire F52.0
 enjoyment F52.1
 shelter Z59.0
 sleep (adequate) Z72.820
 supervision of child by parent Z62.0
 support, posterior occlusal M26.57
 water T73.1 ✓
Lacrimal — see condition
Lacrimation, abnormal — see Epiphora
Lacrimonasal duct — see condition
Lactation, lactating (breast) (puerperal, postpartum)
 associated
 cracked nipple O92.13
 retracted nipple O92.03

Lactation - Leiomyoma

Proctors: This errata is permitted during the examination.

Lactation — continued

defective O92.4
 disorder NEC O92.79
 excessive O92.6
 failed (complete) O92.3
 partial O92.4
 mastitis NEC — see Mastitis, obstetric
 mother (care and/or examination) Z39.1
 nonpuerperal N64.3

Lacticemia, excessive E87.2

Lacunar skull Q75.8

Laennec's cirrhosis K70.30
 with ascites K70.31
 nonalcoholic K74.69

Lafora's disease — see Epilepsy, generalized, idiopathic

Lag, lid (nervous) — see Retraction, lid

Lagophthalmos (eyelid) (nervous) H02.209
 bilateral, upper and lower eyelids H02.20C
 cicatricial H02.219
 bilateral, upper and lower eyelids H02.21C
 left H02.216
 lower H02.215
 upper H02.214
 upper and lower eyelids H02.21B
 right H02.213
 lower H02.212
 upper H02.211
 upper and lower eyelids H02.21A

keratoconjunctivitis — see Keratoconjunctivitis
 left H02.206
 lower H02.205
 upper H02.204
 upper and lower eyelids H02.20B

mechanical H02.229
 bilateral, upper and lower eyelids H02.22C
 left H02.226
 lower H02.225
 upper H02.224
 upper and lower eyelids H02.22B
 right H02.223
 lower H02.222
 upper H02.221
 upper and lower eyelids H02.22A

paralytic H02.239
 bilateral, upper and lower eyelids H02.23C
 left H02.236
 lower H02.235
 upper H02.234
 upper and lower eyelids H02.23B
 right H02.233
 lower H02.232
 upper H02.231
 upper and lower eyelids H02.23A

right H02.203
 lower H02.202
 upper H02.201
 upper and lower eyelids H02.20A

Laki-Lorand factor deficiency — see Defect, coagulation, specified type NEC

Lalling F80.0

Lambert-Eaton syndrome — see Syndrome, Lambert-Eaton

Lambliasis, lambliaosis A07.1

Landau-Kleffner syndrome — see Epilepsy, specified NEC

Landouzy-Déjérine dystrophy or facioscapulothoracic atrophy G71.02

Landouzy's disease (icterohemorrhagic leptospirosis) A27.0

Landry-Guillain-Barré, syndrome or paralysis G61.0

Landry's disease or paralysis G61.0

Lane's
 band Q43.3
 kink — see Obstruction, intestine
 syndrome K90.2

Langdon Down syndrome — see Trisomy, 21

Lapsed immunization schedule status Z28.3

Large
 baby (regardless of gestational age) (4000g to 4499g) P08.1
 ear, congenital Q17.1
 physiological cup Q14.2
 stature R68.89

Large-for-dates NEC (infant) (4000g to 4499g) P08.1
 affecting management of pregnancy O36.6
 exceptionally (4500g or more) P08.0

Larsen-Johansson disease osteochondrodysplasia — see Osteochondrodysplasia, juvenile, patella

Larsen's syndrome (flattened facies and multiple congenital dislocations) Q74.8

Larva migrans
 cutaneous B76.9
 Ancylostoma B76.0
 visceral B83.0

Laryngeal — see condition

Laryngismus (stridulus) J38.5
 congenital P28.89
 diphtheritic A36.2

Laryngitis (acute) (edematous) (fibrinous) (infective) (infiltrative) (malignant) (membranous) (phlegmonous) (pneumococcal) (pseudomembranous) (septic) (subglottic) (suppurative) (ulcerative) J04.0
 with
 influenza, flu, or grippe — see Influenza, with, laryngitis
 tracheitis (acute) — see Laryngotracheitis
 atrophic J37.0
 catarrhal J37.0
 chronic J37.0
 with tracheitis (chronic) J37.1
 diphtheritic A36.2
 due to external agent — see Inflammation, respiratory, upper, due to
 Hemophilus influenzae J04.0
 H. influenzae J04.0
 hypertrophic J37.0
 influenzal — see Influenza, with, respiratory manifestations NEC
 obstructive J05.0
 sicca J37.0
 spasmodic J05.0
 acute J04.0
 streptococcal J04.0
 stridulous J05.0
 syphilitic (late) A52.73
 congenital A50.59 [J99]
 early A50.03 [J99]
 tuberculous A15.5
 Vincent's A69.1

Laryngocele (congenital) (ventricular) Q31.3

Laryngofissure J38.7
 congenital Q31.8

Laryngomalacia (congenital) Q31.5

Laryngopharyngitis (acute) J06.0
 chronic J37.0
 due to external agent — see Inflammation, respiratory, upper, due to

Laryngoplegia J38.00
 bilateral J38.02
 unilateral J38.01

Laryngoptosis J38.7

Laryngospasm J38.5

Laryngostenosis J38.6

Laryngotracheitis (acute) (infectious) (infective) (viral) J04.2
 atrophic J37.1
 catarrhal J37.1
 chronic J37.1
 diphtheritic A36.2
 due to external agent — see Inflammation, respiratory, upper, due to
 Hemophilus influenzae J04.2
 hypertrophic J37.1
 influenzal — see Influenza, with, respiratory manifestations NEC
 pachydermic J38.7
 sicca J37.1
 spasmodic J38.5
 acute J05.0
 streptococcal J04.2
 stridulous J38.5
 syphilitic (late) A52.73
 congenital A50.59 [J99]
 early A50.03 [J99]
 tuberculous A15.5
 Vincent's A69.1

Laryngotracheobronchitis — see Bronchitis

Larynx, laryngeal — see condition

Lassa fever A96.2

Lassitude — see Weakness

Late
 talker R62.0
 walker R62.0

Late effect (s) — see Sequelae

Latent — see condition

Laterocession — see Lateroversion

Lateroflexion — see Lateroversion

Lateroversion
 cervix — see Lateroversion, uterus
 uterus, uterine (cervix) (postinfectious) (postpartal, old) N85.4
 congenital Q51.818
 in pregnancy or childbirth O34.59

Lathyrism — see Poisoning, food, noxious, plant

Launois' syndrome (pituitary gigantism) E22.0

Launois-Bensaude adenolipomatosis E88.89

Laurence-Moon (-Bardet)-Biedl syndrome Q87.89

Lax, laxity (see also Relaxation)
 ligament (ous) (see also Disorder, ligament)
 familial M35.7
 knee — see Derangement, knee
 skin (acquired) L57.4
 congenital Q82.8

Laxative habit F55.2

Lazy leukocyte syndrome D70.8

Lead miner's lung J63.6

Leak, leakage
 air NEC J93.82
 postprocedural J95.812
 amniotic fluid — see Rupture, membranes, premature
 blood (microscopic), fetal, into maternal circulation affecting management of pregnancy — see Pregnancy, complicated by
 cerebrospinal fluid G96.0
 from spinal (lumbar) puncture G97.0
 device, implant or graft (see also Complications, by site and type, mechanical)
 arterial graft NEC — see Complication, cardiovascular device, mechanical, vascular
 breast (implant) T85.43
 catheter NEC T85.638
 urinary T83.038
 cystostomy T83.030
 Hopkins T83.038
 ileostomy T83.038
 indwelling T83.031
 nephrostomy T83.032
 specified NEC T83.038
 urostomy T83.038
 dialysis (renal) T82.43
 intraperitoneal T85.631
 infusion NEC T82.534
 spinal (epidural) (subdural) T85.630
 gastrointestinal — see Complications, prosthetic device, mechanical, gastrointestinal device
 genital NEC T83.498
 penile prosthesis (cylinder) (implanted) (pump) (reservoir) T83.490
 testicular prosthesis T83.491
 heart NEC — see Complication, cardiovascular device, mechanical
 joint prosthesis — see Complications, joint prosthesis, mechanical, specified NEC, by site
 ocular NEC — see Complications, prosthetic device, mechanical, ocular device
 orthopedic NEC — see Complication, orthopedic device, mechanical
 persistent air J93.82
 specified NEC T85.638
 urinary NEC (see also Complication, genitourinary, device, urinary, mechanical)
 graft T83.23
 vascular NEC — see Complication, cardiovascular device, mechanical
 ventricular intracranial shunt T85.03
 urine — see Incontinence

Leaky heart — see Endocarditis

Learning defect (specific) F81.9

Leather bottle stomach C16.9

Leber's
 congenital amaurosis H35.50
 optic atrophy (hereditary) H47.22

Lederer's anemia D59.1

Leeches (external) — see Hirudiniasis

Leg — see condition

Legg (-Calvé)-Perthes disease, syndrome or osteochondrodysplasia M91.1

Legionellosis A48.1
 nonpneumonic A48.2

Legionnaires'
 disease A48.1
 nonpneumonic A48.2
 pneumonia A48.1

Leigh's disease G31.82

Leiner's disease L21.1

Leiobromyoma — see Leiomyoma

Leiomyblastoma — see Neoplasm, connective tissue, benign

Leiomyofibroma (see also Neoplasm, connective tissue, benign)
 uterus (cervix) (corpus) D25.9

Leiomyoma (see also Neoplasm, connective tissue, benign)
 bizarre — see Neoplasm, connective tissue, benign
 cellular — see Neoplasm, connective tissue, benign
 epithelioid — see Neoplasm, connective tissue, benign

Proctors: This errata is permitted during the examination.

Leiomyoma - Lesion

Leiomyoma — continued

uterus (cervix) (corpus) D25.9
 intramural D25.1
 submucous D25.0
 subserosal D25.2
 vascular — see Neoplasm, connective tissue, benign

Leiomyoma, leiomyomatosis (intravascular) — see
 Neoplasm, connective tissue, uncertain behavior

Leiomyosarcoma (see also Neoplasm, connective tissue, malignant)
 epithelioid — see Neoplasm, connective tissue, malignant
 myxoid — see Neoplasm, connective tissue, malignant

Leishmaniasis B55.9
 American (mucocutaneous) B55.2
 cutaneous B55.1
 Asian Desert B55.1
 Brazilian B55.2
 cutaneous (any type) B55.1
 dermal (see also Leishmaniasis, cutaneous)
 post-kala-azar B55.0
 eyelid B55.1
 infantile B55.0
 Mediterranean B55.0
 mucocutaneous (American) (New World) B55.2
 naso-oral B55.2
 nasopharyngeal B55.2
 old world B55.1
 tegumentaria diffusa B55.1
 visceral B55.0

Leishmanoid, dermal (see also Leishmaniasis, cutaneous)
 post-kala-azar B55.0

Legne's disease I44.2

Lengthening, leg — see Deformity, limb, unequal length

Lennert's lymphoma — see Lymphoma, Lennert's

Lennox-Gastaut syndrome G40.812
 intractable G40.814
 with status epilepticus G40.813
 without status epilepticus G40.814
 not intractable G40.812
 with status epilepticus G40.811
 without status epilepticus G40.812

Lens — see condition

Lenticonus (anterior) (posterior) (congenital) Q12.8

Lenticular degeneration, progressive E83.01

Lentiglobus (posterior) (congenital) Q12.8

Lentigo (congenital) L81.4
 maligna (see also Melanoma, in situ)
 melanoma — see Melanoma

Lentivirus, as cause of disease classified elsewhere B97.31

Leontiasis
 ossium M85.2
 syphilitic (late) A52.78
 congenital A50.59

Lepothrix A48.8

Lepra — see Leprosy

Leprechaunism E34.8

Leprosy A30. []
 with muscle disorder A30.9 [M63.80]
 ankle A30.9 [M63.87 []]
 foot A30.9 [M63.87 []]
 forearm A30.9 [M63.83 []]
 hand A30.9 [M63.84 []]
 lower leg A30.9 [M63.86 []]
 multiple sites A30.9 [M63.89]
 pelvic region A30.9 [M63.85 []]
 shoulder region A30.9 [M63.81 []]
 specified site NEC A30.9 [M63.88]
 thigh A30.9 [M63.85 []]
 upper arm A30.9 [M63.82 []]
 anesthetic A30.9
 BB A30.3
 BL A30.4
 borderline (infiltrated) (neuritic) A30.3
 lepomatous A30.4
 tuberculoid A30.2
 BT A30.2
 dimorphous (infiltrated) (neuritic) A30.3
 I A30.0
 indeterminate (macular) (neuritic) A30.0
 lepomatous (diffuse) (infiltrated) (macular) (neuritic) (nodular) A30.5
 LL A30.5
 macular (early) (neuritic) (simple) A30.9
 maculoanesthetic A30.9
 mixed A30.3
 neural A30.9
 nodular A30.5

Leprosy — continued

primary neuritic A30.3
 specified type NEC A30.8
 TT A30.1
 tuberculoid (major) (minor) A30.1

Leptocytosis, hereditary D56.9

Leptomeningitis (chronic) (circumscribed) (hemorrhagic) (nonsuppurative) — see Meningitis

Leptomeningopathy G96.19

Leptospiral — see condition

Leptospirochetal — see condition

Leptospirosis A27.9
 canicola A27.89
 due to *Leptospira interrogans serovar icterohaemorrhagiae* A27.0
icterohaemorrhagica A27.0
 pomona A27.89
 Weil's disease A27.0

Leptus dermatitis B88.0

Leriche's syndrome (aortic bifurcation occlusion) I74.09

Leri's pleonostosis Q78.8

Leri-Weill syndrome Q77.8

Lermoyez' syndrome — see Vertigo, peripheral NEC

Lesch-Nyhan syndrome E79.1

Leser-Trélat disease L82.1
 inflamed L82.0

Lesion (s) (nontraumatic)
 abducens nerve — see Strabismus, paralytic, sixth nerve
 alveolar process K08.9
 angiocentric immunoproliferative D47.Z9
 anorectal K62.9
 aortic (valve) I35.9
 auditory nerve — see subcategory H93.3 []
 basal ganglion G25.9
 bile duct — see Disease, bile duct
 biomechanical M99.9
 specified type NEC M99.89
 abdomen M99.89
 acromioclavicular M99.87
 cervical region M99.81
 cervicothoracic M99.81
 costochondral M99.88
 costovertebral M99.88
 head region M99.80
 hip M99.85
 lower extremity M99.86
 lumbar region M99.83
 lumbosacral M99.83
 occipitocervical M99.80
 pelvic region M99.85
 pubic M99.85
 rib cage M99.88
 sacral region M99.84
 sacrococcygeal M99.84
 sacroiliac M99.84
 specified NEC M99.89
 sternochondral M99.88
 sternoclavicular M99.87
 thoracic region M99.82
 thoracolumbar M99.82
 upper extremity M99.87
 bladder N32.9
 bone — see Disorder, bone
 brachial plexus G54.0
 brain G93.9
 congenital Q04.9
 vascular I67.9
 degenerative I67.9
 hypertensive I67.4
 buccal cavity K13.79
 calcified — see Calcification
 canthus — see Disorder, eyelid
 carate — see Pinta, lesions
 cardia K31.9
 cardiac (see also Disease, heart) I51.9
 congenital Q24.9
 valvular — see Endocarditis
 cauda equina G83.4
 cecum K63.9
 cerebral — see Lesion, brain
 cerebrovascular I67.9
 degenerative I67.9
 hypertensive I67.4
 cervical (nerve) root NEC G54.2
 chiasmal — see Disorder, optic, chiasm
 chorda tympani G51.8
 coin, lung R91.1
 colon K63.9
 combined periodontic - endodontic K05.5
 congenital — see Anomaly, by site
 conjunctiva H11.9

Lesion (s) — continued

conus medullaris — see Injury, conus medullaris
 coronary artery — see Ischemia, heart
 cranial nerve G52.9
 eighth — see Disorder, ear
 eleventh G52.9
 fifth G50.9
 first G52.0
 fourth — see Strabismus, paralytic, fourth nerve
 seventh G51.9
 sixth — see Strabismus, paralytic, sixth nerve
 tenth G52.2
 twelfth G52.3
 cystic — see Cyst
 degenerative — see Degeneration
 duodenum K31.9
 edentulous (alveolar) ridge, associated with trauma,
 due to traumatic occlusion K06.2
 en coup de sabre L94.1
 eyelid — see Disorder, eyelid
 gasserian ganglion G50.8
 gastric K31.9
 gastroduodenal K31.9
 gastrointestinal K63.9
 gingiva, associated with trauma K06.2
 glomerular
 focal and segmental (see also N00-N07 with
 fourth character .1) N05.1
 minimal change (see also N00-N07 with fourth
 character .0) N05.0
 heart (organic) — see Disease, heart
 hyperchromic, due to pinta (carate) A67.1
 hyperkeratotic — see Hyperkeratosis
 hypothalamic E23.7
 ileocecal K63.9
 ileum K63.9
 iliohypogastric nerve G57.8 []
 inflammatory — see Inflammation
 intestine K63.9
 intracerebral — see Lesion, brain
 intrachiasmal (optic) — see Disorder, optic, chiasm
 intracranial, space-occupying R90.0
 joint — see Disorder, joint
 sacroiliac (old) M53.3
 keratotic — see Keratosis
 kidney — see Disease, renal
 laryngeal nerve (recurrent) G52.2
 lip K13.0
 liver K76.9
 lumbosacral
 plexus G54.1
 root (nerve) NEC G54.4
 lung (coin) R91.1
 maxillary sinus J32.0
 mitral I05.9
 Morel-Lavallée — see Hematoma, by site
 motor cortex NEC G93.89
 mouth K13.79
 nerve G58.9
 femoral G57.2 []
 median G56.1 []
 carpal tunnel syndrome — see Syndrome,
 carpal tunnel
 plantar G57.6 []
 popliteal (lateral) G57.3 []
 medial G57.4 []
 radial G56.3 []
 sciatic G57.0 []
 spinal — see Injury, nerve, spinal
 ulnar G56.2 []
 nervous system, congenital Q07.9
 nonalopathic — see Lesion, biomechanical
 nose (internal) J34.89
 obstructive — see Obstruction
 obturator nerve G57.8 []
 oral mucosa K13.70
 organ or site NEC — see Disease, by site
 osteolytic — see Osteolysis
 peptic K27.9
 periodontal, due to traumatic occlusion K05.5
 pharynx J39.2
 pigment, pigmented (skin) L81.9
 pinta — see Pinta, lesions
 polypoid — see Polyp
 prechiasmal (optic) — see Disorder, optic, chiasm
 primary (see also Syphilis, primary) A51.0
 carate A67.0
 pinta A67.0
 yaws A66.0
 pulmonary J98.4
 valve I37.9
 pylorus K31.9

Lesion - Lice

Proctors: This errata is permitted during the examination.

Lesion (s) — continued

rectosigmoid K63.9
 retina, retinal H35.9
 sacroiliac (joint) (old) M53.3
 salivary gland K11.9
 benign lymphoepithelial K11.8
 saphenous nerve G57.8 ✓
 sciatic nerve G57.0 ✓
 secondary — see Syphilis, secondary
 shoulder (region) M75.9 ✓
 specified NEC M75.8 ✓
 sigmoid K63.9
 sinus (accessory) (nasal) J34.89
 skin I98.9
 suppurative L08.0
 SLAP S43.43 ✓
 spinal cord G95.9
 congenital Q06.9
 spleen D73.89
 stomach K31.9
 superior glenoid labrum S43.43 ✓
 syphilitic — see Syphilis
 tertiary — see Syphilis, tertiary
 thoracic root (nerve) NEC G54.3
 tonsillar fossa J35.9
 tooth, teeth K08.9
 white spot
 chewing surface K02.51
 pit and fissure surface K02.51
 smooth surface K02.61
 traumatic — see specific type of injury by site
 tricuspid (valve) I07.9
 nonrheumatic I36.9
 trigeminal nerve G50.9
 ulcerated or ulcerative — see Ulcer, skin
 uterus N85.9
 vagina N89.8
 vulva N90.89
 vagus nerve G52.2
 valvular — see Endocarditis
 vascular I99.9
 affecting central nervous system I67.9
 following trauma NEC T14.8 ✓
 umbilical cord, complicating delivery O69.5 ✓
 warty — see Verruca
 white spot (tooth)
 chewing surface K02.51
 pit and fissure surface K02.51
 smooth surface K02.61

Lethargic — see condition
Lethargy R53.83

Letterer-Siwe's disease C96.0

Leukemia, leukemic C95.9 ✓
 acute basophilic C94.8 ✓
 acute bilineal C95.0 ✓
 acute erythroid C94.0 ✓
 acute lymphoblastic C91.0 ✓
 acute megakaryoblastic C94.2 ✓
 acute megakaryocytic C94.2 ✓
 acute mixed lineage C95.0 ✓
 acute monoblastic (monoblastic/
 monocytic) C93.0 ✓
 acute monocytic (monoblastic/monocytic) C93.0 ✓
 acute myeloblastic (minimal differentiation) (with
 maturation) C92.0 ✓
 acute myeloid, NOS C92.0 ✓
 with
 11q23-abnormality C92.6 ✓
 dysplasia of remaining hematopoiesis
 and/or myelodysplastic disease in its
 history C92.A ✓
 multilineage dysplasia C92.A ✓
 variation of MLL-gene C92.6 ✓
 M6 (a)(b) C94.0 ✓
 M7 C94.2 ✓
 acute myelomonocytic C92.5 ✓
 acute promyelocytic C92.4 ✓
 adult T-cell (HTLV-1-associated) (acute variant)
 (chronic variant) (lymphomatoid variant)
 (smouldering variant) C91.5 ✓
 aggressive NK-cell C94.8 ✓
 AML (1/ETO) (M0) (M1) (M2) (without a FAB
 classification) C92.0 ✓
 AML M3 C92.4 ✓
 AML M4 (Eo with inv(16) or t(16;16)) C92.5 ✓
 AML M5 C93.0 ✓
 AML M5a C93.0 ✓
 AML M5b C93.0 ✓
 AML Me with t(15;17) and variants C92.4 ✓
 atypical chronic myeloid, BCR/ABL-
 negative C92.2 ✓
 biphenotypic acute C95.0 ✓

Leukemia — continued

blast cell C95.0 ✓
 Burkitt-type, mature B-cell C91.A ✓
 chronic lymphocytic, of B-cell type C91.1 ✓
 chronic monocytic C93.1 ✓
 chronic myelogenous (Philadelphia chromosome
 (Ph1) positive) (t(9;22)) (q34;q11) (with crisis of
 blast cells) C92.1 ✓
 chronic myeloid, BCR/ABL-positive C92.1 ✓
 atypical, BCR/ABL-negative C92.2 ✓
 chronic myelomonocytic C93.1 ✓
 chronic neutrophilic D47.1
 CMML (-1) (-2) (with eosinophilia) C93.1 ✓
 granulocytic (see also category C92) C92 ✓.9-
 hairy cell C91.4 ✓
 juvenile myelomonocytic C93.3 ✓
 lymphoid C91.9 ✓
 specified NEC C91.Z ✓
 mast cell C94.3 ✓
 mature B-cell, Burkitt-type C91.A ✓
 monocytic (subacute) C93.9 ✓
 specified NEC C93.Z ✓
 myelogenous (see also category C92) C92 ✓.9-
 myeloid C92.9 ✓
 acute C92.0 ✓
 specified NEC C92.Z ✓
 plasma cell C90.1 ✓
 plasmacytic C90.1 ✓
 polymphocytic
 of B-cell type C91.3 ✓
 of T-cell type C91.6 ✓
 specified NEC C94.8 ✓
 stem cell, of unclear lineage C95.0 ✓
 subacute lymphocytic C91.9 ✓
 T-cell large granular lymphocytic C91.Z ✓
 unspecified cell type C95.9 ✓
 acute C95.0 ✓
 chronic C95.1 ✓

Leukemoid reaction (see also Reaction, leukemoid)
 D72.823-

Leukoaraiosis (hypertensive) I67.81

Leukoaraiosis — see Leukoaraiosis

Leukocoria — see Disorder, globe, degenerated
 condition, leucocoria

Leukocytopenia D72.819

Leukocytosis D72.829
 eosinophilic D72.1

Leukoderma, leukoderma NEC L81.5
 syphilitic A51.39
 late A52.79

Leukodystrophy E75.29

Leukoedema, oral epithelium K13.29

Leukoencephalitis G04.81
 acute (subacute) hemorrhagic G36.1
 postimmunization or postvaccinal G04.02
 postinfectious G04.01
 subacute sclerosing A81.1
 van Bogaert's (sclerosing) A81.1

Leukoencephalopathy (see also Encephalopathy)
 G93.49
 Binswanger's I67.3
 heroin vapor G92
 metachromatic E75.25
 multifocal (progressive) A81.2
 postimmunization and postvaccinal G04.02
 progressive multifocal A81.2
 reversible, posterior G93.6
 van Bogaert's (sclerosing) A81.1
 vascular, progressive I67.3

Leukoerythroblastosis D75.9

Leukokeratosis (see also Leukoplakia)
 mouth K13.21
 nicotina palati K13.24
 oral mucosa K13.21
 tongue K13.21
 vocal cord J38.3

Leukokraurosis vulva (e) N90.4

Leukoma (cornea) (see also Opacity, cornea)
 adherent H17.0 ✓
 interfering with central vision — see Opacity,
 cornea, central

Leukomalacia, cerebral, newborn P91.2
 periventricular P91.2

Leukomelanopathy, hereditary D72.0

Leukonychia (punctata) (striata) L60.8
 congenital Q84.4

Leukopathia unguium L60.8
 congenital Q84.4

Leukopenia D72.819
 basophilic D72.818
 chemotherapy (cancer) induced D70.1
 congenital D70.0

Leukopenia — continued

cyclic D70.0
 drug induced NEC D70.2
 due to cytoreductive cancer chemotherapy D70.1
 eosinophilic D72.818
 familial D70.0
 infantile genetic D70.0
 malignant D70.9
 periodic D70.0
 transitory neonatal P61.5

Leukopenic — see condition

Leukoplakia
 anus K62.89
 bladder (postinfectious) N32.89
 buccal K13.21
 cervix (uteri) N88.0
 esophagus K22.8
 gingiva K13.21
 hairy (oral mucosa) (tongue) K13.3
 kidney (pelvis) N28.89
 larynx J38.7
 lip K13.21
 mouth K13.21
 oral epithelium, including tongue (mucosa) K13.21
 palate K13.21
 pelvis (kidney) N28.89
 penis (infectious) N48.0
 rectum K62.89
 syphilitic (late) A52.79
 tongue K13.21
 ureter (postinfectious) N28.89
 urethra (postinfectious) N36.8
 uterus N85.8
 vagina N89.4
 vocal cord J38.3
 vulva N90.4

Leukorrhea N89.8
 due to Trichomonas (vaginalis) A59.00
 trichomonal A59.00

Leukosarcoma C85.9 ✓

Levocardia (isolated) Q24.1
 with situs inversus Q89.3

Levotransposition Q20.5

Lev's disease or syndrome (acquired complete heart
 block) I44.2

Levulosuria — see Fructosuria

Levirid L30.2

Lewy body (ies) (dementia) (disease) G31.83

Leyden-Moebius dystrophy G71.09

Leydig cell
 carcinoma
 specified site — see Neoplasm, malignant, by site
 unspecified site
 female C56.9 ✓
 male C62.9 ✓
 tumor
 benign
 specified site — see Neoplasm, benign, by site
 unspecified site
 female D27. ✓
 male D29.2 ✓
 malignant
 specified site — see Neoplasm, malignant,
 by site
 unspecified site
 female C56. ✓
 male C62.9 ✓
 specified site — see Neoplasm, uncertain
 behavior, by site
 unspecified site
 female D39.1 ✓
 male D40.1 ✓

Leydig-Sertoli cell tumor
 specified site — see Neoplasm, benign, by site
 unspecified site
 female D27. ✓
 male D29.2 ✓

LGSIL (Low grade squamous intraepithelial lesion on
 cytologic smear of)
 anus R85.612
 cervix R87.612
 vagina R87.622

Liar, pathologic F60.2

Libido
 decreased R68.82

Libman-Sacks disease M32.11

Lice (infestation) B85.2
 body (Pediculus corporis) B85.1
 crab B85.3
 head (Pediculus capitis) B85.0
 mixed (classifiable to more than one of the titles
 B85.0-B85.3) B85.4
 pubic (Phthirus pubis) B85.3

Proctors: This errata is permitted during the examination.

Lichen - Long-term

- Lichen** L28.0
 albus L90.0
 penis N48.0
 vulva N90.4
 amyloidosis E85.4 [L99]
 atrophicus L90.0
 penis N48.0
 vulva N90.4
 congenital Q82.8
 myxedematous L98.5
 nitidus L44.1
 pilaris Q82.8
 acquired L85.8
 planopilaris L66.1
 planus (chronicus) L43.9
 annularis L43.8
 bullous L43.1
 follicular L66.1
 hypertrophic L43.0
 moniliformis L44.3
 of Wilson L43.9
 specified NEC L43.8
 subacute (active) L43.3
 tropicus L43.3
 ruber
 acuminatus L44.0
 moniliformis L44.3
 planus L43.9
 sclerosus (et atrophicus) L90.0
 penis N48.0
 vulva N90.4
 scrofulosus (primary) (tuberculous) A18.4
 simplex (chronicus) (circumscriptus) L28.0
 striatus L44.2
 urticatus L28.2
Lichenification L28.0
Lichenoides tuberculosis (primary) A18.4
Lichtheim's disease or syndrome — see Degeneration, combined
Lien migrans D73.89
Ligament — see condition
Light
 for gestational age — see Light for dates
 headedness R42
Light-for-dates (infant) P05.00
 with weight of
 499 grams or less P05.01
 500-749 grams P05.02
 750-999 grams P05.03
 1000-1249 grams P05.04
 1250-1499 grams P05.05
 1500-1749 grams P05.06
 1750-1999 grams P05.07
 2000-2499 grams P05.08
 2500 grams and over P05.09
 specified NEC P05.09
 and small-for-dates — see Small for dates
 affecting management of pregnancy O36.59
Lightning (effects) (stroke) (struck by) T75.00
 burn — see Burn
 foot E53.8
 shock T75.01
 specified effect NEC T75.09
Lightwood-Albright syndrome N25.89
Lightwood's disease or syndrome (renal tubular acidosis) N25.89
Lignac (-de Toni) (-Fanconi) (-Debré) disease or syndrome E72.09
 with cystinosis E72.04
Ligneous thyroiditis E06.5
Likoff's syndrome I20.8
Limb — see condition
Limbic epilepsy personality syndrome F07.0
Limitation, limited
 activities due to disability Z73.6
 cardiac reserve — see Disease, heart
 eye muscle duction, traumatic — see Strabismus, mechanical
 mandibular range of motion M26.52
Lindau (-von Hippel) disease Q85.8
Line (s)
 Beau's L60.4
 Harris' — see Arrest, epiphyseal
 Hudson's (cornea) — see Pigmentation, cornea, anterior
 Stähli's (cornea) — see Pigmentation, cornea, anterior
Linea corneae senilis — see Change, cornea, senile
Lingua
 geographica K14.1
 nigra (villosa) K14.3
 plicata K14.5
 tylosis K13.29
Lingual — see condition
Linguatulosi B88.8
Linitis (gastric) plastica C16.9
Lip — see condition
Lipedema — see Edema
Lipemia (see also Hyperlipidemia)
 retina, retinalis E78.3
Lipidosis E75.6
 cerebral (infantile) (juvenile) (late) E75.4
 cerebrotretinal E75.4
 cerebroside E75.22
 cholesterol (cerebral) E75.5
 glycolipid E75.21
 hepatosplenomegalic E78.3
 sphingomyelin — see Niemann-Pick disease or syndrome
 sulfatide E75.29
Lipoadenoma — see Neoplasm, benign, by site
Lipoblastoma — see Lipoma
Lipoblastomatosis — see Lipoma
Lipochondrodystrophy E76.01
Lipodermatosclerosis — see Varix, leg, with, inflammation
 ulcerated — see Varix, leg, with, ulcer, with inflammation by site
Lipochrome histiocytosis (familial) D71
Lipodystrophia progressiva E88.1
Lipodystrophy (progressive) E88.1
 insulin E88.1
 intestinal K90.81
 mesenteric K65.4
Lipofibroma — see Lipoma
Lipofuscinosis, neuronal (with ceroidosis) E75.4
Lipogranuloma, sclerosing L92.8
Lipogranulomatosis E78.89
Lipoid (see also condition)
 histiocytosis D76.3
 essential E75.29
 nephrosis N04.9
 proteinosis of Urbach E78.89
Lipoidemia — see Hyperlipidemia
Lipoidosis — see Lipidosis
Lipoma D17.9
 fetal D17.9
 fat cell D17.9
 infiltrating D17.9
 intramuscular D17.9
 pleomorphic D17.9
 site classification
 arms (skin) (subcutaneous) D17.2
 connective tissue D17.30
 intra-abdominal D17.5
 intrathoracic D17.4
 peritoneum D17.79
 retroperitoneum D17.79
 specified site NEC D17.39
 spermatic cord D17.6
 face (skin) (subcutaneous) D17.0
 genitourinary organ NEC D17.72
 head (skin) (subcutaneous) D17.0
 intra-abdominal D17.5
 intrathoracic D17.4
 kidney D17.71
 legs (skin) (subcutaneous) D17.2
 neck (skin) (subcutaneous) D17.0
 peritoneum D17.79
 retroperitoneum D17.79
 skin D17.30
 specified site NEC D17.39
 specified site NEC D17.79
 spermatic cord D17.6
 subcutaneous D17.30
 specified site NEC D17.39
 trunk (skin) (subcutaneous) D17.1
 unspecified D17.9
 spindle cell D17.9
Lipomatosis E88.2
 dolorosa (Dercum) E88.2
 fetal — see Lipoma
 Launois-Bensaude E88.89
Lipomyoma — see Lipoma
Lipomyxoma — see Lipoma
Lipomyxosarcoma — see Neoplasm, connective tissue, malignant
Lipoprotein metabolism disorder E78.9
Lipoproteinemia E78.5
 broad-beta E78.2
 floating-beta E78.2
 hyper-pre-beta E78.1
Liposarcoma (see also Neoplasm, connective tissue, malignant)
 dedifferentiated — see Neoplasm, connective tissue, malignant
- Liposarcoma** — continued
 differentiated type — see Neoplasm, connective tissue, malignant
 embryonal — see Neoplasm, connective tissue, malignant
 mixed type — see Neoplasm, connective tissue, malignant
 myxoid — see Neoplasm, connective tissue, malignant
 pleomorphic — see Neoplasm, connective tissue, malignant
 round cell — see Neoplasm, connective tissue, malignant
 well differentiated type — see Neoplasm, connective tissue, malignant
Liposynovitis prepatellaris E88.89
Lipping, cervix N86
Lipschütz disease or ulcer N76.6
Lipuria R82.0
 schistosomiasis (bilharziasis) B65.0
Lispang F80.0
Lissauer's paralysis A52.17
Lissencephalia, lissencephaly Q04.3
Listeriosis, listerellosis A32.9
 congenital (disseminated) P37.2
 cutaneous A32.0
 neonatal, newborn (disseminated) P37.2
 oculoangular A32.81
 specified NEC A32.89
Lithemia E79.0
Lithiasis — see Calculus
Lithosis J62.8
Lithuria R82.998
Litigation, anxiety concerning Z65.3
Little leaguer's elbow — see Epicondylitis, medial
Little's disease G80.9
Littre's
 gland — see condition
 hernia — see Hernia, abdomen
Littritis — see Urethritis
Livedo (annularis) (racemosa) (reticularis) R23.1
Liver — see condition
Living alone (problems with) Z60.2
 with handicapped person Z74.2
Lloyd's syndrome — see Adenomatosis, endocrine
Loa loa, loaiasis, loais B74.3
Lobar — see condition
Lobomycosis B48.0
Lobo's disease B48.0
Lobotomy syndrome F07.0
Lobstein (-Ekman) disease or syndrome Q78.0
Lobster-claw hand Q71.6
Lobulation (congenital) (see also Anomaly, by site)
 kidney, Q63.1
 liver, abnormal Q44.7
 spleen Q89.09
Lobule, lobular — see condition
Local, localized — see condition
Locked-in state G83.5
Locked twins causing obstructed labor O66.1
Locking
 joint — see Derangement, joint, specified type NEC
 knee — see Derangement, knee
Lockjaw — see Tetanus
Löffler's
 endocarditis I42.3
 eosinophilia J82
 pneumonia J82
 syndrome (eosinophilic pneumonitis) J82
Loiasis (with conjunctival infestation) (eyelid) B74.3
Lone Star fever A77.0
Long
 labor O63.9
 first stage O63.0
 second stage O63.1
 QT syndrome I45.81
Long-term (current) (prophylactic) drug therapy (use of agents affecting estrogen receptors and estrogen levels NEC Z79.818
 anastrozole (Arimidex) Z79.811
 antibiotics Z79.2
 short-term use - omit code
 anticoagulants Z79.01
 anti-inflammatory, non-steroidal (NSAID) Z79.1
 antiplatelet Z79.02
 antithrombotics Z79.02
 aromatase inhibitors Z79.811
 aspirin Z79.82
 birth control pill or patch Z79.3
 bisphosphonates Z79.83
 contraceptive, oral Z79.3
 drug, specified NEC Z79.899

Long-term - Lupus

Proctors: This errata is permitted during the examination.

Long-term — continued

estrogen receptor downregulators Z79.818
 Evista Z79.810
 exemestane (Aromasin) Z79.811
 Fareston Z79.810
 fulvestrant (Faslodex) Z79.818
 gonadotropin-releasing hormone (GnRH)
 agonist Z79.818
 goserelin acetate (Zoladex) Z79.818
 hormone replacement Z79.890
 insulin Z79.4
 letrozole (Femara) Z79.811
 leuprolide acetate (leuprorelin) (Lupron) Z79.818
 megestrol acetate (Megace) Z79.818
 methadone for pain management Z79.891
 Nolvadex Z79.810
 non-steroidal anti-inflammatories (NSAID) Z79.1
 opiate analgesic Z79.891
 oral
 antidiabetic Z79.84
 contraceptive Z79.3
 hypoglycemic Z79.84
 raloxifene (Evista) Z79.810
 selective estrogen receptor modulators
 (SERMs) Z79.810
 steroids
 inhaled Z79.51
 systemic Z79.52
 tamoxifen (Nolvadex) Z79.810
 toremifene (Fareston) Z79.810

Longitudinal stripes or grooves, nails L60.8
 congenital Q84.6

Loop

intestine — see Volvulus

vascular on papilla (optic) Q14.2

Loose (see also condition)

body

joint M24.00
 ankle M24.07
 elbow M24.02
 hand M24.04
 hip M24.05
 knee M23.4
 shoulder (region) M24.01
 specified site NEC M24.08
 vertebra M24.08
 toe M24.07
 wrist M24.03
 knee M23.4
 sheath, tendon — see Disorder, tendon, specified
 type NEC
 cartilage — see Loose, body, joint
 skin and subcutaneous tissue (following bariatric
 surgery weight loss) (following dietary weight
 loss) L98.7
 tooth, teeth K08.89

Loosening

aseptic

joint prosthesis — see Complications, joint
 prosthesis, mechanical, loosening, by site
 epiphysis — see Osteochondropathy
 mechanical
 joint prosthesis — see Complications, joint
 prosthesis, mechanical, loosening, by site

Looser-Milkman (-Debray) syndrome M83.8

Lop ear (deformity) Q17.3

Lorain (-Levi) short stature syndrome E23.0

Lordosis M40.50

acquired — see Lordosis, specified type NEC
 congenital Q76.429
 lumbar region Q76.426
 lumbosacral region Q76.427
 sacral region Q76.428
 sacrococcygeal region Q76.428
 thoracolumbar region Q76.425
 lumbar region M40.56
 lumbosacral region M40.57
 postsurgical M96.4
 postural — see Lordosis, specified type NEC
 rachitic (late effect) (sequelae) E64.3
 sequelae of rickets E64.3
 specified type NEC M40.40
 lumbar region M40.46
 lumbosacral region M40.47
 thoracolumbar region M40.45
 thoracolumbar region M40.55
 tuberculous A18.01

Loss (of)

appetite (see Anorexia) R63.0
 hysterical F50.89
 nonorganic origin F50.89
 psychogenic F50.89

Loss — continued

blood — see Hemorrhage
 bone — see Loss, substance of, bone
 control, sphincter, rectum R15.9
 nonorganic origin F98.1
 consciousness, transient R55
 traumatic — see Injury, intracranial
 elasticity, skin R23.4
 family (member) in childhood Z62.898
 fluid (acute) E86.9
 function of labyrinth — see subcategory H83.2
 hair, nonscarring — see Alopecia
 hearing (see also Deafness)
 central NOS H90.5
 conductive H90.2
 bilateral H90.0
 unilateral
 with
 restricted hearing on the contralateral
 side H90.A1
 unrestricted hearing on the contralateral
 side H90.1
 mixed conductive and sensorineural hearing
 loss H90.8
 bilateral H90.6
 unilateral
 with
 restricted hearing on the contralateral
 side H90.A3
 unrestricted hearing on the contralateral
 side H90.7
 neural NOS H90.5
 perceptive NOS H90.5
 sensorineural NOS H90.5
 bilateral H90.3
 unilateral
 with
 restricted hearing on the contralateral
 side H90.A2
 unrestricted hearing on the contralateral
 side H90.4
 sensory NOS H90.5
 height R29.890
 limb or member, traumatic, current — see
 Amputation, traumatic
 love relationship in childhood Z62.898
 memory (see also Amnesia)
 mild, following organic brain damage F06.8
 mind — see Psychosis
 occlusal vertical dimension of fully erupted
 teeth M26.37
 organ or part — see Absence, by site, acquired
 ossicles, ear (partial) H74.32
 parent in childhood Z63.4
 pregnancy, recurrent N96
 care in current pregnancy O26.2
 without current pregnancy N96
 recurrent pregnancy — see Loss, pregnancy,
 recurrent
 self-esteem, in childhood Z62.898
 sense of
 smell — see Disturbance, sensation, smell
 taste — see Disturbance, sensation, taste
 touch R20.8
 sensory R44.9
 dissociative F44.6
 sexual desire F52.0
 sight (acquired) (complete) (congenital) — see
 Blindness
 substance of
 bone — see Disorder, bone, density and structure,
 specified NEC
 horizontal alveolar K06.3
 cartilage — see Disorder, cartilage, specified type
 NEC
 auricle (ear) — see Disorder, pinna, specified
 type NEC
 vitreous (humor) H15.89
 tooth, teeth — see Absence, teeth, acquired
 vision, visual H54.7
 both eyes H54.3
 one eye H54.60
 left (normal vision on right) H54.62
 right (normal vision on left) H54.61
 specified as blindness — see Blindness
 subjective
 sudden H53.13
 transient H53.12
 vitreous — see Prolapse, vitreous
 voice — see Aphonia
 weight (abnormal) (cause unknown) R63.4
Louis-Bar syndrome (ataxia-telangiectasia) G11.3

Louping ill (encephalitis) A84.8

Louse, lousiness — see Lice

Low

achiever, school Z55.3
 back syndrome M54.5
 basal metabolic rate R94.8
 birthweight (2499 grams or less) P07.10
 with weight of
 1000-1249 grams P07.14
 1250-1499 grams P07.15
 1500-1749 grams P07.16
 1750-1999 grams P07.17
 2000-2499 grams P07.18
 extreme (999 grams or less) P07.00
 with weight of
 499 grams or less P07.01
 500-749 grams P07.02
 750-999 grams P07.03
 for gestational age — see Light for dates
 blood pressure (see also Hypotension)
 reading (incidental) (isolated) (nonspecific) R03.1
 cardiac reserve — see Disease, heart
 function (see also Hypofunction)
 kidney N28.9
 hematocrit D64.9
 hemoglobin D64.9
 income Z59.6
 level of literacy Z55.0
 lying
 kidney N28.89
 organ or site, congenital — see Malposition,
 congenital
 output syndrome (cardiac) — see Failure, heart
 platelets (blood) — see Thrombocytopenia
 reserve, kidney N28.89
 salt syndrome E87.1
 self esteem R45.81
 set ears Q17.4
 vision H54.2X
 one eye (other eye normal) H54.50
 left (normal vision on right) H54.52A
 other eye blind — see Blindness
 right (normal vision on left) H54.511
Low-density-lipoprotein-type (LDL)
 hyperlipoproteinemia E78.00
Lowe's syndrome E72.03
Lown-Ganong-Levine syndrome I45.6
LSD reaction (acute) (without dependence) F16.90
 with dependence F16.20
L-shaped kidney Q63.8
Ludwig's angina or disease K12.2
Lues (venerea), luetic — see Syphilis
Luetscher's syndrome (dehydration) E86.0
Lumbago, lumbalgia M54.5
 with sciatica M54.4
 due to intervertebral disc disorder M51.17
 due to displacement, intervertebral disc M51.27
 with sciatica M51.17
Lumbar — see condition
Lumbarization, vertebra, congenital Q76.49
Lumbermen's itch B88.0
Lump (see also Mass)
 breast N63.0
 axillary tail
 left N63.32
 right N63.31
 left
 lower inner quadrant N63.24
 lower outer quadrant N63.23
 unspecified quadrant N63.20
 upper inner quadrant N63.22
 upper outer quadrant N63.21
 right
 lower inner quadrant N63.14
 lower outer quadrant N63.13
 unspecified quadrant N63.10
 upper inner quadrant N63.12
 upper outer quadrant N63.11
 subareolar
 left N63.42
 right N63.41
Lunacy — see Psychosis
Lung — see condition
Lupoid (miliary) of Boeck D86.3
Lupus
 anticoagulant D68.62
 with
 hemorrhagic disorder D68.312
 hypercoagulable state D68.62
 finding without diagnosis R76.0
 discoid (local) L93.0

Proctors: This errata is permitted during the examination.

Lupus - Lymphoma

Lupus — *continued*

erythematous (discoïd) (local) L93.0
 disseminated — see Lupus, erythematous, systemic
 eyelid H01.129
 left H01.126
 lower H01.125
 upper H01.124
 right H01.123
 lower H01.122
 upper H01.121
 profundus L93.2
 specified NEC L93.2
 subacute cutaneous L93.1
 systemic M32.9
 with organ or system involvement M32.10
 endocarditis M32.11
 lung M32.13
 pericarditis M32.12
 renal (glomerular) M32.14
 tubulo-interstitial M32.15
 specified organ or system NEC M32.19
 drug-induced M32.0
 inhibitor (presence of) D68.62
 with
 hemorrhagic disorder D68.312
 hypercoagulable state D68.62
 finding without diagnosis R76.0
 specified NEC M32.8
 exedens A18.4
 hydralazine M32.0
 correct substance properly administered — see
 Table of Drugs and Chemicals, by drug,
 adverse effect
 overdose or wrong substance given or taken —
 see Table of Drugs and Chemicals, by drug,
 poisoning
 nephritis (chronic) M32.14
 nontuberculous, not disseminated L93.0
 panniculitis L93.2
 pernio (Besnier) D86.3
 systemic — see Lupus, erythematous, systemic
 tuberculous A18.4
 eyelid A18.4
 vulgaris A18.4
 eyelid A18.4

Luteinoma D27. ✓

Lutembacher's disease or syndrome (atrial septal
 defect with mitral stenosis) Q21.1

Luteoma D27. ✓

Lutz (-Splendore-de Almeida) disease — see
 Paracoccidioidomycosis

Luxation (see also Dislocation)
 eyeball (nontraumatic) — see Luxation, globe
 birth injury P15.3
 globe, nontraumatic H44.82 ✓
 lacrimal gland — see Dislocation, lacrimal gland
 lens (old) (partial) (spontaneous)
 congenital Q12.1
 syphilitic A50.39

Lycanthropy F22

Lyell's syndrome L51.2
 due to drug L51.2
 correct substance properly administered — see
 Table of Drugs and Chemicals, by drug,
 adverse effect
 overdose or wrong substance given or taken — see
 Table of Drugs and Chemicals, by drug, poisoning

Lyme disease A69.20

Lymph
 gland or node — see condition
 scrotum — see Infestation, filarial

Lymphadenitis I88.9
 with ectopic or molar pregnancy O08.0
 acute L04.9
 axilla L04.2
 face L04.0
 head L04.0
 hip L04.3
 limb
 lower L04.3
 upper L04.2
 neck L04.0
 shoulder L04.2
 specified site NEC L04.8
 trunk L04.1
 anthracosis (occupational) J60
 any site, except mesenteric I88.9
 chronic I88.1
 subacute I88.1
 breast
 gestational — see Mastitis, obstetric
 puerperal, postpartum (nonpurulent) O91.22

Lymphadenitis — *continued*

chancroidal (congenital) A57
 chronic I88.1
 mesenteric I88.0
 due to
 Brugia (malayi) B74.1
 timori B74.2
 chlamydial lymphogranuloma A55
 diphtheria (toxin) A36.89
 lymphogranuloma venereum A55
 Wuchereria bancrofti B74.0
 following ectopic or molar pregnancy O08.0
 gonorrheal A54.89
 infective — see Lymphadenitis, acute
 mesenteric (acute) (chronic) (nonspecific)
 (subacute) I88.0
 due to Salmonella typhi A01.09
 tuberculous A18.39
 mycobacterial A31.8
 purulent — see Lymphadenitis, acute
 pyogenic — see Lymphadenitis, acute
 regional, nonbacterial I88.8
 septic — see Lymphadenitis, acute
 subacute, unspecified site I88.1
 suppurative — see Lymphadenitis, acute
 syphilitic (early) (secondary) A51.49
 late A52.79
 tuberculous — see Tuberculosis, lymph gland
 venereal (chlamydial) A55

Lymphadenoid goiter E06.3

Lymphadenopathy (generalized) R59.1
 angioimmunoblastic, with dysproteinemia
 (AILD) C86.5
 due to toxoplasmosis (acquired) B58.89
 congenital (acute) (subacute) (chronic) P37.1
 localized R59.0
 syphilitic (early) (secondary) A51.49

Lymphadenitis R59.1

Lymphangiectasis I89.0
 conjunctiva H11.89
 postinfectious I89.0
 scrotum I89.0

Lymphangiectatic elephantiasis, nonfilarial I89.0

Lymphangiendothelioma D18.1
 malignant — see Neoplasm, connective tissue,
 malignant

Lymphangioliomyomatosis J84.81

Lymphangioma D18.1
 capillary D18.1
 cavernous D18.1
 cystic D18.1
 malignant — see Neoplasm, connective tissue,
 malignant

Lymphangiomyoma D18.1

Lymphangiomyomatosis J84.81

Lymphangiosarcoma — see Neoplasm, connective
 tissue, malignant

Lymphangitis I89.1
 with
 abscess - code by site under Abscess
 cellulitis - code by site under Cellulitis
 ectopic or molar pregnancy O08.0
 acute L03.91
 abdominal wall L03.321
 ankle — see Lymphangitis, acute, lower limb
 arm — see Lymphangitis, acute, upper limb
 auricle (ear) — see Lymphangitis, acute, ear
 axilla L03.12 ✓
 back (any part) L03.322
 buttock L03.327
 cervical (meaning neck) L03.222
 cheek (external) L03.212
 chest wall L03.323
 digit
 finger — see Lymphangitis, acute, finger
 toe — see Lymphangitis, acute, toe
 ear (external) H60.1 ✓
 external auditory canal — see Lymphangitis,
 acute, ear
 eyelid — see Abscess, eyelid
 face NEC L03.212
 finger (intraheal) (periosteal) (subcutaneous)
 (subcuticular) L03.02 ✓
 foot — see Lymphangitis, acute, lower limb
 gluteal (region) L03.327
 groin L03.324
 hand — see Lymphangitis, acute, upper limb
 head NEC L03.891
 face (any part, except ear, eye and
 nose) L03.212
 heel — see Lymphangitis, acute, lower limb
 hip — see Lymphangitis, acute, lower limb

Lymphangitis — *continued*

acute — *continued*
 jaw (region) L03.212
 knee — see Lymphangitis, acute, lower limb
 leg — see Lymphangitis, acute, lower limb
 lower limb L03.12 ✓
 toe — see Lymphangitis, acute, toe
 navel L03.326
 neck (region) L03.222
 orbit, orbital — see Cellulitis, orbit
 pectoral (region) L03.323
 perineal, perineum L03.325
 scalp (any part) L03.891
 shoulder — see Lymphangitis, acute, upper limb
 specified site NEC L03.898
 thigh — see Lymphangitis, acute, lower limb
 thumb (intraheal) (periosteal) (subcutaneous)
 (subcuticular) — see Lymphangitis, acute,
 finger
 toe (intraheal) (periosteal) (subcutaneous)
 (subcuticular) L03.04 ✓
 trunk L03.329
 abdominal wall L03.321
 back (any part) L03.322
 buttock L03.327
 chest wall L03.323
 groin L03.324
 perineal, perineum L03.325
 umbilicus L03.326
 upper limb L03.12 ✓
 axilla — see Lymphangitis, acute, axilla
 finger — see Lymphangitis, acute, finger
 thumb — see Lymphangitis, acute, finger
 wrist — see Lymphangitis, acute, upper limb

breast
 gestational — see Mastitis, obstetric
 chancroidal A57
 chronic (any site) I89.1
 due to
 Brugia (malayi) B74.1
 timori B74.2
 Wuchereria bancrofti B74.0
 following ectopic or molar pregnancy O08.89
 penis
 acute N48.29
 gonococcal (acute) (chronic) A54.09
 puerperal, postpartum, childbirth O86.89
 strumous, tuberculous A18.2
 subacute (any site) I89.1
 tuberculous — see Tuberculosis, lymph gland

Lymphatic (vessel) — see condition

Lymphatism E32.8

Lymphectasia I89.0

Lymphedema (acquired) (see also Elephantiasis)
 congenital Q82.0
 hereditary (chronic) (idiopathic) Q82.0
 postmastectomy I97.2
 praecox I89.0
 secondary I89.0
 surgical NEC I97.89
 postmastectomy (syndrome) I97.2

Lymphoblastic — see condition

Lymphoblastoma (diffuse) — see Lymphoma,
 lymphoblastic (diffuse)
 giant follicular — see Lymphoma, lymphoblastic
 (diffuse)
 macrofollicular — see Lymphoma, lymphoblastic
 (diffuse)

Lymphocelle I89.8

Lymphocytic
 chorioencephalitis (acute) (serous) A87.2
 choriomeningitis (acute) (serous) A87.2
 meningoencephalitis A87.2

Lymphocytoma, benign cutis L98.8

Lymphocytopenia D72.810

Lymphocytosis (symptomatic) D72.820
 infectious (acute) B33.8

Lymphoepithelioma — see Neoplasm, malignant,
 by site

Lymphogranuloma (malignant) (see also Lymphoma,
 Hodgkin)
 chlamydial A55
 inguinale A55
 venereum (any site) (chlamydial) (with stricture of
 rectum) A55

Lymphogranulomatosis (malignant) (see also
 Lymphoma, Hodgkin)
 benign (Boeck's sarcoid) (Schaumann's) D86.1

Lymphohistiocytosis, hemophagocytic (familial) D76.1

Lymphoid — see condition

Lymphoma (of) (malignant) C85.90

Lymphoma - Malaria

Proctors: This errata is permitted during the examination.

Lymphoma — continued

adult T-cell (HTLV-1-associated) (acute variant) (chronic variant) (lymphomatoid variant) (smouldering variant) C91.5 ☑

anaplastic large cell

- ALK-negative C84.7 ☑
- ALK-positive C84.6 ☑
- CD30 ☑ positive C84.6 ☑
- primary cutaneous C86.6

angiimmunoblastic T-cell C86.5

BALT C88.4

B-cell C85.1 ☑

B-precursor C83.5 ☑

blastic NK-cell C86.4

blastic plasmacytoid dendritic cell neoplasm (BPDCN) C86.4

bronchial-associated lymphoid tissue [BALT-lymphoma] C88.4

Burkitt (atypical) C83.7 ☑

Burkitt-like C83.7 ☑

centrocytic C83.1 ☑

cutaneous follicle center C82.6 ☑

cutaneous T-cell C84.A ☑

diffuse follicle center C82.5 ☑

diffuse large cell C83.3 ☑

- anaplastic C83.3 ☑
- B-cell C83.3 ☑
- CD30 ☑ positive C83.3 ☑
- centroblastic C83.3 ☑
- immunoblastic C83.3 ☑
- plasmablastic C83.3 ☑
- subtype not specified C83.3 ☑
- T-cell rich C83.3 ☑

enteropathy-type (associated) (intestinal) T-cell C86.2

extranodal NK/T-cell, nasal type C86.0

extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma] C88.4

follicular C82.9 ☑

grade

- I C82.0 ☑
- II C82.1 ☑
- III C82.2 ☑
- IIIA C82.3 ☑
- IIIB C82.4 ☑

specified NEC C82.8 ☑

hepatosplenic T-cell (alpha-beta) (gamma-delta) C86.1

histiocytic C85.9 ☑

true C96.A

Hodgkin C81.9 ☑

- lymphocyte-rich (classical) C81.4 ☑
- lymphocyte depleted (classical) C81.3 ☑
- mixed cellularity (classical) C81.2 ☑
- nodular sclerosis (classical) C81.1 ☑
- specified NEC (classical) C81.7 ☑
- lymphocyte-rich classical C81.4 ☑
- lymphocyte depleted classical C81.3 ☑
- mixed cellularity classical C81.2 ☑
- nodular
 - lymphocyte predominant C81.0 ☑
 - sclerosis (classical) C81.1 ☑

intravascular large B-cell C83.8 ☑

Lennert's C84.4 ☑

- lymphoblastic B-cell C83.5 ☑
- lymphoblastic (diffuse) C83.5 ☑
- lymphoblastic T-cell C83.5 ☑
- lymphoepithelioid C84.4 ☑
- lymphoplasmacytic C83.0 ☑
- with IgM-production C88.0

MALT C88.4

mantle cell C83.1 ☑

mature T-cell NEC C84.4 ☑

mature T/NK-cell C84.9 ☑

- specified NEC C84.Z ☑

mediastinal (thymic) large B-cell C85.2 ☑

Mediterranean C88.3

mucosa-associated lymphoid tissue [MALT-lymphoma] C88.4

NK/T cell C84.9 ☑

nodal marginal zone C83.0 ☑

non-follicular (diffuse) C83.9 ☑

- specified NEC C83.8 ☑

non-Hodgkin (see also Lymphoma, by type) C85.9 ☑

- specified NEC C85.8 ☑

non-leukemic variant of B-CLL C83.0 ☑

peripheral T-cell, not classified C84.4 ☑

primary cutaneous

- anaplastic large cell C86.6
- CD30 ☑ positive large T-cell C86.6
- primary effusion B-cell C83.8 ☑

Lymphoma — continued

SALT C88.4

skin-associated lymphoid tissue [SALT-lymphoma] C88.4

small cell B-cell C83.0 ☑

splenic marginal zone C83.0 ☑

subcutaneous panniculitis-like T-cell C86.3

T-precursor C83.5 ☑

true histiocytic C96.A

Lymphomatosis — see Lymphoma

Lymphopathia venereum, veneris A55

Lymphopenia D72.810

Lymphoplasmacytic leukemia — see Leukemia, chronic lymphocytic, B-cell type

Lymphoproliferation, X-linked disease D82.3

Lymphoreticulosis, benign (of inoculation) A28.1

Lymphorrhoea I89.8

Lymphosarcoma (diffuse) (see also Lymphoma) C85.9 ☑

Lymphostasis I89.8

Lypemania — see Melancholia

Lysine and hydroxylysine metabolism disorder E72.3

Lyssa — see Rabies

M

Macacus ear Q17.3

Maceration, wet feet, tropical (syndrome) T69.02 ☑

MacLeod's syndrome J43.0

Macrocephalia, macrocephaly Q75.3

Macrocheilia, macrochilia (congenital) Q18.6

Macrocolon (see also Megacolon) Q43.1

Macrocornea Q15.8

- with glaucoma Q15.0

Macrocytic — see condition

Macrocytosis D75.89

Macroactylia, macroactylism (fingers) (thumbs) Q74.0

- toes Q74.2

Macrodonia K00.2

Macrogenia M26.05

Macrogenitosomia (adrenal) (male) (praecox) E25.9

- congenital E25.0

Macroglobulinemia (idiopathic) (primary) C88.0

- monoclonal (essential) D47.2
- Waldenström C88.0

Macroglossia (congenital) Q38.2

- acquired K14.8

Macrognaethia, macrognaethism (congenital) (mandibular) (maxillary) M26.09

Macrogyria (congenital) Q04.8

Macrohydrocephalus — see Hydrocephalus

Macromastia — see Hypertrophy, breast

Macrophthalmos Q11.3

- in congenital glaucoma Q15.0

Macropsia H53.15

Macrosigmoid K59.39

- congenital Q43.2

Macrospondylitis, acromegalic E22.0

Macrostomia (congenital) Q18.4

Macrotia (external ear) (congenital) Q17.1

Macula

- cornea, corneal — see Opacity, cornea
- degeneration (atrophic) (exudative) (senile) (see also Degeneration, macula)
- hereditary — see Dystrophy, retina

Maculae ceruleae - B85.1

Maculopathy, toxic — see Degeneration, macula, toxic

Madarosis (eyelid) H02.729

- left H02.726
 - lower H02.725
 - upper H02.724
- right H02.723
 - lower H02.722
 - upper H02.721

Madelung's

- deformity (radius) Q74.0
- disease
 - radial deformity Q74.0
 - symmetrical lipomas, neck E88.89

Madness — see Psychosis

Madura

- foot B47.9
 - actinomycotic B47.1
 - mycotic B47.0

Maduromycosis B47.0

Maffucci's syndrome Q78.4

Magnesium metabolism disorder — see Disorder, metabolism, magnesium

Main en griffe (acquired) (see also Deformity, limb, clawhand) congenital Q74.0

Maintenance (encounter for)

- antineoplastic chemotherapy Z51.11
- antineoplastic radiation therapy Z51.0
- methadone F11.20

Majocchi's

- disease L81.7
- granuloma B35.8

Major — see condition

Malabar itch (any site) B35.5

Malabsorption K90.9

- calcium K90.89
- carbohydrate K90.49
- disaccharide E73.9
- fat K90.49
- galactose E74.20
- glucose (-galactose) E74.39
- intestinal K90.9
 - specified NEC K90.89
- isomaltose E74.31
- lactose E73.9
- methionine E72.19
- monosaccharide E74.39
- postgastrostomy K91.2
- postsurgical K91.2
- protein K90.49
- starch K90.49
- sucrose E74.39
- syndrome K90.9
 - postsurgical K91.2

Malacia, bone (adult) M83.9

- juvenile — see Rickets

Malacoplakia

- bladder N32.89
- pelvis (kidney) N28.89
- ureter N28.89
- urethra N36.8

Malacosteon, juvenile — see Rickets

Maladaptation — see Maladjustment

Maladie de Roger Q21.0

Maladjustment

- conjugal Z63.0
 - involving divorce or estrangement Z63.5
 - educational Z55.4
 - family Z63.9
 - marital Z63.0
 - involving divorce or estrangement Z63.5
 - occupational NEC Z56.89
 - simple, adult — see Disorder, adjustment
 - situational — see Disorder, adjustment
 - social Z60.9
 - due to
 - acculturation difficulty Z60.3
 - discrimination and persecution (perceived) Z60.5
 - exclusion and isolation Z60.4
 - life-cycle (phase of life) transition Z60.0
 - rejection Z60.4
 - specified reason NEC Z60.8

Malaise R53.81

Malakoplakia — see Malacoplakia

Malaria, malarial (fever) B54

- with
 - blackwater fever B50.8
 - hemoglobinuric (bilious) B50.8
 - hemoglobinuria B50.8
- accidentally induced (therapeutically) - code by type under Malaria
- algid B50.9
- cerebral B50.0 [G94]
- clinically diagnosed (without parasitological confirmation) B54
- congenital NEC P37.4
- falciparum P37.3
- congestion, congestive B54
- continued (fever) B50.9
- estivo-autumnal B50.9
- falciparum B50.9
 - with complications NEC B50.8
 - cerebral B50.0 [G94]
 - severe B50.8
- hemorrhagic B54
- malariae B52.9
 - with
 - complications NEC B52.8
 - glomerular disorder B52.0
- malignant (tertian) — see Malaria, falciparum
- mixed infections - code to first listed type in B50-B53
- ovale B53.0

Proctors: This errata is permitted during the examination.

Malaria - Malformation

Malaria — *continued*

parasitologically confirmed NEC B53.8
 pernicious, acute — see Malaria, falciparum
 Plasmodium (P)
 falciparum NEC — see Malaria, falciparum
 malariae NEC B52.9
 with Plasmodium
 falciparum (and or vivax) — see Malaria, falciparum
 vivax (see also Malaria, vivax)
 and falciparum — see Malaria, falciparum
 ovale B53.0
 with Plasmodium malariae (see also Malaria, malariae)
 and vivax (see also Malaria, vivax)
 and falciparum — see Malaria, falciparum
 simian B53.1
 with Plasmodium malariae (see also Malaria, malariae)
 and vivax (see also Malaria, vivax)
 and falciparum — see Malaria, falciparum
 vivax NEC B51.9
 with Plasmodium falciparum — see Malaria, falciparum
 quartan — see Malaria, malariae
 quotidian — see Malaria, falciparum
 recurrent B54
 remittent B54
 specified type NEC (parasitologically confirmed) B53.8
 spleen B54
 subtertian (fever) — see Malaria, falciparum
 tertian (benign) (see also Malaria, vivax)
 malignant B50.9
 tropical B50.9
 typhoid B54
 vivax B51.9
 with
 complications NEC B51.8
 ruptured spleen B51.0

Malassimilation R90.9**Malassez's disease** (cystic) N50.89**Mal de los pintos** — see Pinta**Mal de mer** T75.3 **Maldescent, testis** Q53.9

bilateral Q53.20
 abdominal Q53.211
 perineal Q53.22
 unilateral Q53.10
 abdominal Q53.111
 perineal Q53.12

Maldevelopment (see also Anomaly)

brain Q07.9
 colon Q43.9
 hip Q74.2
 congenital dislocation Q65.2
 bilateral Q65.1
 unilateral Q65.0
 mastoid process Q75.8
 middle ear Q16.4
 except ossicles Q16.4
 ossicles Q16.3
 ossicles Q16.3
 spine Q76.49
 toe Q74.2

Male type pelvis Q74.2

with disproportion (fetopelvic) Q33.3
 causing obstructed labor O65.3

Malformation (congenital) (see also Anomaly)

adrenal gland Q89.1
 affecting multiple systems with skeletal changes NEC Q87.5
 alimentary tract Q45.9
 specified type NEC Q45.8
 upper Q40.9
 specified type NEC Q40.8
 aorta Q25.40
 absence Q25.41
 aneurysm, congenital Q25.43
 aplasia Q25.41
 atresia Q25.29
 aortic arch Q25.21
 coarctation (preductal) (postductal) Q25.1
 dilatation, congenital Q25.44
 hypoplasia Q25.42
 patent ductus arteriosus Q25.0
 specified type NEC Q25.49
 stenosis Q25.1
 supravalvular Q25.3
 aortic valve Q23.9
 specified NEC Q23.8

Malformation — *continued*

arteriovenous, aneurysmatic (congenital) Q27.30
 brain Q28.2
 cerebral Q28.2
 peripheral Q27.30
 digestive system Q27.33
 lower limb Q27.32
 other specified site Q27.39
 renal vessel Q27.34
 upper limb Q27.31
 precerebral vessels (nonruptured) Q28.0
 auricle
 ear (congenital) Q17.3
 acquired H61.119
 left H61.112
 with right H61.113
 right H61.111
 with left H61.113
 bile duct Q44.5
 bladder Q64.79
 aplasia Q64.5
 diverticulum Q64.6
 exstrophy — see Exstrophy, bladder
 neck obstruction Q64.31
 bone Q79.9
 face Q75.9
 specified type NEC Q75.8
 skull Q75.9
 specified type NEC Q75.8
 brain (multiple) Q04.9
 arteriovenous Q28.2
 specified type NEC Q04.8
 branchial cleft Q18.2
 breast Q83.9
 specified type NEC Q83.8
 broad ligament Q50.6
 bronchus Q32.4
 bursa Q79.9
 cardiac
 chambers Q20.9
 specified type NEC Q20.8
 septum Q21.9
 specified type NEC Q21.8
 cerebral Q04.9
 vessels Q28.3
 cervix uteri Q51.9
 specified type NEC Q51.828
 Chiari
 Type I G93.5
 Type II Q07.01
 choroid (congenital) Q14.3
 plexus Q07.8
 circulatory system Q28.9
 cochlea Q16.5
 cornea Q13.4
 coronary vessels Q24.5
 corpus callosum (congenital) Q04.0
 diaphragm Q79.1
 digestive system NEC, specified type NEC Q45.8
 dura Q07.9
 brain Q04.9
 spinal Q06.9
 ear Q17.9
 causing impairment of hearing Q16.9
 external Q17.9
 accessory auricle Q17.0
 causing impairment of hearing Q16.9
 absence of
 auditory canal Q16.1
 auricle Q16.0
 macrotia Q17.1
 microtia Q17.2
 misplacement Q17.4
 misshapen NEC Q17.3
 prominence Q17.5
 specified type NEC Q17.8
 inner Q16.5
 middle Q16.4
 absence of eustachian tube Q16.2
 ossicles (fusion) Q16.3
 ossicles Q16.3
 specified type NEC Q17.8
 epididymis Q55.4
 esophagus Q39.9
 specified type NEC Q39.8
 eye Q15.9
 lid Q10.3
 specified NEC Q15.8
 fallopian tube Q50.6
 genital organ — see Anomaly, genitalia
 great
 artery Q25.9

Malformation — *continued*

great — *continued*
 aorta — see Malformation, aorta
 pulmonary artery — see Malformation, pulmonary, artery
 specified type NEC Q25.8
 vein Q26.9
 anomalous
 portal venous connection Q26.5
 pulmonary venous connection Q26.4
 partial Q26.3
 total Q26.2
 persistent left superior vena cava Q26.1
 portal vein-hepatic artery fistula Q26.6
 specified type NEC Q26.8
 vena cava stenosis, congenital Q26.0
 gum Q38.6
 hair Q84.2
 heart Q24.9
 specified type NEC Q24.8
 integument Q84.9
 specified type NEC Q84.8
 internal ear Q16.5
 intestine Q43.9
 specified type NEC Q43.8
 iris Q13.2
 joint Q74.9
 ankle Q74.2
 lumbosacral Q76.49
 sacroiliac Q74.2
 specified type NEC Q74.8
 kidney Q63.9
 accessory Q63.0
 giant Q63.3
 horseshoe Q63.1
 hydronephrosis Q62.0
 malposition Q63.2
 specified type NEC Q63.8
 lacrimal apparatus Q10.6
 lip Q38.0
 lingual Q38.3
 liver Q44.7
 lung Q33.9
 meninges or membrane (congenital) Q07.9
 cerebral Q04.8
 spinal (cord) Q06.9
 middle ear Q16.4
 ossicles Q16.3
 mitral valve Q23.9
 specified NEC Q23.8
 Mondini's (congenital) (malformation, cochlea) Q16.5
 mouth (congenital) Q38.6
 multiple types NEC Q89.7
 musculoskeletal system Q79.9
 myocardium Q24.8
 nail Q84.6
 nervous system (central) Q07.9
 nose Q30.9
 specified type NEC Q30.8
 optic disc Q14.2
 orbit Q10.7
 ovary Q50.39
 palate Q38.5
 parathyroid gland Q89.2
 pelvic organs or tissues NEC
 in pregnancy or childbirth Q34.8
 causing obstructed labor O65.5
 penis Q55.69
 aplasia Q55.5
 curvature (lateral) Q55.61
 hypoplasia Q55.62
 pericardium Q24.8
 peripheral vascular system Q27.9
 specified type NEC Q27.8
 pharynx Q38.8
 precerebral vessels Q28.1
 prostate Q55.4
 pulmonary
 arteriovenous Q25.72
 artery Q25.9
 atresia Q25.5
 specified type NEC Q25.79
 stenosis Q25.6
 valve Q22.3
 renal artery Q27.2
 respiratory system Q34.9
 retina Q14.1
 scrotum — see Malformation, testis and scrotum
 seminal vesicles Q55.4
 sense organs NEC Q07.9
 skin Q82.9

Malformation - Malposition

Proctors: This errata is permitted during the examination.

Malformation — *continued*

specified NEC Q89.8
 spinal
 cord Q06.9
 nerve root Q07.8
 spine Q76.49
 kyphosis — *see* Kyphosis, congenital
 lordosis — *see* Lordosis, congenital
 spleen Q89.09
 stomach Q40.3
 specified type NEC Q40.2
 teeth, tooth K00.9
 tendon Q79.9
 testis and scrotum Q55.20
 aplasia Q55.0
 hypoplasia Q55.1
 polyorchism Q55.21
 retractile testis Q55.22
 scrotal transposition Q55.23
 specified NEC Q55.29
 throat Q38.8
 thorax, bony Q76.9
 thyroid gland Q89.2
 tongue (congenital) Q38.3
 hypertrophy Q38.2
 tie Q38.1
 trachea Q32.1
 tricuspid valve Q22.9
 specified type NEC Q22.8
 umbilical cord NEC (complicating
 delivery) O69.89
 umbilicus Q89.9
 ureter Q62.8
 agenesis Q62.4
 duplication Q62.5
 malposition — *see* Malposition, congenital, ureter
 obstructive defect — *see* Defect, obstructive,
 ureter
 vesico-uretero-renal reflux Q62.7
 urethra Q64.79
 aplasia Q64.5
 duplication Q64.74
 posterior valves Q64.2
 prolapse Q64.71
 stricture Q64.32
 urinary system Q64.9
 uterus Q51.9
 specified type NEC Q51.818
 vagina Q52.4
 vascular system, peripheral Q27.9
 vas deferens Q55.4
 atresia Q55.3
 venous — *see* Anomaly, vein(s)
 vulva Q52.70

Malfunction (*see also* Dysfunction)

cardiac electronic device T82.119
 electrode T82.110
 pulse generator T82.111
 specified type NEC T82.118
 catheter device NEC T85.618
 cystostomy T83.010
 dialysis (renal) (vascular) T82.41
 intraperitoneal T85.611
 infusion NEC T82.514
 cranial T85.610
 epidural T85.610
 intrathecal T85.610
 spinal T85.610
 subarachnoid T85.610
 subdural T85.610
 urinary (*see also* Breakdown, device,
 catheter) T83.018
 colostomy K94.03
 valve K94.03
 cystostomy (stoma) N99.512
 catheter T83.010
 enteric stoma K94.13
 enterostomy K94.13
 esophagostomy K94.33
 gastroenteric K31.89
 gastrostomy K94.23
 ileostomy K94.13
 valve K94.13
 intrathecal infusion pump T85.615
 jejunostomy K94.13
 nervous system device, implant or graft, specified
 NEC T85.615
 pacemaker — *see* Malfunction, cardiac electronic
 device
 prosthetic device, internal — *see* Complications,
 prosthetic device, by site, mechanical
 tracheostomy J95.03

Malfunction — *continued*

urinary device NEC — *see* Complication,
 genitourinary, device, urinary, mechanical
 valve
 colostomy K94.03
 heart T82.09
 ileostomy K94.13
 vascular graft or shunt NEC — *see* Complication,
 cardiovascular device, mechanical, vascular
 ventricular (communicating shunt) T85.01

Malherbe's tumor — *see* Neoplasm, skin, benign
Malibu disease L98.8
Malignancy (*see also* Neoplasm, malignant, by site)
 unspecified site (primary) C80.1

Malignant — *see* condition
Malingering, malingering Z76.5
Mallet finger (acquired) — *see* Deformity, finger, mallet
 finger
 congenital Q74.0
 sequelae of rickets E64.3

Malleus A24.0
Mallory's bodies R89.7
Mallory-Weiss syndrome K22.6
Malnutrition E46
 degree
 first E44.1
 mild (protein) E44.1
 moderate (protein) E44.0
 second E44.0
 severe (protein-energy) E43
 intermediate form E42
 with
 kwashiorkor (and marasmus) E42
 marasmus E41
 third E43
 following gastrointestinal surgery K91.2
 intrauterine
 light-for-dates — *see* Light for dates
 small-for-dates — *see* Small for dates
 lack of care, or neglect (child) (infant) T76.02
 confirmed T74.02
 malignant E40
 protein E46
 calorie E46
 mild E44.1
 moderate E44.0
 severe E43
 intermediate form E42
 with
 kwashiorkor (and marasmus) E42
 marasmus E41
 energy E46
 mild E44.1
 moderate E44.0
 severe E43
 intermediate form E42
 with
 kwashiorkor (and marasmus) E42
 marasmus E41
 severe (protein-energy) E43
 with
 kwashiorkor (and marasmus) E42
 marasmus E41

Malocclusion (teeth) M26.4
 Angle's M26.219
 class I M26.211
 class II M26.212
 class III M26.213
 due to
 abnormal swallowing M26.59
 mouth breathing M26.59
 tongue, lip or finger habits M26.59
 temporomandibular (joint) M26.69

Malposition
 cervix — *see* Malposition, uterus
 congenital
 adrenal (gland) Q89.1
 alimentary tract Q45.8
 lower Q43.8
 upper Q40.8
 aorta Q25.49
 appendix Q43.8
 arterial trunk Q20.0
 artery (peripheral) Q27.8
 coronary Q24.5
 digestive system Q27.8
 lower limb Q27.8
 pulmonary Q25.79
 specified site NEC Q27.8
 upper limb Q27.8
 auditory canal Q17.8
 causing impairment of hearing Q16.9

Malposition — *continued*

congenital — *continued*
 auricle (ear) Q17.4
 causing impairment of hearing Q16.9
 cervical Q18.2
 biliary duct or passage Q44.5
 bladder (mucosa) — *see* Exstrophy, bladder
 brachial plexus Q07.8
 brain tissue Q04.8
 breast Q83.8
 bronchus Q32.4
 cecum Q43.8
 clavicle Q74.0
 colon Q43.8
 digestive organ or tract NEC Q45.8
 lower Q43.8
 upper Q40.8
 ear (auricle) (external) Q17.4
 ossicles Q16.3
 endocrine (gland) NEC Q89.2
 epiglottis Q31.8
 eustachian tube Q17.8
 eye Q15.8
 facial features Q18.8
 fallopian tube Q50.6
 finger (s) Q68.1
 supernumerary Q69.0
 foot Q66.9
 gallbladder Q44.1
 gastrointestinal tract Q45.8
 genitalia, genital organ (s) or tract
 female Q52.8
 external Q52.79
 internal NEC Q52.8
 male Q55.8
 glottis Q31.8
 hand Q68.1
 heart Q24.8
 dextrocardia Q24.0
 with complete transposition of viscera Q89.3
 hepatic duct Q44.5
 hip (joint) Q65.89
 intestine (large) (small) Q43.8
 with anomalous adhesions, fixation or
 malrotation Q43.3
 joint NEC Q68.8
 kidney Q63.2
 larynx Q31.8
 limb Q68.8
 lower Q68.8
 upper Q68.8
 liver Q44.7
 lung (lobe) Q33.8
 nail (s) Q84.6
 nerve Q07.8
 nervous system NEC Q07.8
 nose, nasal (septum) Q30.8
 organ or site not listed — *see* Anomaly, by site
 ovary Q50.39
 pancreas Q45.3
 parathyroid (gland) Q89.2
 patella Q74.1
 peripheral vascular system Q27.8
 pituitary (gland) Q89.2
 respiratory organ or system NEC Q34.8
 rib (cage) Q76.6
 supernumerary in cervical region Q76.5
 scapula Q74.0
 shoulder Q74.0
 spinal cord Q06.8
 spleen Q89.09
 sternum NEC Q76.7
 stomach Q40.2
 symphysis pubis Q74.2
 thyroid (gland) Q89.2
 thyrod (gland) (tissue) Q89.2
 cartilage Q31.8
 toe (s) Q66.9
 supernumerary Q69.2
 tongue Q38.3
 trachea Q32.1
 ureter Q62.60
 deviation Q62.61
 displacement Q62.62
 ectopia Q62.63
 specified type NEC Q62.69
 uterus Q51.818
 vein (s) (peripheral) Q27.8
 great Q26.8
 vena cava (inferior) (superior) Q26.8
 device, implant or graft (*see also* Complications,
 by site and type, mechanical) T85.628

Proctors: This errata is permitted during the examination.

Malposition - Mass

Malposition — *continued*

- device — *continued*
 - arterial graft NEC — *see* Complication, cardiovascular device, mechanical, vascular
 - breast (implant) T85.42
 - catheter NEC T85.628
 - cystostomy T83.020
 - dialysis (renal) T82.42
 - intraperitoneal T85.621
 - infusion NEC T82.524
 - spinal (epidural) (subdural) T85.620
 - urinary (*see also* Displacement, device, catheter, urinary) T83.028
- electronic (electrode) (pulse generator) (stimulator)
 - bone T84.320
 - cardiac T82.129
 - electrode T82.120
 - pulse generator T82.121
 - specified type NEC T82.128
- nervous system — *see* Complication, prosthetic device, mechanical, electronic nervous system stimulator
- urinary — *see* Complication, genitourinary, device, urinary, mechanical
- fixation, internal (orthopedic) NEC — *see* Complication, fixation device, mechanical
- gastrointestinal — *see* Complications, prosthetic device, mechanical, gastrointestinal device
- genital NEC T83.428
 - intrauterine contraceptive device (string) T83.32
 - penile prosthesis (cylinder) (implanted) (pump) (reservoir) T83.420
 - testicular prosthesis T83.421
- heart NEC — *see* Complication, cardiovascular device, mechanical
- joint prosthesis — *see* Complication, joint prosthesis, mechanical
- ocular NEC — *see* Complications, prosthetic device, mechanical, ocular device
- orthopedic NEC — *see* Complication, orthopedic, device, mechanical
- specified NEC T85.628
- urinary NEC (*see also* Complication, genitourinary, device, urinary, mechanical)
 - graft T83.22
 - vascular NEC — *see* Complication, cardiovascular device, mechanical
- ventricular intracranial shunt T85.02
- fetus — *see* Pregnancy, complicated by (management affected by), presentation, fetal
- gallbladder K82.8
- gastrointestinal tract, congenital Q45.8
- heart, congenital NEC Q24.8
- joint prosthesis — *see* Complications, joint prosthesis, mechanical, displacement, by site
- stomach K31.89
 - congenital Q40.2
- tooth, teeth, fully erupted M26.30
- uterus (acute) (acquired) (adherent) (asymptomatic) (postinfectious) (postpartal, old) N85.4
 - anteflexion or anteversion N85.4
 - congenital Q51.818
 - flexion N85.4
 - lateral — *see* Lateroversion, uterus
 - inversion N85.5
 - lateral (flexion) (version) — *see* Lateroversion, uterus
 - in pregnancy or childbirth — *see* subcategory O34.5
 - retroflexion or retroversion — *see* Retroversion, uterus

Malposture R29.3**Malrotation**

- cecum Q43.3
- colon Q43.3
- intestine Q43.3
- kidney Q63.2

Maltreatment

- adult
 - abandonment
 - confirmed T74.01
 - suspected T76.01
 - bullying
 - confirmed T74.31
 - suspected T76.31
 - confirmed T74.91
 - history of Z91.419
 - intimidation (through social media)
 - confirmed T74.31
 - suspected T76.31

Maltreatment — *continued*

- adult — *continued*
 - neglect
 - confirmed T74.01
 - suspected T76.01
 - physical abuse
 - confirmed T74.11
 - suspected T76.11
 - psychological abuse
 - confirmed T74.31
 - suspected T76.31
 - history of Z91.411
 - sexual abuse
 - confirmed T74.21
 - suspected T76.21
 - suspected T76.91
- child
 - abandonment
 - confirmed T74.02
 - suspected T76.02
 - bullying
 - confirmed T74.32
 - suspected T76.32
 - confirmed T74.92
 - history of — *see* History, personal (of), abuse
 - intimidation (through social media)
 - confirmed T74.32
 - suspected T76.32
 - neglect
 - confirmed T74.02
 - history of — *see* History, personal (of), abuse
 - suspected T76.02
 - physical abuse
 - confirmed T74.12
 - history of — *see* History, personal (of), abuse
 - suspected T76.12
 - psychological abuse
 - confirmed T74.32
 - history of — *see* History, personal (of), abuse
 - suspected T76.32
 - sexual abuse
 - confirmed T74.22
 - history of — *see* History, personal (of), abuse
 - suspected T76.22
 - suspected T76.92
 - personal history of Z91.89
- Malta fever — *see* Brucellosis
- Maltworker's lung J67.4
- Malunion, fracture — *see* Fracture, by site
- Mamillitis N61.0
 - puerperal, postpartum O91.02
- Mammitis — *see* Mastitis
- Mammogram (examination) Z12.39
 - routine Z12.31
- Mammoplasia N62
- Management (of)
 - bone conduction hearing device (implanted) Z45.320
 - cardiac pacemaker NEC Z45.018
 - cerebrospinal fluid drainage device Z45.41
 - cochlear device (implanted) Z45.321
 - contraceptive Z30.9
 - specified NEC Z30.8
 - implanted device Z45.9
 - specified NEC Z45.89
 - infusion pump Z45.1
 - procreative Z31.9
 - male factor infertility in female Z31.81
 - specified NEC Z31.89
 - prosthesis (external) (*see also* Fitting) Z44.9
 - implanted Z45.9
 - specified NEC Z45.89
 - renal dialysis catheter Z49.01
 - vascular access device Z45.2
- Mangled — *see* specified injury by site
- Mania (monopolar) (*see also* Disorder, mood, manic episode)
 - with psychotic symptoms F30.2
 - without psychotic symptoms F30.10
 - mild F30.11
 - moderate F30.12
 - severe F30.13
 - Bell's F30.8
 - chronic (recurrent) F31.89
 - hysterical F44.89
 - puerperal F30.8
 - recurrent F31.89
- Manic depression F31.9
- Manic-depressive insanity, psychosis, or syndrome — *see* Disorder, bipolar
- Mannosidosis E77.1
- Mansonelliasis, mansanellosis B74.4

Manson's

- disease B65.1
- schistosomiasis B65.1

Manual — *see* condition**Maple-bark-stripper's lung (disease) J67.6****Maple-syrup-urine disease E71.0****Marable's syndrome (celiac artery compression) I77.4****Marasmus E41**

- due to malnutrition E41
- intestinal E41
- nutritional E41
- senile R54
- tuberculous NEC — *see* Tuberculosis

Marble

- bones Q78.2
- skin R23.8

Marburg virus disease A98.3**March**

- fracture — *see* Fracture, traumatic, stress, by site
- hemoglobinuria D59.6

Marchesani (-Weill) syndrome Q87.0**Marchiafava (-Bignami) syndrome or disease G37.1****Marchiafava-Micheli syndrome D59.5****Marcus Gunn's syndrome Q07.8****Marfan's syndrome — *see* Syndrome, Marfan's****Marie-Bamberger disease — *see* Osteoarthritis, hypertrophic, specified NEC****Marie-Charcot-Tooth neuropathic muscular atrophy G60.0****Marie's**

- cerebellar ataxia (late-onset) G11.2
- disease or syndrome (acromegaly) E22.0

Marie-Strümpell arthritis, disease or spondylitis — *see* Spondylitis, ankylosing**Marion's disease (bladder neck obstruction) N32.0****Marital conflict Z63.0****Mark**

- port wine Q82.5
- raspberry Q82.5
- strawberry Q82.5
- stretch L90.6
- tattoo L81.8

Marker heterochromatin — *see* Extra, marker chromosomes**Maroteaux-Lamy syndrome (mild) (severe) E76.29****Marrow (bone)**

- arrest D61.9
- poor function D75.89

Marseilles fever A77.1**Marsh fever — *see* Malaria****Marshall's (hidrotic) ectodermal dysplasia Q82.4****Marsh's disease (exophthalmic goiter) E05.00**

- with storm E05.01

Masculinization (female) with adrenal hyperplasia E25.9

- congenital E25.0

Masculinoblastoma D27. **Masochism (sexual) F65.51****Mason's lung J62.8****Mass**

- abdominal R19.00
 - epigastric R19.06
 - generalized R19.07
 - left lower quadrant R19.04
 - left upper quadrant R19.02
 - periumbilic R19.05
 - right lower quadrant R19.03
 - right upper quadrant R19.01
 - specified site NEC R19.09
- breast (*see also* Lump, breast) N63.0
- chest R22.2
 - cystic — *see* Cyst
 - ear H93.8
 - head R22.0
 - intra-abdominal (diffuse) (generalized) — *see* Mass, abdominal
 - kidney N28.89
 - liver R16.0
 - localized (skin) R22.9
 - chest R22.2
 - head R22.0
 - limb
 - lower R22.4
 - upper R22.3
 - neck R22.1
 - trunk R22.2
 - lung R91.8
 - malignant — *see* Neoplasm, malignant, by site
 - neck R22.1
 - pelvic (diffuse) (generalized) — *see* Mass, abdominal
 - specified organ NEC — *see* Disease, by site
 - splenic R16.1

Mass - Melanoma

Proctors: This errata is permitted during the examination.

Mass — *continued*

substernal thyroid — see Goiter
 superficial (localized) R22.9
 umbilical (diffuse) (generalized) R19.09

Massive — see condition

Mast cell
 disease, systemic tissue D47.02
 leukemia C94.3 X
 neoplasm
 malignant C96.20
 specified type NEC C96.29
 of uncertain behavior NEC D47.09
 sarcoma C96.22
 tumor D47.09

Mastalgia N64.4

Masters-Allen syndrome N83.8

Mastitis (acute) (diffuse) (nonpuerperal) (subacute) N61.0
 with abscess N61.1
 chronic (cystic) — see Mastopathy, cystic
 cystic (Schimmelbusch's type) — see Mastopathy, cystic
 fibrocystic — see Mastopathy, cystic
 infective N61.0
 newborn P39.0
 interstitial, gestational or puerperal — see Mastitis, obstetric
 neonatal (noninfective) P83.4
 infective P39.0
 obstetric (interstitial) (nonpurulent)
 associated with
 lactation O91.23
 pregnancy O91.21 X
 puerperium O91.22
 purulent
 associated with
 lactation O91.13
 pregnancy O91.11 X
 puerperium O91.12
 periductal — see Ectasia, mammary duct
 phlegmonous — see Mastopathy, cystic
 plasma cell — see Ectasia, mammary duct
 without abscess N61.0

Mastocytoma (extracutaneous) D47.09
 malignant C96.29
 solitary D47.01

Mastocytosis D47.09
 aggressive systemic C96.21
 cutaneous (diffuse) (maculopapular) D47.01
 congenital Q82.2
 of neonatal onset Q82.2
 of newborn onset Q82.2
 indolent systemic D47.02
 isolated bone marrow D47.02
 malignant C96.29
 systemic (indolent) (smoldering)
 with an associated hematological non-mast cell lineage disease (SM-AHNMD) D47.02

Mastodynia N64.4

Mastoid — see condition

Mastoidalgia — see subcategory H92.0 X

Mastoiditis (coalescent) (hemorrhagic) (suppurative) H70.9 X
 acute, subacute H70.00 X
 complicated NEC H70.09 X
 subperiosteal H70.01 X
 chronic (necrotic) (recurrent) H70.1 X
 in (due to)
 infectious disease NEC B99 X [H75.0 X]
 parasitic disease NEC B89 [H75.0 X]
 tuberculosis A18.03
 petrositis — see Petrositis
 postauricular fistula — see Fistula, postauricular
 specified NEC H70.89 X
 tuberculous A18.03

Mastopathy, mastopathia N64.9
 chronica cystica — see Mastopathy, cystic
 cystic (chronic) (diffuse) N60.1 X
 with epithelial proliferation N60.3 X
 diffuse cystic — see Mastopathy, cystic
 estrogenic, oestrogenica N64.89
 ovarian origin N64.89

Mastoplasia, mastoplastia N62

Masturbation (excessive) F98.8

Maternal care (for) — see Pregnancy (complicated by) (management affected by)

Matheiu's disease (leptospiiral jaundice) A27.0

Mauclaire's disease or osteochondrosis — see Osteochondrosis, juvenilen, hand, metacarpal

Maxcy's disease A75.2

Maxilla, maxillary — see condition

May (-Hegglin) anomaly or syndrome D72.0

McArdle (-Schmid)(-Pearson) disease (glycogen storage) E74.04

McCune-Albright syndrome Q78.1

McQuarrie's syndrome (idiopathic familial hypoglycemia) E16.2

Meadow's syndrome Q86.1

Measles (black) (hemorrhagic) (suppressed) B05.9
 with
 complications NEC B05.89
 encephalitis B05.0
 intestinal complications B05.4
 keratitis (keratoconjunctivitis) B05.81
 meningitis B05.1
 otitis media B05.3
 pneumonia B05.2
 French — see Rubella
 German — see Rubella
 Liberty — see Rubella

Meatitis, urethral — see Urethritis

Meatus, meatal — see condition

Meat-wrappers' asthma J68.9

Meckel-Gruber syndrome Q61.9

Meckel's diverticulitis, diverticulum (displaced) (hypertrophic) Q43.0
 malignant — see Table of Neoplasms, small intestine, malignant

Meconium
 ileus, newborn P76.0
 in cystic fibrosis E84.11
 meaning meconium plug (without cystic fibrosis) P76.0
 obstruction, newborn P76.0
 due to fecaliths P76.0
 in mucoviscidosis E84.11
 peritonitis P78.0
 plug syndrome (newborn) NEC P76.0

Median (see also condition)
 arcuate ligament syndrome I77.4
 bar (prostate) (vesical orifice) — see Hyperplasia, prostate
 rhomboid glossitis K14.2

Mediastinal shift R93.89

Mediastinitis (acute) (chronic) J98.51
 syphilitic A52.73
 tuberculous A15.8

Mediastinopericarditis (see also Pericarditis)
 acute I30.9
 adhesive I31.0
 chronic I31.8
 rheumatic I09.2

Mediastinum, mediastinal — see condition

Medicine poisoning — see Table of Drugs and Chemicals, by drug, poisoning

Mediterranean
 fever — see Brucellosis
 familial M04.1
 tick A77.1
 kala-azar B55.0
 leishmaniasis B55.0
 tick fever A77.1

Medulla — see condition

Medullary cystic kidney Q61.5

Medullated fibers
 optic (nerve) Q14.8
 retina Q14.1

Medulloblastoma
 desmoplastic C71.6
 specified site — see Neoplasm, malignant, by site
 unspecified site C71.6

Medulloepithelioma (see also Neoplasm, malignant, by site)
 teratoid — see Neoplasm, malignant, by site

Medullosarcoma
 specified site — see Neoplasm, malignant, by site
 unspecified site C71.6

Meekeren-Ehlers-Danlos syndrome Q79.6

Megacolon (acquired) (functional) (not Hirschsprung's disease) (in) K59.39
 Chagas' disease B57.32
 congenital, congenitum (aganglionic) Q43.1
 Hirschsprung's (disease) Q43.1
 toxic NEC K59.31
 due to Clostridium difficile
 not specified as recurrent A04.72
 recurrent A04.71

Megaesophagus (functional) K22.0
 congenital Q39.5
 in (due to) Chagas' disease B57.31

Megalencephaly Q04.5

Megalerythema (epidemic) B08.3

Megaloappendix Q43.8

Megalocephalus, megalcephaly NEC Q75.3

Megalocornea Q15.8
 with glaucoma Q15.0

Megalocytic anemia D53.1

Megalodactylia (fingers) (thumbs) (congenital) Q74.0
 toes Q74.2

Megaloduodenum Q43.8

Megaloesophagus (functional) K22.0
 congenital Q39.5

Megalogastrica (acquired) K31.89
 congenital Q40.2

Megalophthalmos Q11.3

Megalopsia H53.15

Megalosplenica — see Splenomegaly

Megaloureter N28.82
 congenital Q62.2

Megarectum K62.89

Megasigmoid K59.39
 congenital Q43.2

Megaureter N28.82
 congenital Q62.2

Megavitamin-B6 syndrome E67.2

Megrim — see Migraine

Meibomian
 cyst, infected — see Hordeolum
 gland — see condition
 sty, sty — see Hordeolum

Meibomitis — see Hordeolum

Meige-Milroy disease (chronic hereditary edema) Q82.0

Meige's syndrome Q82.0

Melalgia, nutritional E53.8

Melanchoilia F32.9
 climacteric (single episode) F32.89
 recurrent episode F33.8
 hypochondriac F45.29
 intermittent (single episode) F32.89
 recurrent episode F33.8
 involuntional (single episode) F32.89
 recurrent episode F33.8
 menopausal (single episode) F32.89
 recurrent episode F33.8
 puerperal F32.89
 reactive (emotional stress or trauma) F32.3
 recurrent F33.9
 senile F03 X
 stuporous (single episode) F32.89
 recurrent episode F33.8

Melanemia R79.89

Melanoameloblastoma — see Neoplasm, bone, benign

Melanoblastoma — see Melanoma

Melanocarcinoma — see Melanoma

Melanocytoma, eyeball D31.9 X

Melanocytosis, neurocutaneous Q82.8

Melanoderma, melanoderma L81.4

Melanodontia, infantile K03.89

Melanodontoclasia K03.89

Melanoepithelioma — see Melanoma

Melanoma (malignant) C43.9
 acral lentiginous, malignant — see Melanoma, skin, by site
 amelanotic — see Melanoma, skin, by site
 balloon cell — see Melanoma, skin, by site
 benign — see Nevus
 desmoplastic, malignant — see Melanoma, skin, by site
 epithelioid cell — see Melanoma, skin, by site
 with spindle cell, mixed — see Melanoma, skin, by site
 in
 giant pigmented nevus — see Melanoma, skin, by site
 by site
 Hutchinson's melanotic freckle — see Melanoma, skin, by site
 junctional nevus — see Melanoma, skin, by site
 precancerous melanosis — see Melanoma, skin, by site
 in situ D03.9
 abdominal wall D03.59
 ala nasi D03.39
 ankle D03.7 X
 anus, anal (margin) (skin) D03.51
 arm D03.6 X
 auditory canal D03.2 X
 auricle (ear) D03.2 X
 auricular canal (external) D03.2 X
 axilla, axillary fold D03.59
 back D03.59
 breast D03.52
 brow D03.39
 buttock D03.59
 canthus (eye) D03.1 X
 cheek (external) D03.39