

2019

ICD-10

CM

ERRATA

Proctors: This errata replaces a missing section in AAPC's 2019 ICD-10-CM code book.

Examinees: If your code book is missing this section, you are allowed to print this and bring it to your examination. Highlighting, underlining, and brief notations needed for day-to-day coding is permitted on the printed side of the page. Long passages of information are not permitted on the blank pages of your printout (279-310).



PUBLISHER'S NOTICE

Coding, billing, and reimbursement decisions should not be made based solely upon information within this ICD-10-CM code book. Application of the information in this book does not imply or guarantee claims payment. Make inquiries of your local carriers' bulletins, policy announcements, etc., to resolve local billing requirements. Finally, the law, applicable regulations, payers' instructions, interpretations, enforcement, etc., of ICD-10-CM codes may change at any time in any particular area. Information in this book is solely based on ICD-10-CM rules and regulations.

This ICD-10-CM is designed to be an accurate and authoritative source regarding coding, and every reasonable effort has been made to ensure accuracy and completeness of content. However, this publisher makes no guarantee, warranty, or representation that this publication is complete, accurate, or without errors. It is understood that this publisher is not rendering any legal or professional services or advice in this code book and bears no liability for any results or consequences arising from use of this ICD-10-CM book.

AAPC'S COMMITMENT TO ACCURACY

This publisher is committed to providing our members accurate and reliable materials. However, codes and the guidelines by which they are applied change or are reinterpreted through the year. Check www.aapc.com periodically for updates. To report corrections and updates, please contact AAPC Customer Service via 1-800-626-2633 or via email to code.books@aapc.com.

Get Updates, Coding Tips, and Corrections for this book at www.aapc.com/codebook_updates.

Images/Illustrations by the following artists at shutterstock.com

stockshope - 180896807, 99671552, 180896810, 187162193, 180896855, 180896738, 177790997, 177791516, 180896873 | Blamb - 24129706, 105550307, 101583709, 23557609, 104901704, 104886824, 24764461 | Alila Medical Media - 72231811, 149230337, 155445686, 101696095, 96426923, 97755608, 147943922, 147943910, 155445662, 147943874, 106263593, 125891585, 228843262, 91093100, 116411527, 101205484, 127006943, 128044649, 77803252, 76386163, 79593496, 79592488, 78688351, 75043309, 97190072, 74674165, 73140514, 113164513, 120439864, 127500677, 112082045, 75512560, 147789395, 74226295, 75043312, 88937434, 117587797, 89870971, 128669354, 147789407, 89870962, 110902643, 88241464, 101419795, 101056498, 89144548, 119184292, 128044655, 117983611, 75515092, 120437533, 75923548, 125899337, 127507436, 74586256, 125581514, 125899361, 122081125, 129469667, 88937437, 88094233, 89870968, 121363498, 118506328, 90428200, 88241755, 90181153 | Designua - 430118209, 180938618, 135935735, 165084413, 138357839, 118528180 | Suwin - 405537832 | Vecton - 661087531 | Sakurra - 676139677 | stihii - 109588457, 225637774, 505306105, 505306069, 135303347 | NatthapongSachan - 452997697 | udaix - 502058023, 108531449, 108605000 | ducu59us - 104022683, 125200733, 94324789 | BlueRingMedia - 141161404, 141162229, 141161560 | joshya - 261971498 | Della_Liner - 324447776 | snapgalleria - 142194094 | okili77 - 156466463 | lotan - 186878060 | Alexander_P - 404964388 | Marochkina Anastasiia - 496840036 | logika600 - 501771241 | Athanasia Nomikou -113340007 | Sergii Chepulskyi - 137806217 | Suzanne Tucker - 88023844 | Beneda Miroslav - 125238926 | olavs - 127188179 | somersault1824 - 80995972 | Carolina K. Smith MD - 87546805 | D. Kucharski K. Kucharska - 147360692 | Arkela - 131740481 | Gromovataya - 147818714 | ARZTSAMUI - 150573029 | konmesa - 122366692 | dr OX - 129535535



Copyright 2018 © AAPC
ISBN: 978-1-626886-056

Proctors: This errata is permitted during the examination.

Pneumatosis - Pneumonia

Pneumatosis

cystoides intestinalis K63.89
 intestinalis K63.89
 peritonei K66.8

Pneumaturia R39.89

Pneumoblastoma — see Neoplasm, lung, malignant

Pneumocephalus G93.89

Pneumococcemia A40.3

Pneumococcus, pneumococcal — see condition

Pneumoconirosis (due to) (inhalation of) J64
 with tuberculosis (any type in A15) J65
 aluminum J63.0
 asbestos J61
 bagasse, bagassosis J67.1
 bauxite J63.1
 beryllium J63.2
 coal miners' (simple) J60
 coalworkers' (simple) J60
 collier's J60
 cotton dust J66.0
 diatomite (diatomaceous earth) J62.8
 dust
 inorganic NEC J63.6
 lime J62.8
 marble J62.8
 organic NEC J66.8
 fumes or vapors (from silo) J68.9
 graphite J63.3
 grinder's J62.8
 kaolin J62.8
 mica J62.8
 millstone maker's J62.8
 mineral fibers NEC J61
 miner's J60
 moldy hay J67.0
 potter's J62.8
 rheumatoid — see Rheumatoid, lung
 sandblaster's J62.8
 silica, silicate NEC J62.8
 with carbon J60
 stonemason's J62.8
 talc (dust) J62.0

Pneumocystis carinii pneumonia B59

Pneumocystis jiroveci (pneumonia) B59

Pneumocystosis (with pneumonia) B59

Pneumohemopericardium I31.2

Pneumohemothorax J94.2
 traumatic S27.2

Pneumohydropericardium — see Pericarditis

Pneumohydrothorax — see Hydrothorax

Pneumomediastinum J98.2
 congenital or perinatal P25.2

Pneumomycosis B49 [J99]

Pneumonia (acute) (double) (migratory) (purulent) (septic) (unresolved) J18.9
 with
 lung abscess J85.1
 due to specified organism — see Pneumonia, in (due to)
 influenza — see Influenza, with, pneumonia
 adenoviral J12.0
 adynamic J18.2
 alba A50.04
 allergic (eosinophilic) J82
 alveolar — see Pneumonia, lobar
 anaerobes J15.8
 anthrax A22.1
 apex, apical — see Pneumonia, lobar
 Ascaris B77.81
 aspiration J69.0
 due to
 aspiration of microorganisms
 bacterial J15.9
 viral J12.9
 food (regurgitated) J69.0
 gastric secretions J69.0
 milk (regurgitated) J69.0
 oils, essences J69.1
 solids, liquids NEC J69.8
 vomitus J69.0
 newborn P24.81
 amniotic fluid (clear) P24.11
 blood P24.21
 liquor (amni) P24.11
 meconium P24.01
 milk P24.31
 mucus P24.11
 food (regurgitated) P24.31
 specified NEC P24.81
 stomach contents P24.31
 postprocedural J95.4
 atypical NEC J18.9

Pneumonia — continued

bacillus J15.9
 specified NEC J15.8
 bacterial J15.9
 specified NEC J15.8
 Bacteroides (fragilis) (oralis) (melaninogenicus) J15.8
 basal, basic, basilar — see Pneumonia, by type
 bronchiolitis obliterans organized (BOOP) J84.89
 broncho-, bronchial (confluent) (croupous) (diffuse) (disseminated) (hemorrhagic) (involving lobes) (lobar) (terminal) J18.0
 allergic (eosinophilic) J82
 aspiration — see Pneumonia, aspiration
 bacterial J15.9
 specified NEC J15.8
 chronic — see Fibrosis, lung
 diplococcal J13
 Eaton's agent J15.7
 Escherichia coli (E. coli) J15.5
 Friedländer's bacillus J15.0
 Hemophilus influenzae J14
 hypostatic J18.2
 inhalation (see also Pneumonia, aspiration)
 due to fumes or vapors (chemical) J68.0
 of oils or essences J69.1
 Klebsiella (pneumoniae) J15.0
 lipid, lipoid J69.1
 endogenous J84.89
 Mycoplasma (pneumoniae) J15.7
 pleuro-pneumonia-like-organisms (PPLO) J15.7
 pneumococcal J13
 Proteus J15.6
 Pseudomonas J15.1
 Serratia marcescens J15.6
 specified organism NEC J16.8
 staphylococcal — see Pneumonia, staphylococcal
 streptococcal NEC J15.4
 group B J15.3
 pneumoniae J13
 viral, virus — see Pneumonia, viral
 Butyrivibrio (fibriosolvens) J15.8
 Candida B37.1
 caseous — see Tuberculosis, pulmonary
 catarrhal — see Pneumonia, broncho
 chlamydial J16.0
 congenital P23.1
 cholesterol J84.89
 cirrhotic (chronic) — see Fibrosis, lung
 Clostridium (haemolyticum) (novyi) J15.8
 confluent — see Pneumonia, broncho
 congenital (infective) P23.9
 due to
 bacterium NEC P23.6
 Chlamydia P23.1
 Escherichia coli P23.4
 Haemophilus influenzae P23.6
 infective organism NEC P23.8
 Klebsiella pneumoniae P23.6
 Mycoplasma P23.6
 Pseudomonas P23.5
 Staphylococcus P23.2
 Streptococcus (except group B) P23.6
 group B P23.3
 viral agent P23.0
 specified NEC P23.8
 croupous — see Pneumonia, lobar
 cryptogenic organizing J84.116
 cytomegalic inclusion B25.0
 cytomegaloviral B25.0
 deglutition — see Pneumonia, aspiration
 desquamative interstitial J84.117
 diffuse — see Pneumonia, broncho
 diplococcal, diplococcus (broncho-) (lobar) J13
 disseminated (focal) — see Pneumonia, broncho
 Eaton's agent J15.7
 embolic, embolism — see Embolism, pulmonary
 Enterobacter J15.6
 eosinophilic J82
 Escherichia coli (E. coli) J15.5
 Eubacterium J15.8
 fibrinous — see Pneumonia, lobar
 fibroid, fibrous (chronic) — see Fibrosis, lung
 Friedländer's bacillus J15.0
 Fusobacterium (nucleatum) J15.8
 gangrenous J85.0
 giant cell (measles) B05.2
 gonococcal A54.84
 gram-negative bacteria NEC J15.6
 anaerobic J15.8
 Hemophilus influenzae (broncho) (lobar) J14
 human metapneumovirus J12.3

Pneumonia — continued

hypostatic (broncho) (lobar) J18.2
 in (due to)
 actinomycosis A42.0
 adenovirus J12.0
 anthrax A22.1
 ascariasis B77.81
 aspergillosis B44.9
 Bacillus anthracis A22.1
 Bacterium anitratum J15.6
 candidiasis B37.1
 chickenpox B01.2
 Chlamydia J16.0
 neonatal P23.1
 coccioidomycosis B38.2
 acute B38.0
 chronic B38.1
 cytomegalovirus disease B25.0
 Diplococcus (pneumoniae) J13
 Eaton's agent J15.7
 Enterobacter J15.6
 Escherichia coli (E. coli) J15.5
 Friedländer's bacillus J15.0
 fumes and vapors (chemical) (inhalation) J68.0
 gonorrhoea A54.84
 Hemophilus influenzae (H. influenzae) J14
 Herellea J15.6
 histoplasmosis B39.2
 acute B39.0
 chronic B39.1
 human metapneumovirus J12.3
 Klebsiella (pneumoniae) J15.0
 measles B05.2
 Mycoplasma (pneumoniae) J15.7
 nocardiosis, nocardiasis A43.0
 ornithosis A70
 parainfluenza virus J12.2
 pleuro-pneumonia-like-organism (PPLO) J15.7
 pneumococcus J13
 pneumocystosis (Pneumocystis carinii) (Pneumocystis jiroveci) B59
 Proteus J15.6
 Pseudomonas NEC J15.1
 pseudomallei A24.1
 psittacosis A70
 Q fever A78
 respiratory syncytial virus J12.1
 rheumatic fever I00 [J17]
 rubella B06.81
 Salmonella (infection) A02.22
 typhi A01.03
 schistosomiasis B65.9 [J17]
 Serratia marcescens J15.6
 specified
 bacterium NEC J15.8
 organism NEC J16.8
 spirochetal NEC A69.8
 Staphylococcus J15.20
 aureus (methicillin susceptible) (MSSA) J15.211
 methicillin resistant (MRSA) J15.212
 specified NEC J15.29
 Streptococcus J15.4
 group B J15.3
 pneumoniae J13
 specified NEC J15.4
 toxoplasmosis B58.3
 tularemia A21.2
 typhoid (fever) A01.03
 varicella B01.2
 virus — see Pneumonia, viral
 whooping cough A37.91
 due to
 Bordetella parapertussis A37.11
 Bordetella pertussis A37.01
 specified NEC A37.81
 Yersinia pestis A20.2
 inhalation of food or vomit — see Pneumonia, aspiration
 interstitial J84.9
 chronic J84.111
 desquamative J84.117
 due to
 collagen vascular disease J84.17
 known underlying cause J84.17
 idiopathic NOS J84.111
 in disease classified elsewhere J84.17
 lymphocytic (due to collagen vascular disease) (in diseases classified elsewhere) J84.17
 lymphoid J84.2
 non-specific J84.89
 due to
 collagen vascular disease J84.17
 known underlying cause J84.17

Pneumonia - Poisoning

Proctors: This errata is permitted during the examination.

Pneumonia — *continued*

interstitial — *continued*

- idiopathic J84.113
- in diseases classified elsewhere J84.17
- plasma cell B59
- pseudomonas J15.1
- usual J84.112
 - due to collagen vascular disease J84.17
 - idiopathic J84.112
 - in diseases classified elsewhere J84.17
- Klebsiella (pneumoniae) J15.0
- lipid, lipoid (exogenous) J69.1
- endogenous J84.89
- lobar (disseminated) (double) (interstitial) J18.1
 - bacterial J15.9
 - specified NEC J15.8
 - chronic — see Fibrosis, lung
 - Escherichia coli (E. coli) J15.5
 - Friedländer's bacillus J15.0
 - Hemophilus influenzae J14
 - hypostatic J18.2
 - Klebsiella (pneumoniae) J15.0
 - pneumococcal J13
 - Proteus J15.6
 - Pseudomonas J15.1
 - specified organism NEC J16.8
 - staphylococcal — see Pneumonia, staphylococcal
 - streptococcal NEC J15.4
 - Streptococcus pneumoniae J13
 - viral, virus — see Pneumonia, viral
- lobular — see Pneumonia, broncho
- Löffler's J82
- lymphoid interstitial J84.2
- massive — see Pneumonia, lobar
- meconium P24.01
- MRSA (Methicillin resistant Staphylococcus aureus) J15.212
- MSSA (methicillin susceptible Staphylococcus aureus) J15.211
- multilobar — see Pneumonia, by type
- Mycoplasma (pneumoniae) J15.7
- necrotic J85.0
- neonatal P23.9
 - aspiration — see Aspiration, by substance, with pneumonia
- nitrogen dioxide J68.0
- organizing J84.89
 - due to
 - collagen vascular disease J84.17
 - known underlying cause J84.17
 - in diseases classified elsewhere J84.17
- orthostatic J18.2
- parainfluenza virus J12.2
- parenchymatous — see Fibrosis, lung
- passive J18.2
- patchy — see Pneumonia, broncho
- Peptococcus J15.8
- Peptostreptococcus J15.8
- plasma cell (of infants) B59
- pleurolobar — see Pneumonia, lobar
- pleuro-pneumonia-like organism (PPLO) J15.7
- pneumococcal (broncho) (lobar) J13
- Pneumocystis (carinii) (jiroveci) B59
- postinfectious NEC B99 [J17]
- postmeasles B05.2
- Proteus J15.6
- Pseudomonas J15.1
- psittacosis A70
- radiation J70.0
- respiratory syncytial virus J12.1
- resulting from a procedure J95.89
- rheumatic I00 [J17]
- Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium) A02.22
 - typhi A01.03
 - typhoid fever A01.03
- SARS-associated coronavirus J12.81
- segmented, segmental — see Pneumonia, broncho
- Serratia marcescens J15.6
 - specified NEC J18.8
 - bacterium NEC J15.8
 - organism NEC J16.8
 - virus NEC J12.89
- spirochetal NEC A69.8
- staphylococcal (broncho) (lobar) J15.20
- aureus (methicillin susceptible) (MSSA) J15.211
 - methicillin resistant (MRSA) J15.212
 - specified NEC J15.29
- static, stasis J18.2
- streptococcal NEC (broncho) (lobar) J15.4
 - group
 - A J15.4

Pneumonia — *continued*

streptococcal NEC — *continued*

- B J15.3
 - specified NEC J15.4
- Streptococcus pneumoniae J13
- syphilitic, congenital (early) A50.04
- traumatic (complication) (early) (secondary) T79.8 [X]
- tuberculous (any) — see Tuberculosis, pulmonary
- tularemic A21.2
- varicella B01.2
- Veillonella J15.8
- ventilator associated J95.851
- viral, virus (broncho) (interstitial) (lobar) J12.9
 - adenoviral J12.0
 - congenital P23.0
 - human metapneumovirus J12.3
 - parainfluenza J12.2
 - respiratory syncytial J12.1
 - SARS-associated coronavirus J12.81
 - specified NEC J12.89
 - white (congenital) A50.04

Pneumonic — see condition

Pneumonitis (acute) (primary) (see also Pneumonia)

- air-conditioner J67.7
- allergic (due to) J67.9
 - organic dust NEC J67.8
 - red cedar dust J67.8
 - sequoiosis J67.8
 - wood dust J67.8
- aspiration J69.0
 - due to
 - anesthesia J95.4
 - during
 - labor and delivery O74.0
 - pregnancy O29.01 [X]
 - puerperium O89.01
 - fumes or gases J68.0
 - obstetric O74.0
 - chemical (due to gases, fumes or vapors) (inhalation) J68.0
 - due to anesthesia J95.4
 - cholesterol J84.89
 - crack (cocaine) J68.0
 - chronic — see Fibrosis, lung
 - congenital rubella P35.0
 - due to
 - beryllium J68.0
 - cadmium J68.0
 - crack (cocaine) J68.0
 - detergent J69.8
 - fluorocarbon-polymer J68.0
 - food, vomit (aspiration) J69.0
 - fumes or vapors J68.0
 - gases, fumes or vapors (inhalation) J68.0
 - inhalation
 - blood J69.8
 - essences J69.1
 - food (regurgitated), milk, vomit J69.0
 - oils, essences J69.1
 - saliva J69.0
 - solids, liquids NEC J69.8
 - manganese J68.0
 - nitrogen dioxide J68.0
 - oils, essences J69.1
 - solids, liquids NEC J69.8
 - toxoplasmosis (acquired) B58.3
 - congenital P37.1
 - vanadium J68.0
 - ventilator J95.851
- eosinophilic J82
- hypersensitivity J67.9
 - air conditioner lung J67.7
 - bagassosis J67.1
 - bird fancier's lung J67.2
 - farmer's lung J67.0
 - maltworker's lung J67.4
 - maple bark-stripper's lung J67.6
 - mushroom worker's lung J67.5
 - specified organic dust NEC J67.8
 - suberosis J67.3
- interstitial (chronic) J84.89
 - acute J84.114
 - lymphoid J84.2
 - non-specific J84.89
 - idiopathic J84.113
- lymphoid, interstitial J84.2
- meconium P24.01
- postanesthetic J95.4
 - correct substance properly administered — see Table of Drugs and Chemicals, by drug, adverse effect

Pneumonitis — *continued*

postanesthetic — *continued*

- in labor and delivery O74.0
- in pregnancy O29.01 [X]
- obstetric O74.0
 - overdose or wrong substance given or taken (by accident) — see Table of Drugs and Chemicals, by drug, poisoning
- postpartum, puerperal O89.01
- postoperative J95.4
 - obstetric O74.0
- radiation J70.0
- rubella, congenital P35.0
- ventilation (air-conditioning) J67.7
- ventilator associated J95.851
- wood-dust J67.8

Pneumonoconiosis — see Pneumoconiosis

Pneumoparotid K11.8

Pneumopathy NEC J98.4

- alveolar J84.09
- due to organic dust NEC J66.8
- parietoalveolar J84.09

Pneumopericarditis (see also Pericarditis)

- acute I30.9

Pneumopericardium (see also Pericarditis)

- congenital P25.3
- newborn P25.3
- traumatic (post) — see Injury, heart

Pneumophagia (psychogenic) F45.8

Pneumopleurisy, pneumopleuritis (see also Pneumonia) J18.8

Pneumopyopericardium I30.1

Pneumopyothorax — see Pyopneumothorax

- with fistula J86.0

Pneumorrhagia (see also Hemorrhage, lung)

- tuberculous — see Tuberculosis, pulmonary

Pneumothorax NOS J93.9

- acute J93.83
- chronic J93.81
- congenital P25.1
- perinatal period P25.1
- postprocedural J95.811
- specified NEC J93.83
- spontaneous NOS J93.83
 - newborn P25.1
 - primary J93.11
 - secondary J93.12
 - tension J93.0
- tense valvular, infectious J93.0
- tension (spontaneous) J93.0
- traumatic S27.0 [X]
 - with hemothorax S27.2 [X]
 - tuberculous — see Tuberculosis, pulmonary

Podagra (see also Gout) M10.9

Podencephalus Q01.9

Poikilocytosis R71.8

Poikiloderma L81.6

- Civatte's L57.3
- congenital Q82.8
- vasculare atrophicans L94.5

Poikilodermatomyositis M33.10

- with
 - myopathy M33.12
 - respiratory involvement M33.11
 - specified organ involvement NEC M33.19

Pointed ear (congenital) Q17.3

Poison ivy, oak, sumac or other plant dermatitis (allergic) (contact) L23.7

Poisoning (acute) (see also Table of Drugs and Chemicals)

- algae and toxins T65.82 [X]
- Bacillus B (aertrycke) (cholerae (suis)) (paratyphosus) (suipestifer) A02.9
- botulinus A05.1
- bacterial toxins A05.9
- berries, noxious — see Poisoning, food, noxious, berries
- botulism A05.1
- ciguatera fish T61.0 [X]
- Clostridium botulinum A05.1
- death-cap (Amanita phalloides) (Amanita verna) — see Poisoning, food, noxious, mushrooms
- drug — see Table of Drugs and Chemicals, by drug, poisoning
- epidemic, fish (noxious) — see Poisoning, seafood
- bacterial A05.9
- fava bean D55.0
- fish (noxious) T61.9 [X]
 - bacterial — see Intoxication, foodborne, by agent
 - ciguatera fish — see Poisoning, ciguatera fish
 - scombroid fish — see Poisoning, scombroid fish
 - specified type NEC T61.77 [X]

Proctors: This errata is permitted during the examination.

Poisoning - Polyneuropathy

Poisoning — continued

food (acute) (diseased) (infected) (noxious)
 NEC T62.9

bacterial — see Intoxication, foodborne, by agent due to

Bacillus (aertrycke) (choleraesuis) (paratyphosus) (suipestifer) A02.9
 botulinus A05.1
 Clostridium (perfringens) (Welchii) A05.2
 salmonella (aertrycke) (callinarum) (choleraesuis) (enteritidis) (paratyphi) (suipestifer) A02.9
 with
 gastroenteritis A02.0
 sepsis A02.1
 staphylococcus A05.0
 Vibrio
 parahaemolyticus A05.3
 vulnificus A05.5

noxious or naturally toxic T62.9
 berries — see subcategory T62.1
 fish — see Poisoning, seafood
 mushrooms — see subcategory T62.0X
 plants NEC — see subcategory T62.2X
 seafood — see Poisoning, seafood
 specified NEC — see subcategory T62.8X

ichthyotoxicism — see Poisoning, seafood
 kreotoxism, food A05.9
 latex T65.81
 lead T56.0
 mushroom — see Poisoning, food, noxious, mushroom
 mussels (see also Poisoning, shellfish)
 bacterial — see Intoxication, foodborne, by agent
 nicotine (tobacco) T65.2
 noxious foodstuffs — see Poisoning, food, noxious
 plants, noxious — see Poisoning, food, noxious, plants NEC
 ptomaine — see Poisoning, food
 radiation J70.0
 Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium) A02.9
 scombroid fish T61.1
 seafood (noxious) T61.9
 bacterial — see Intoxication, foodborne, by agent
 fish — see Poisoning, fish
 shellfish — see Poisoning, shellfish
 specified NEC — see subcategory T61.8X
 shellfish (amnesic) (azaspiracid) (diarrheic) (neurotoxic) (noxious) (paralytic) T61.78
 bacterial — see Intoxication, foodborne, by agent
 ciguatera mollusk — see Poisoning, ciguatera fish
 specified substance NEC T65.891
 Staphylococcus, food A05.0
 tobacco (nicotine) T65.2
 water E87.79

Poker spine — see Spondylitis, ankylosing
 Poland syndrome Q79.8
 Polioencephalitis (acute) (bulbar) A80.9
 inferior G12.22
 influenzal — see Influenza, with, encephalopathy
 superior hemorrhagic (acute) (Wernicke's) E51.2
 Wernicke's E51.2

Polioencephalomyelitis (acute) (anterior) A80.9
 with beriberi E51.2

Polioencephalopathy, superior hemorrhagic E51.2
 with
 beriberi E51.11
 pellagra E52

Poliomeningoencephalitis — see Meningoencephalitis
 Poliomyelitis (acute) (anterior) (epidemic) A80.9
 with paralysis (bulbar) — see Poliomyelitis, paralytic
 abortive A80.4
 ascending (progressive) — see Poliomyelitis, paralytic
 bulbar (paralytic) — see Poliomyelitis, paralytic
 congenital P35.8
 nonepidemic A80.9
 nonparalytic A80.4
 paralytic A80.30
 specified NEC A80.39
 vaccine-associated A80.0
 wild virus
 imported A80.1
 indigenous A80.2
 spinal, acute A80.9

Polioidis (eyebrow) (eyelashes) L67.1
 circumscripta, acquired L67.1

Pollakiuria R35.0
 psychogenic F45.8

Pollinosis J30.1

Pollitzer's disease L73.2

Polyadenitis (see also Lymphadenitis)
 malignant A20.0

Polyalgia M79.89

Polyangiitis M30.0
 microscopic M31.7
 overlap syndrome M30.8

Polyarteritis
 microscopic M31.7
 nodosa M30.0
 with lung involvement M30.1
 juvenile M30.2
 related condition NEC M30.8

Polyarthralgia — see Pain, joint

Polyarthritides, polyarthropathy (see also Arthritis) M13.0
 due to or associated with other specified conditions — see Arthritis
 epidemic (Australian) (with exanthema) B33.1
 infective — see Arthritis, pyogenic or pyemic
 inflammatory M06.4
 juvenile (chronic) (seronegative) M08.3
 migratory — see Fever, rheumatic
 rheumatic, acute — see Fever, rheumatic

Polyarthrosis M15.9
 post-traumatic M15.3
 primary M15.0
 specified NEC M15.8

Polycerebral syndrome of infancy E40

Polychondritis (atrophic) (chronic) (see also Disorder, cartilage, specified type NEC)
 relapsing M94.1

Polycoria Q13.2

Polycystic (disease)
 degeneration, kidney Q61.3
 autosomal dominant (adult type) Q61.2
 autosomal recessive (infantile type) NEC Q61.19
 kidney Q61.3
 autosomal
 dominant Q61.2
 recessive NEC Q61.19
 autosomal dominant (adult type) Q61.2
 autosomal recessive (childhood type) NEC Q61.19
 infantile type NEC Q61.19
 liver Q44.6
 lung J98.4
 congenital Q33.0
 ovary, ovaries E28.2
 spleen Q89.09

Polycythemia (secondary) D75.1
 acquired D75.1
 benign (familial) D75.0
 due to
 donor twin P61.1
 erythropoietin D75.1
 fall in plasma volume D75.1
 high altitude D75.1
 maternal-fetal transfusion P61.1
 stress D75.1
 emotional D75.1
 erythropoietin D75.1
 familial (benign) D75.0
 Gaisböck's (hypertonica) D75.1
 high altitude D75.1
 hypertonica D75.1
 hypoxemic D75.1
 neonatorum P61.1
 nephrogenous D75.1
 relative D75.1
 secondary D75.1
 spurious D75.1
 stress D75.1
 vera D45

Polycytosis cryptogenica D75.1

Polydactylism, polydactyly Q69.9
 toes Q69.2

Polydipsia R63.1

Polydystrophy, pseudo-Hurler E77.0

Polyembryoma — see Neoplasm, malignant, by site

Polyglandular
 deficiency E31.0
 dyscrasia E31.9
 dysfunction E31.9
 syndrome E31.8

Polyhydramnios O40.

Polymastia Q83.1

Polymenorrhea N92.0

Polymyalgia M35.3
 arteritica, giant cell M31.5
 rheumatica M35.3
 with giant cell arteritis M31.5

Polymyositis (acute) (chronic) (hemorrhagic) M33.20
 with
 myopathy M33.22

Polyomyositis — continued

with — continued
 respiratory involvement M33.21
 skin involvement — see Dermatopolyomyositis
 specified organ involvement NEC M33.29
 ossificans (generalisata) (progressiva) — see Myositis, ossificans, progressiva

Polyneuritis, polyneuritic (see also Polyneuropathy)
 acute (post-) infective G61.0
 alcoholic G62.1
 cranialis G52.7
 demyelinating, chronic inflammatory (CIDP) G61.81
 diabetic — see Diabetes, polyneuropathy
 diphtheritic A36.83
 due to lack of vitamin NEC E56.9 [G63]
 endemic E51.11
 erythredema — see subcategory T56.1
 febrile, acute G61.0
 hereditary ataxic G60.1
 idiopathic, acute G61.0
 infective (acute) G61.0
 inflammatory, chronic demyelinating (CIDP) G61.81
 nutritional E63.9 [G63]
 postinfective (acute) G61.0
 specified NEC G62.89

Polyneuropathy (peripheral) G62.9
 alcoholic G62.1
 amyloid (Portuguese) E85.1 [G63]
 transthyretin-related (ATTR) familial E85.1
 arsenical G62.2
 critical illness G62.81
 demyelinating, chronic inflammatory (CIDP) G61.81
 diabetic — see Diabetes, polyneuropathy
 drug-induced G62.0
 hereditary G60.9
 specified NEC G60.8
 idiopathic G60.9
 progressive G60.3
 in (due to)
 alcohol G62.1
 sequelae G65.2
 amyloidosis, familial (Portuguese) E85.1 [G63]
 antitetanus serum G61.1
 arsenic G62.2
 sequelae G65.2
 avitaminosis NEC E56.9 [G63]
 beriberi E51.11
 collagen vascular disease NEC M35.9 [G63]
 deficiency (of)
 B (-complex) vitamins E53.9 [G63]
 vitamin B6 E53.1 [G63]
 diabetes — see Diabetes, polyneuropathy
 diphtheria A36.83
 drug or medication G62.0
 correct substance properly administered — see Table of Drugs and Chemicals, by drug, adverse effect
 overdose or wrong substance given or taken — see Table of Drugs and Chemicals, by drug, poisoning
 endocrine disease NEC E34.9 [G63]
 herpes zoster B02.23
 hypoglycemia E16.2 [G63]
 infectious
 disease NEC B99 [G63]
 mononucleosis B27.91
 lack of vitamin NEC E56.9 [G63]
 lead G62.2
 sequelae G65.2
 leprosy A30.9 [G63]
 Lyme disease A69.22
 metabolic disease NEC E88.9 [G63]
 microscopic polyangiitis M31.7 [G63]
 mumps B26.84
 neoplastic disease (see also Neoplasm) D49.9 [G63]
 nutritional deficiency NEC E63.9 [G63]
 organophosphate compounds G62.2
 sequelae G65.2
 parasitic disease NEC B89 [G63]
 pellagra E52 [G63]
 polyarteritis nodosa M30.0
 porphyria E80.20 [G63]
 radiation G62.82
 rheumatoid arthritis — see Rheumatoid, polyneuropathy
 sarcooidosis D86.89
 serum G61.1
 syphilis (late) A52.15
 congenital A50.43
 systemic
 connective tissue disorder M35.9 [G63]
 lupus erythematosus M32.19

Polyneuropathy - Postexanthematous

Factors: This errata is permitted during the examination.

Polyneuropathy — continued

in — *continued*

- toxic agent NEC G62.2
- sequelae G65.2
- transhyretin-related (ATTR) familial amyloid E85.1
- triorthocresyl phosphate G62.2
- sequelae G65.2
- tuberculosis A17.89
- uremia N18.9 [G63]
- vitamin B12 deficiency E53.8 [G63]
 - with anemia (pernicious) D51.0 [G63]
 - due to dietary deficiency D51.3 [G63]
- zoster B02.23
- inflammatory G61.9
 - chronic demyelinating (CIDP) G61.81
 - sequelae G65.1
 - specified NEC G61.89
- lead G62.2
 - sequelae G65.2
- nutritional NEC E63.9 [G63]
- postherpetic (zoster) B02.23
- progressive G60.3
- radiation-induced G62.82
- sensory (hereditary) (idiopathic) G60.8
- specified NEC G62.89
- syphilitic (late) A52.15
- congenital A50.43

Polyopia H53.8

Polyorchism, polyorchidism Q55.21

Polystoeoarthritis (see also Osteoarthritis, generalized) M15.9-

- post-traumatic M15.3
- specified NEC M15.8

Polyostotic fibrous dysplasia Q78.1

Polyotia Q17.0

Polyp, polypus

- accessory sinus J33.8
- adenocarcinoma in — see Neoplasm, malignant, by site
- adenocarcinoma in situ in — see Neoplasm, in situ, by site
- adenoid tissue J33.0
- adenomatous (see also Neoplasm, benign, by site)
- adenocarcinoma in — see Neoplasm, malignant, by site
- adenocarcinoma in situ in — see Neoplasm, in situ, by site
- carcinoma in — see Neoplasm, malignant, by site
- carcinoma in situ in — see Neoplasm, in situ, by site
- multiple — see Neoplasm, benign
- adenocarcinoma in — see Neoplasm, malignant, by site
- adenocarcinoma in situ in — see Neoplasm, in situ, by site

antrum J33.8

anus, anal (canal) K62.0

Bartholin's gland N84.3

bladder D41.4

carcinoma in — see Neoplasm, malignant, by site

carcinoma in situ in — see Neoplasm, in situ, by site

cecum D12.0

cervix (uteri) N84.1

- in pregnancy or childbirth — see Pregnancy, complicated by, abnormal, cervix

mucous N84.1

nonneoplastic N84.1

choanal J33.0

cholesterol K82.4

clitoris N84.3

colon K63.5

- adenomatous D12.6
- ascending D12.2
- cecum D12.0
- descending D12.4
- inflammatory K51.40
 - with
 - abscess K51.414
 - complication K51.419
 - specified NEC K51.418
 - fistula K51.413
 - intestinal obstruction K51.412
 - rectal bleeding K51.411
- sigmoid D12.5
- transverse D12.3

corpus uteri N84.0

dental K04.01

- irreversible K04.02
- reversible K04.01

duodenum K31.7

ear (middle) H74.4

endometrium N84.0

Polyp, polypus — *continued*

- ethmoidal (sinus) J33.8
- fallopian tube N84.8
- female genital tract N84.9
 - specified NEC N84.8
- frontal (sinus) J33.8
- gallbladder K82.4
- gingiva, gum K06.8
- labia, labium (majus) (minus) N84.3
- larynx (mucous) J38.1
 - adenomatous D14.1
- malignant — see Neoplasm, malignant, by site
- maxillary (sinus) J33.8
- middle ear — see Polyp, ear (middle)
- myometrium N84.0
- nares
 - anterior J33.9
 - posterior J33.0
- nasal (mucous) J33.9
 - cavity J33.0
 - septum J33.0
- nasopharyngeal J33.0
- nose (mucous) J33.9
- oviduct N84.8
- pharynx J39.2
- placenta O90.89
- prostate — see Enlargement, enlarged, prostate
- puddenda, pudendum N84.3
- pulpal (dental) K04.01
 - irreversible K04.02
 - reversible K04.01
- rectum (nonadenomatous) K62.1
 - adenomatous — see Polyp, adenomatous
- septum (nasal) J33.0
- sinus (accessory) (ethmoidal) (frontal) (maxillary) (sphenoidal) J33.8
- sphenoidal (sinus) J33.8
- stomach K31.7
 - adenomatous D13.1
- tube, fallopian N84.8
- turbinate, mucous membrane J33.8
- umbilical, newborn P83.6
- ureter N28.89
- urethra N36.2
- uterus (body) (corpus) (mucous) N84.0
 - cervix N84.1
 - in pregnancy or childbirth — see Pregnancy, complicated by, tumor, uterus
- vagina N84.2
- vocal cord (mucous) J38.1
- ovula N84.3

Polyphagia R63.2

Polyplody Q92.7

Polypoid — see condition

Polyposis (see also Polyp)

- coli (adenomatous) D12.6
- adenocarcinoma in C18.9
- adenocarcinoma in situ in — see Neoplasm, in situ, by site
- carcinoma in C18.9
- colon (adenomatous) D12.6
- familial D12.6
 - adenocarcinoma in situ in — see Neoplasm, in situ, by site
- intestinal (adenomatous) D12.6
- malignant lymphomatous C83.1
- multiple, adenomatous (see also Neoplasm, benign) D36.9

Polyradiculitis — see Polyneuropathy

Polyradiculoneuropathy (acute) (postinfective) (segmentally demyelinating) G61.0

Polyserositis

- due to pericarditis I31.1
- pericardial I31.1
- periodic, familial E85.0
- tuberculous A19.9
 - acute A19.1
 - chronic A19.8

Polysplenia syndrome Q89.09

Polysyndactyly (see also Syndactylism, syndactyly) Q70.4

Polytrichia L68.3

Polyunguia Q84.6

Polyuria R35.8

- nocturnal R35.1
- psychogenic F45.8

Pompe's disease (glycogen storage) E74.02

Pompholyx L30.1

Poncet's disease (tuberculous rheumatism) A18.09

Pond fracture — see Fracture, skull

Ponos B55.0

Pons, pontine — see condition

Poor

- aesthetic of existing restoration of tooth K08.56
- contractions, labor O62.2
- gingival margin to tooth restoration K08.51
- personal hygiene R46.0
- prenatal care, affecting management of pregnancy — see Pregnancy, complicated by, insufficient, prenatal care
- sucking reflex (newborn) R29.2
- urinary stream R39.12
- vision NEC H54.7

Poradenitis, nostras inguinalis or venerea A55

Porencephaly (congenital) (developmental) (true) Q04.6

- acquired G93.0
- nondevelopmental G93.0
- traumatic (post) F07.89

Poroccephaliosis E88.8

Porokeratosis Q82.8

Poroma, eccrine — see Neoplasm, skin, benign

Porphyria (South African) E80.20

- acquired E80.20
- acute intermittent (hepatic) (Swedish) E80.21
- cutanea tarda (hereditary) (symptomatic) E80.1
- due to drugs E80.20
 - correct substance properly administered — see Table of Drugs and Chemicals, by drug, adverse effect
 - overdose or wrong substance given or taken — see Table of Drugs and Chemicals, by drug, poisoning
- erythropoietic (congenital) (hereditary) E80.0
- hepatocutaneous type E80.1
- secondary E80.20
- toxic NEC E80.20
- variegata E80.20

Porphyria — see Porphyria

Porphyria — see Porphyria

Portal — see condition

Port wine nevus, mark, or stain Q82.5

Posadas-Wernicke disease B38.9

Positive

- culture (nonspecific)
 - blood R78.81
 - bronchial washings R84.5
 - cerebrospinal fluid R83.5
 - cervix uteri R87.5
 - nasal secretions R84.5
 - nipple discharge R89.5
 - nose R84.5
 - staphylococcus (Methicillin susceptible) Z22.321
 - Methicillin resistant Z22.322
 - peritoneal fluid R85.5
 - pleural fluid R84.5
 - prostatic secretions R86.5
 - saliva R85.5
 - seminal fluid R86.5
 - sputum R84.5
 - synovial fluid R89.5
 - throat scrapings R84.5
 - urine R82.79
 - vagina R87.5
 - ovula R87.5
 - wound secretions R89.5
- PPD (skin test) R76.11
- serology for syphilis A53.0
 - false R76.8
 - with signs or symptoms - code as Syphilis, by site and stage
- skin test, tuberculin (without active tuberculosis) R76.11
- test, human immunodeficiency virus (HIV) R75
- VDRL A53.0
 - with signs or symptoms - code by site and stage under Syphilis A53.9
 - Wassermann reaction A53.0

Postcardiotomy syndrome I97.0

Postcaval ureter Q62.62

Postcholecystectomy syndrome K91.5

Postclimacteric bleeding N95.0

Postcommissurotomy syndrome I97.0

Postconcussional syndrome F07.81

Postcontusional syndrome F07.81

Postcricoid region — see condition

Post-dates (40-42 weeks) (pregnancy) (mother) O48.0

- more than 42 weeks gestation O48.1

Postencephalitic syndrome F07.89

Posterior — see condition

Posterolateral sclerosis (spinal cord) — see Degeneration, combined

Postexanthematous — see condition

Proctors: This errata is permitted during the examination.

Postfebrile - Pregnancy

Postfebrile — see condition
Postgastrectomy dumping syndrome K91.1
Posthemiplegic chorea — see Monoplegia
Posthemorrhagic anemia (chronic) D50.0
acute D62
newborn P61.3
Postherpetic neuralgia (zoster) B02.29
trigeminal B02.22
Posthitis N47.7
Postimmunization complication or reaction — see Complications, vaccination
Postinfectious — see condition
Postlaminectomy syndrome NEC M96.1
Postleukotomy syndrome F07.0
Postmastectomy lymphedema (syndrome) I97.2
Postmaturity, postmature (over 42 weeks)
maternal (over 42 weeks gestation) O48.1
newborn P08.22
Postmeasles complication NEC (see also condition) B05.89
Postmenopausal
endometrium (atrophic) N95.8
suppurative (see also Endometritis) N71.9
osteoporosis — see Osteoporosis, postmenopausal
Postnasal drip R09.82
due to
allergic rhinitis — see Rhinitis, allergic
common cold J00
gastroesophageal reflux — see Reflux, gastroesophageal
nasopharyngitis — see Nasopharyngitis
other know condition - code to condition
sinusitis — see Sinusitis
Postnatal — see condition
Postoperative (postprocedural) — see Complication, postoperative
pneumothorax, therapeutic Z98.3
state NEC Z98.890
Postpancreatectomy hyperglycemia E89.1
Postpartum — see Puerperal
Postphlebitic syndrome — see Syndrome, postthrombotic
Postpoliomyelitic (see also condition)
osteopathy — see Osteopathy, after poliomyelitis
Postpolio (myelitic) syndrome G14
Postprocedural (see also Postoperative)
hypoinsulinemia E89.1
Postschizophrenic depression F32.89
Postsurgery status (see also Status (post))
pneumothorax, therapeutic Z98.3
Post-term (40-42 weeks) (pregnancy) (mother) O48.0
infant P08.21
more than 42 weeks gestation (mother) O48.1
Post-traumatic brain syndrome, nonpsychotic F07.81
Post-typhoid abscess A01.09
Postures, hysterical F44.2
Postvaccinal reaction or complication — see Complications, vaccination
Postvalvulotomy syndrome I97.0
Potain's
disease (pulmonary edema) — see Edema, lung
syndrome (gastractasis with dyspepsia) K31.0
Potter's
asthma J62.8
facies Q60.6
lung J62.8
syndrome (with renal agenesis) Q60.6
Pott's
curvature (spinal) A18.01
disease or paraplegia A18.01
spinal curvature A18.01
tumor, puffy — see Osteomyelitis, specified type
NEC
Pouch
bronchus Q32.4
Douglas' — see condition
esophagus, esophageal, congenital Q39.6
acquired K22.5
gastric K31.4
Hartmann's K82.8
pharynx, pharyngeal (congenital) Q38.7
Pouchitis K91.850
Poultrymen's itch B88.0
Poverty NEC Z59.6
extreme Z59.5
Poxvirus NEC B08.8
Prader-Willi syndrome Q87.1
Preauricular appendage or tag Q17.0
Prebetalipoproteinemia (acquired) (essential)
(familial) (hereditary) (primary) (secondary) E78.1
with chylomicronemia E78.3
Precipitate labor or delivery O62.3

Preclimacteric bleeding (menorrhagia) N92.4
Precocious
adrenarche E30.1
menarche E30.1
menstruation E30.1
pubarche E30.1
puberty E30.1
central E22.8
sexual development NEC E30.1
thelarche E30.8
Precocity, sexual (constitutional) (cryptogenic) (female)
(idiopathic) (male) E30.1
with adrenal hyperplasia E25.9
congenital E25.0
Precordial pain R07.2
Predeciduous teeth K00.2
Prediabetes, prediabetic R73.03
complicating
pregnancy — see Pregnancy, complicated by, diseases of, specified type or system
NEC
puerperium O99.89
Predislocation status of hip at birth Q65.6
Pre-eclampsia O14.9
with pre-existing hypertension — see Hypertension, complicating pregnancy, pre-existing, with, pre-eclampsia
complicating
childbirth O14.94
puerperium O14.95
mild O14.0
complicating
childbirth O14.04
puerperium O14.05
moderate O14.0
complicating
childbirth O14.04
puerperium O14.05
severe O14.1
with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.2
complicating
childbirth O14.24
puerperium O14.25
complicating
childbirth O14.14
puerperium O14.15
Pre-eruptive color change, teeth, tooth K00.8
Pre-excitation atrioventricular conduction I45.6
Preglucoma H40.00
Pregnancy (single) (uterine) (see also Delivery and Puerperal)
Note: The Tabular must be reviewed for assignment of the appropriate character indicating the trimester of the pregnancy
Note: The Tabular must be reviewed for assignment of appropriate seventh character for multiple gestation codes in Chapter 15
abdominal (ectopic) O00.00
with intrauterine pregnancy O00.01
with viable fetus O36.7
ampullar O00.10
with intrauterine pregnancy O00.11
biochemical O02.81
broad ligament O00.80
with intrauterine pregnancy O00.81
cervical O00.80
with intrauterine pregnancy O00.81
chemical O02.81
complicated NOS O26.9
complicated by (care of) (management affected by)
abnormal, abnormality
cervix O34.4
causing obstructed labor O65.5
cord (umbilical) O69.9
fetal heart rate or rhythm O36.83
findings on antenatal screening of
mother O28.9
biochemical O28.1
cytological O28.2
chromosomal O28.5
genetic O28.5
hematological O28.0
radiological O28.4
specified NEC O28.8
ultrasonic O28.3
glucose (tolerance) NEC O99.810
pelvic organs O34.9
specified NEC O34.8
causing obstructed labor O65.5
pelvis (bony) (major) NEC O33.0
perineum O34.7
position

Pregnancy — continued
complicated by — continued
placenta O44.0
with hemorrhage O44.1
uterus O34.59
uterus O34.59
causing obstructed labor O65.5
congenital O34.0
vagina O34.6
causing obstructed labor O65.5
vulva O34.7
causing obstructed labor O65.5
abruptio placentae — see Abruptio placentae
abscess or cellulitis
bladder O23.1
breast O91.11
genital organ or tract O23.9
abuse
physical O9A.31
psychological O9A.51
sexual O9A.41
adverse effect anesthesia O29.9
aspiration pneumonitis O29.01
cardiac arrest O29.11
cardiac complication NEC O29.19
cardiac failure O29.12
central nervous system complication
NEC O29.29
cerebral anoxia O29.21
failed or difficult intubation O29.6
inhalation of stomach contents or secretions
NOS O29.01
local, toxic reaction O29.3X
Mendelson's syndrome O29.01
pressure collapse of lung O29.02
pulmonary complications NEC O29.09
specified NEC O29.8X
spinal and epidural type NEC O29.5X
induced headache O29.4
albuminuria (see also Proteinuria, gestational) O12.1
alcohol use O99.31
amnionitis O41.12
anaphylactoid syndrome of pregnancy O88.01
anemia (conditions in D50-D64) (pre-existing) O99.01
complicating the puerperium O99.03
anteartum hemorrhage O46.9
with coagulation defect — see Hemorrhage, anteartum, with coagulation defect
specified NEC O46.8X
appendicitis O99.61
atrophy (yellow) (acute) liver (subacute) O26.61
bariatric surgery status O99.84
bicornis or bicornuate uterus O34.0
biliary tract problems O26.61
breach presentation O32.1
cardiovascular diseases (conditions in I00-I09, I00-I09, I00-I09) O99.41
cerebrovascular disorders (conditions in I60-I69) O99.41
cervical shortening O26.87
cervicitis O23.51
chloasma (gravidarum) O26.89
cholestasis (intrahepatic) O26.61
cholecystitis O99.61
chorioamnionitis O41.12
circulatory system disorder (conditions in I00-I09, I00-I09, O99.41)
compound presentation O32.6
conjoined twins O30.02
connective system disorders (conditions in M00-M99) O99.89
contracted pelvis (general) O33.1
inlet O33.2
outlet O33.3
convulsions (eclampsia) (uremic) (see also Eclampsia) O15.9-
cracked nipple O92.11
cystitis O23.1
cystocele O34.8
death of fetus (near term) O36.4
early pregnancy O02.1
of one fetus or more in multiple gestation O31.2
deciduitis O41.14
decreased fetal movement O36.81
dental problems O99.61
diabetes (mellitus) O24.91
gestational (pregnancy induced) — see Diabetes, gestational
pre-existing O24.31

Pregnancy

Proctors: This errata is permitted during the examination.

Pregnancy — continued

complicated by — continued

- specified NEC O24.81
- type 1 O24.01
- type 2 O24.11

digestive system disorders (conditions in K00-K93) O99.61

diseases of — see Pregnancy, complicated by, specified body system disease

- biliary tract O26.61
- blood NEC (conditions in D65-D77) O99.11
- liver O26.61
- specified NEC O99.89

disorders of — see Pregnancy, complicated by, specified body system disorder

- amniotic fluid and membranes O41.9
- specified NEC O41.8X
- biliary tract O26.61
- ear and mastoid process (conditions in H60-H95) O99.89
- eye and adnexa (conditions in H00-H59) O99.89
- liver O26.61
- skin (conditions in L00-L99) O99.71
- specified NEC O99.89

displacement, uterus NEC O34.59

- causing obstructed labor O65.5

disproportion (due to) O33.9

- fetal (ascites) (hydrops) (meningomyelocele) (sacral teratoma) (tumor) deformities NEC O33.7
- generally contracted pelvis O33.1
- hydrocephalic fetus O33.6
- inlet contraction of pelvis O33.2
- mixed maternal and fetal origin O33.4
- specified NEC O33.8

double uterus O34.0

- causing obstructed labor O65.5

drug use (conditions in F11-F19) O99.32

eclampsia, eclamptic (coma) (convulsions) (delirium) (nephritis) (uremia) (see also Eclampsia) O15.

ectopic pregnancy — see Pregnancy, ectopic

edema O12.0

- with
 - gestational hypertension, mild (see also Pre-eclampsia) O14.0
 - proteinuria O12.2

effusion, amniotic fluid — see Pregnancy, complicated by, premature rupture of membranes

elderly

- multigravida O09.52
- primigravida O09.51

embolism (see also Embolism, obstetric, pregnancy) O88.

endocrine diseases NEC O99.28

endometritis O86.12

excessive weight gain O26.0

exhaustion O26.81

during labor and delivery O75.81

face presentation O32.3

failed induction of labor O61.9

- instrumental O61.1
- mechanical O61.1
- medical O61.0
- specified NEC O61.8
- surgical O61.1

failed or difficult intubation for anesthesia O29.6

false labor (pains) O47.9

- at or after 37 completed weeks of pregnancy O47.1
- before 37 completed weeks of pregnancy O47.0

fatigue O26.81

- during labor and delivery O75.81

fatty metamorphosis of liver O26.61

female genital mutilation O34.8 [N90.81

fetal (maternal care for)

- abnormality or damage O35.9
- acid-base balance O68
- specified type NEC O35.8
- acidemia O68
- acidosis O68
- alkalosis O68
- anemia and thrombocytopenia O36.82
- anecephaly O35.0
- chromosomal abnormality (conditions in Q90-Q99) O35.1
- conjoined twins O30.02
- damage from
 - amniocentesis O35.7

Pregnancy — continued

complicated by — continued

- biopsy procedures O35.7
- drug addiction O35.5
- hematological investigation O35.7
- intrauterine contraceptive device O35.7

maternal

- alcohol addiction O35.4
- cytomegalovirus infection O35.3
- disease NEC O35.8
- drug addiction O35.5
- listeriosis O35.8
- rubella O35.3
- toxoplasmosis O35.8
- viral infection O35.3

medical procedure NEC O35.7

- radiation O35.6

death (near term) O36.4

- early pregnancy O02.1
- decreased movement O36.81
- disproportion due to deformity (fetal) O33.7
- excessive growth (large for dates) O36.6
- growth retardation O36.59
- light for dates O36.59
- small for dates O36.59
- heart rate irregularity (bradycardia) (decelerations) (tachycardia) O76
- hereditary disease O35.2
- hydrocephalus O35.0
- intrauterine death O36.4
- poor growth O36.59
- light for dates O36.59
- small for dates O36.59
- problem O36.9
- specified NEC O36.89
- reduction (elective) O31.3
- selective termination O31.3
- spina bifida O35.0
- thrombocytopenia O36.82

fibroid (tumor) (uterus) O34.1

fissure of nipple O92.11

gallstones O99.61

gastric banding status O99.84

gastric bypass status O99.84

genital herpes (asymptomatic) (history of) (inactive) O98.3

genital tract infection O23.9

glomerular diseases (conditions in N00-N07) O26.83

- with hypertension, pre-existing — see Hypertension, complicating, pregnancy, pre-existing, with, renal disease

gonorrhea O98.21

grand multiparity O09.4

habitual aborter — see Pregnancy, complicated by, recurrent pregnancy loss

HELLP syndrome (hemolysis, elevated liver enzymes and low platelet count) O14.2

hemorrhage

- antepartum — see Hemorrhage, antepartum before 20 completed weeks gestation O20.9
- specified NEC O20.8
- due to premature separation, placenta (see also Abruptio placentae) O45.9
- early O20.9
- specified NEC O20.8
- threatened abortion O20.0

hemorrhoids O22.4

hepatitis (viral) O98.41

herniation of uterus O34.59

high

- head at term O32.4
- risk — see Supervision (of) (for), high-risk history of in utero procedure during previous pregnancy O09.82

HIV O98.71

human immunodeficiency virus (HIV) disease O98.71

hydatidiform mole (see also Mole, hydatidiform) O01.9-

hydramnios O40.

hydrocephalic fetus (disproportion) O33.6

hydrops

- amni O40.
- fetalis O36.2
- associated with isoimmunization (see also Pregnancy, complicated by, isoimmunization) O36.11

hydrorrhea O42.90

hyperemesis (gravidarum) (mild) (see also Hyperemesis, gravidarum) O21.0-

hypertension — see Hypertension, complicating pregnancy

Pregnancy — continued

complicated by — continued

hypertensive

- heart and renal disease, pre-existing — see Hypertension, complicating, pregnancy, pre-existing, with, heart disease, with renal disease
- heart disease, pre-existing — see Hypertension, complicating, pregnancy, pre-existing, with, heart disease
- renal disease, pre-existing — see Hypertension, complicating, pregnancy, pre-existing, with, renal disease

hypotension O26.5

immune disorders NEC (conditions in D80-D89) O99.11

incarceration, uterus O34.51

incompetent cervix O34.3

inconclusive fetal viability O36.80

infection (s) O98.91

- amniotic fluid or sac O41.10
- bladder O23.1
- carrier state NEC O99.830
- streptococcus B O99.820
- genital organ or tract O23.9
- specified NEC O23.59
- genitourinary tract O23.9
- gonorrhea O98.21
- hepatitis (viral) O98.41
- HIV O98.71
- human immunodeficiency virus (HIV) O98.71
- kidney O23.0
- nipple O91.01
- parasitic disease O98.91
- specified NEC O98.81
- protozoal disease O98.61
- sexually transmitted NEC O98.31
- specified type NEC O98.81
- syphilis O98.11
- tuberculosis O98.01
- urethra O23.2
- urinary (tract) O23.4
- specified NEC O23.3
- viral disease O98.51

injury or poisoning (conditions in S00-T88) O9A.21

- due to abuse
 - physical O9A.31
 - psychological O9A.51
 - sexual O9A.41

insufficient

- prenatal care O09.3
- weight gain O26.1

insulin resistance O26.89

intrauterine fetal death (near term) O36.4

- early pregnancy O02.1
- multiple gestation (one fetus or more) O31.2

isoimmunization O36.11

- anti-A sensitization O36.11
- anti-B sensitization O36.19
- Rh O36.09
- anti-D antibody O36.01
- specified NEC O36.19

laceration of uterus NEC O71.81

malformation

- placenta, placental (vessel) O43.10
- specified NEC O43.19
- uterus (congenital) O34.0

malnutrition (conditions in E40-E46) O25.1

maternal hypotension syndrome O26.5

mental disorders (conditions in F01-F09, F01-F09) O99.34

- alcohol use O99.31
- drug use O99.32
- smoking O99.33

mentum presentation O32.3

metabolic disorders O99.28

missed

- abortion O02.1
- delivery O36.4

multiple gestations O30.9

- conjoined twins O30.02
- specified number of multiples NEC — see Pregnancy, multiple (gestation), specified NEC

quadruplet — see Pregnancy, quadruplet

specified complication NEC O31.8X

triplet — see Pregnancy, triplet

twin — see Pregnancy, twin

musculoskeletal condition (conditions in M00-M99) O99.89

necrosis, liver (conditions in K72) O26.61

neoplasm

Proctors: This errata is permitted during the examination.

Pregnancy

Pregnancy — continued

complicated by — continued

- benign
 - cervix O34.4 ✓
 - corpus uteri O34.1 ✓
 - uterus O34.1 ✓
- malignant O9A.11 ✓
- nephropathy NEC O26.83 ✓
- nervous system condition (conditions in G00-G99) O99.35 ✓
- nutritional diseases NEC O99.28 ✓
- obesity (pre-existing) O99.21 ✓
- obesity surgery status O99.84 ✓
- oblique lie or presentation O32.2 ✓
- older mother — see Pregnancy, complicated by, elderly
- oligohydramnios O41.0 ✓
 - with premature rupture of membranes (see also Pregnancy, complicated by, premature rupture of membranes) O42. ✓
- onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned) cesarean section O75.82
- ophoritis O23.52 ✓
- overdose, drug (see also Table of Drugs and Chemicals, by drug, poisoning) O9A.21 ✓
- oversize fetus O33.5 ✓
- papyraceous fetus O31.0 ✓
- pelvic inflammatory disease O99.89
- periodontal disease O99.61 ✓
- peripheral neuritis O26.82 ✓
- peritoneal (pelvic) adhesions O99.89
- phlebitis O22.9 ✓
- phlebopathy O22.9 ✓
- phlebothrombosis (superficial) O22.2 ✓
 - deep O22.3 ✓
- placenta accreta O43.21 ✓
- placenta increta O43.22 ✓
- placenta percreta O43.23 ✓
- placenta previa O44.0 ✓
 - complete O44.0 ✓
 - with hemorrhage O44.1 ✓
 - marginal O44.2 ✓
 - with hemorrhage O44.3 ✓
 - partial O44.2 ✓
 - with hemorrhage O44.3 ✓
- placental disorder O43.9 ✓
 - specified NEC O43.89 ✓
- placental dysfunction O43.89 ✓
- placental infarction O43.81 ✓
- placental insufficiency O36.51 ✓
- placental transfusion syndromes
 - fetomaternal O43.01 ✓
 - fetus to fetus O43.02 ✓
 - maternofetal O43.01 ✓
- placentalitis O41.14 ✓
- pneumonia O99.51 ✓
- poisoning (see also Table of Drugs and Chemicals) O9A.21 ✓
 - polyhydramnios O40 ✓
 - polymorphic eruption of pregnancy O26.86
 - poor obstetric history NEC O09.29 ✓
 - postmaturity (post-term) (40 to 42 weeks) O48.0 more than 42 completed weeks gestation (prolonged) O48.1
 - pre-eclampsia O14.9 ✓
 - mild O14.0 ✓
 - moderate O14.0 ✓
 - severe O14.1 ✓
 - with hemolysis, elevated liver enzymes and low platelet count (HELLP) O14.2 ✓
 - premature labor — see Pregnancy, complicated by, preterm labor
 - premature rupture of membranes O42.90
 - full-term, unspecified as to length of time between rupture and onset of labor O42.92
 - with onset of labor
 - within 24 hours O42.00
 - at or after 37 weeks gestation, onset of labor within 24 hours of rupture O42.02
 - pre-term (before 37 completed weeks of gestation) O42.01 ✓
 - after 24 hours O42.10
 - at or after 37 weeks gestation, onset of labor more than 24 hours following rupture O42.12
 - pre-term (before 37 completed weeks of gestation) O42.11 ✓
 - at or after 37 weeks gestation, unspecified as to length of time between rupture and onset of labor O42.92

Pregnancy — continued

complicated by — continued

- pre-term (before 37 completed weeks of gestation) O42.91 ✓
- premature separation of placenta (see also Abruptio placentae) O45.9 ✓
- presentation, fetal — see Delivery, complicated by, malposition
- preterm delivery O60.10 ✓
- preterm labor
 - with delivery O60.10 ✓
 - preterm O60.10 ✓
 - term O60.20 ✓
- second trimester
 - with term delivery O60.22 ✓
 - without delivery O60.02
 - with preterm delivery
 - second trimester O60.12 ✓
 - third trimester O60.13 ✓
- third trimester
 - with term delivery O60.23 ✓
 - without delivery O60.03
 - with third trimester preterm delivery O60.14 ✓
 - without delivery O60.00
 - second trimester O60.02
 - third trimester O60.03
- previous history of — see Pregnancy, supervision of, high-risk
- prolapse, uterus O34.52 ✓
- proteinuria (gestational) (see also Proteinuria, gestational) O12.1 ✓
 - with edema O12.2 ✓
- pruritic urticarial papules and plaques of pregnancy (PUPPP) O26.86
- pruritus (neurogenic) O26.89 ✓
- psychosis or psychoneurosis (puerperal) F53.1
- ptyalism O26.89 ✓
- PUPPP (pruritic urticarial papules and plaques of pregnancy) O26.86
- pyelitis O23.0 ✓
- recurrent pregnancy loss O26.2 ✓
- renal disease or failure NEC O26.83 ✓
 - with secondary hypertension, pre-existing — see Hypertension, complicating, pregnancy, pre-existing, secondary
 - hypertensive, pre-existing — see Hypertension, complicating, pregnancy, pre-existing, with, renal disease
- respiratory condition (conditions in J00-J99) O99.51 ✓
- retained, retention
 - dead ovum O02.0
 - intrauterine contraceptive device O26.3 ✓
- retroversion, uterus O34.53 ✓
- Rh immunization, incompatibility or sensitization
 - NEC O36.09 ✓
 - anti-D antibody O36.01 ✓
- rupture
 - amnion (premature) (see also Pregnancy, complicated by, premature rupture of membranes) O42 ✓
 - membranes (premature) (see also Pregnancy, complicated by, premature rupture of membranes) O42 ✓
 - uterus (during labor) O71.1
 - before onset of labor O71.0 ✓
 - salivation (excessive) O26.89 ✓
 - salpingitis O23.52 ✓
 - salpingo-oophoritis O23.52 ✓
 - sepsis (conditions in A40 ✓, A41 ✓) O98.81 ✓
 - size date discrepancy (uterine) O26.84 ✓
 - skin condition (conditions in L00-L99) O99.71 ✓
 - smoking (tobacco) O99.33 ✓
 - social problem O09.7 ✓
 - specified condition NEC O26.89 ✓
 - spotting O26.85 ✓
 - streptococcus group B (GBS) carrier state O99.820
 - subluxation of symphysis (pubis) O26.71 ✓
 - syphilis (conditions in A50-A53) O98.11 ✓
 - threatened
 - abortion O20.0
 - labor O47.9
 - at or after 37 completed weeks of gestation O47.1
 - before 37 completed weeks of gestation O47.0 ✓
 - thrombophlebitis (superficial) O22.2 ✓
 - thrombosis O22.9 ✓
 - cerebral venous O22.5 ✓
 - cerebrovenous sinus O22.5 ✓
 - deep O22.3 ✓

Pregnancy — continued

complicated by — continued

- tobacco use disorder (smoking) O99.33 ✓
- torsion of uterus O34.59 ✓
- toxemia O14.9 ✓
- transverse lie or presentation O32.2 ✓
- tuberculosis (conditions in A15-A19) O98.01 ✓
- tumor (benign)
 - cervix O34.4 ✓
 - malignant O9A.11 ✓
 - uterus O34.1 ✓
- unstable lie O32.0 ✓
- upper respiratory infection O99.51 ✓
- urethritis O23.2 ✓
- uterine size date discrepancy O26.84 ✓
- vaginitis or vulvitis O23.59 ✓
- varicose veins (lower extremities) O22.0 ✓
 - genitals O22.1 ✓
 - legs O22.0 ✓
 - perineal O22.1 ✓
 - vaginal or vulval O22.1 ✓
- venereal disease NEC (conditions in A63.8) O98.31 ✓
- venous disorders O22.9 ✓
 - specified NEC O22.8X ✓
- viral diseases (conditions in A80-B09, A80-B09) O98.51 ✓
- very young mother — see Pregnancy, complicated by, young mother
- vomiting O21.9
 - due to diseases classified elsewhere O21.8
 - hyperemesis gravidarum (mild) (see also Hyperemesis, gravidarum) O21.0-late (occurring after 20 weeks of gestation) O21.2
- young mother
 - multigravida O09.62 ✓
 - primigravida O09.61 ✓
- concealed O09.3 ✓
- continuing following
 - elective fetal reduction of one or more fetus O31.3 ✓
 - intrauterine death of one or more fetus O31.2 ✓
 - spontaneous abortion of one or more fetus O31.1 ✓
- cornual O00.80
 - with intrauterine pregnancy O00.81
- ectopic (ruptured) O00.90
 - with intrauterine pregnancy O00.91
- abdominal O00.00
 - with
 - intrauterine pregnancy O00.01
 - viable fetus O36.7 ✓
- cervical O00.80
 - with intrauterine pregnancy O00.81
- complicated (by) O08.9
 - afibrinogenemia O08.1
 - cardiac arrest O08.81
 - chemical damage of pelvic organ (s) O08.6
 - circulatory collapse O08.3
 - defibrination syndrome O08.1
 - electrolyte imbalance O08.5
 - embolism (amniotic fluid) (blood clot) (pulmonary) (septic) O08.2
 - endometritis O08.0
 - genital tract and pelvic infection O08.0
 - hemorrhage (delayed) (excessive) O08.1 infection
 - genital tract or pelvic O08.0
 - kidney O08.83
 - urinary tract O08.83
 - intravascular coagulation O08.1
 - laceration of pelvic organ (s) O08.6
 - metabolic disorder O08.5
 - oliguria O08.4
 - oophoritis O08.0
 - parametritis O08.0
 - pelvic peritonitis O08.0
 - perforation of pelvic organ (s) O08.6
 - renal failure or shutdown O08.4
 - salpingitis or salpingo-oophoritis O08.0
 - sepsis O08.82
 - shock O08.83
 - septic O08.82
 - specified condition NEC O08.89
 - tubular necrosis (renal) O08.4
 - uremia O08.4
 - urinary infection O08.83
 - venous complication NEC O08.7
 - embolism O08.2
- cornual O00.80
 - with intrauterine pregnancy O00.81

Pregnancy - Premature

Proctors: This errata is permitted during the examination.

Pregnancy — continued

ectopic — continued

- intrauterine O00.80
 - with intrauterine pregnancy O00.81
- mural O00.80
 - with intrauterine pregnancy O00.81
- ovarian O00.20
 - with intrauterine pregnancy O00.21
- specified site NEC O00.80
 - with intrauterine pregnancy O00.81
- tubal (ruptured) O00.10
 - with intrauterine pregnancy O00.11
- examination (normal) Z34.9
 - high-risk — see Pregnancy, supervision of, high-risk
 - first Z34.0
 - specified Z34.8
- extrauterine — see Pregnancy, ectopic
- fallopian O00.10
 - with intrauterine pregnancy O00.11
- false F45.8
- gestational carrier Z33.3
- heptachorionic, hepta-amniotic (septuplets) O30.83
- hexachorionic, hexa-amniotic (sextuplets) O30.83
- hidden O09.3
- high-risk — see Pregnancy, supervision of, high-risk
- incidental finding Z33.1
- interstitial O00.80
 - with intrauterine pregnancy O00.81
- intrauterine O00.80
 - with intrauterine pregnancy O00.81
- intramural O00.80
 - with intrauterine pregnancy O00.81
- intrapertoneal O00.00
 - with intrauterine pregnancy O00.01
- isthmian O00.10
 - with intrauterine pregnancy O00.11
- mesometric (mural) O00.80
 - with intrauterine pregnancy O00.81
- molar NEC O02.0
 - complicated (by) O08.9
 - afibrinogenemia O08.1
 - cardiac arrest O08.81
 - chemical damage of pelvic organ (s) O08.6
 - circulatory collapse O08.3
 - defibrination syndrome O08.1
 - electrolyte imbalance O08.5
 - embolism (amniotic fluid) (blood clot) (pulmonary) (septic) O08.2
 - endometritis O08.0
 - genital tract and pelvic infection O08.0
 - hemorrhage (delayed) (excessive) O08.1
 - infection
 - genital tract or pelvic O08.0
 - kidney O08.83
 - urinary tract O08.83
 - intravascular coagulation O08.1
 - laceration of pelvic organ (s) O08.6
 - metabolic disorder O08.5
 - oliguria O08.4
 - oophoritis O08.0
 - parametritis O08.0
 - pelvic peritonitis O08.0
 - perforation of pelvic organ (s) O08.6
 - renal failure or shutdown O08.4
 - salpingitis or salpingo-oophoritis O08.0
 - sepsis O08.82
 - shock O08.3
 - septic O08.82
 - specified condition NEC O08.89
 - tubular necrosis (renal) O08.4
 - uremia O08.4
 - urinary infection O08.83
 - venous complication NEC O08.7
 - embolism O08.2
- hydatidiform (see also Mole, hydatidiform) O01.9
- multiple (gestation) O30.9
 - greater than quadruplets — see Pregnancy, multiple (gestation), specified NEC
 - specified NEC O30.80
 - with
 - two or more monoamniotic fetuses O30.82
 - two or more monochorionic fetuses O30.81
 - number of chorions and amnions are both equal to the number of fetuses O30.83
 - two or more monoamniotic fetuses O30.82
 - two or more monochorionic fetuses O30.81
 - unable to determine number of placenta and number of amniotic sacs O30.89
 - unspecified number of placenta and unspecified number of amniotic sacs O30.80

Pregnancy — continued

mural O00.80

- with intrauterine pregnancy O00.81

normal (supervision of) Z34.9

- high-risk — see Pregnancy, supervision of, high-risk
- first Z34.0
- specified Z34.8

ovarian O00.20

- with intrauterine pregnancy O00.21

pentachorionic, penta-amniotic (quintuplets) O30.83

postmature (40 to 42 weeks) O48.0

- more than 42 weeks gestation O48.1

post-term (40 to 42 weeks) O48.0

prenatal care only Z34.9

- high-risk — see Pregnancy, supervision of, high-risk
- first Z34.0
- specified Z34.8

prolonged (more than 42 weeks gestation) O48.1

quadruplet O30.20

- with
 - two or more monoamniotic fetuses O30.22
 - two or more monochorionic fetuses O30.21
- quadrachorionic/quadr-amniotic O30.23
- two or more monoamniotic fetuses O30.22
- two or more monochorionic fetuses O30.21
- unable to determine number of placenta and number of amniotic sacs O30.29
- unspecified number of placenta and unspecified number of amniotic sacs O30.20

quintuplet — see Pregnancy, multiple (gestation), specified NEC

sixuplet — see Pregnancy, multiple (gestation), specified NEC

supervision of

- concealed pregnancy O09.3
- elderly mother
 - multigravida O09.52
 - primigravida O09.51
- hidden pregnancy O09.3
- high-risk O09.9
 - due to (history of)
 - ectopic pregnancy O09.1
 - elderly — see Pregnancy, supervision, elderly mother
 - grand multiparity O09.4
 - infertility O09.0
 - insufficient prenatal care O09.3
 - in utero procedure during previous pregnancy O09.82
 - in vitro fertilization O09.81
 - molar pregnancy O09.A
 - multiple previous pregnancies O09.4
 - older mother — see Pregnancy, supervision of, elderly mother
 - poor reproductive or obstetric history NEC O09.29
 - pre-term labor O09.21
 - previous
 - neonatal death O09.29
 - social problems O09.7
 - specified NEC O09.89
 - very young mother — see Pregnancy, supervision, young mother
 - resulting from in vitro fertilization O09.81
- normal Z34.9
 - first Z34.0
 - specified NEC Z34.8
- young mother
 - multigravida O09.62
 - primigravida O09.61

triplet O30.10

- with
 - two or more monoamniotic fetuses O30.12
 - two or more monochorionic fetuses O30.11
- trichorionic/triamniotic O30.13
- two or more monoamniotic fetuses O30.12
- two or more monochorionic fetuses O30.11
- unable to determine number of placenta and number of amniotic sacs O30.19
- unspecified number of placenta and unspecified number of amniotic sacs O30.10

tubal (with abortion) (with rupture) O00.10

- with intrauterine pregnancy O00.11

twin O30.00

- conjoined O30.02
- dichorionic/diamniotic (two placenta, two amniotic sacs) O30.04
- monochorionic/diamniotic (one placenta, two amniotic sacs) O30.03

Pregnancy — continued

twin — continued

- monochorionic/monoamniotic (one placenta, one amniotic sac) O30.01
- unable to determine number of placenta and number of amniotic sacs O30.09
- unspecified number of placenta and unspecified number of amniotic sacs O30.00

unwanted Z64.0

weeks of gestation

- 8 weeks Z3A.08
- 9 weeks Z3A.09
- 10 weeks Z3A.10
- 11 weeks Z3A.11
- 12 weeks Z3A.12
- 13 weeks Z3A.13
- 14 weeks Z3A.14
- 15 weeks Z3A.15
- 16 weeks Z3A.16
- 17 weeks Z3A.17
- 18 weeks Z3A.18
- 19 weeks Z3A.19
- 20 weeks Z3A.20
- 21 weeks Z3A.21
- 22 weeks Z3A.22
- 23 weeks Z3A.23
- 24 weeks Z3A.24
- 25 weeks Z3A.25
- 26 weeks Z3A.26
- 27 weeks Z3A.27
- 28 weeks Z3A.28
- 29 weeks Z3A.29
- 30 weeks Z3A.30
- 31 weeks Z3A.31
- 32 weeks Z3A.32
- 33 weeks Z3A.33
- 34 weeks Z3A.34
- 35 weeks Z3A.35
- 36 weeks Z3A.36
- 37 weeks Z3A.37
- 38 weeks Z3A.38
- 39 weeks Z3A.39
- 40 weeks Z3A.40
- 41 weeks Z3A.41
- 42 weeks Z3A.42
- greater than 42 weeks Z3A.49
- less than 8 weeks Z3A.01
- not specified Z3A.00

Preiser's disease — see Osteonecrosis, secondary, due to, trauma, metacarpus

Pre-kwashiorkor — see Malnutrition, severe

Preleukemia (syndrome) D46.9

Preluxation, hip, congenital Q65.6

Premature (see also condition)

- adrenarache E27.0
- aging E34.8
- beats I49.40
 - atrial I49.1
 - auricular I49.1
 - supraventricular I49.1
- birth NEC — see Preterm, newborn
- closure, foramen ovale Q21.8
- contraction
 - atrial I49.1
 - atrioventricular I49.2
 - auricular I49.1
 - auriculoventricular I49.49
 - heart (extrasystole) I49.49
 - junctional I49.2
 - ventricular I49.3
- delivery (see also Pregnancy, complicated by, preterm labor) O60.10
- ejaculation F52.4
- infant NEC — see Preterm, newborn
- light-for-dates — see Light for dates
- labor — see Pregnancy, complicated by, preterm labor
- lungs P28.0
- menopause E28.319
 - asymptomatic E28.319
 - symptomatic E28.310
- newborn
 - extreme (less than 28 completed weeks) — see Immaturity, extreme
 - less than 37 completed weeks — see Preterm, newborn
- puberty E30.1
- rupture membranes or amnion — see Pregnancy, complicated by, premature rupture of membranes
- senility E34.8
- thelarche E30.8
- ventricular systole I49.3

Proctors: This errata is permitted during the examination.

Prematurity - Priapism

Prematurity NEC (less than 37 completed weeks) — see Preterm, newborn
 extreme (less than 28 completed weeks) — see Immaturity, extreme

Premenstrual
 dysphoric disorder (PMDD) F32.81
 tension (syndrome) N94.3

Premolarization, cuspids K00.2

Prenatal
 care, normal pregnancy — see Pregnancy, normal
 screening of mother (see also Encounter, antenatal screening) Z36.9
 teeth K00.6

Preparatory care for subsequent treatment NEC
 for dialysis Z49.01
 peritoneal Z49.02

Prepartum — see condition

Preponderance, left or right ventricular I51.7

Prepuce — see condition

PRES (posterior reversible encephalopathy syndrome) I67.83

Presbycardia R54

Presbycusis, presbycusis H91.1 ☑

Presbyesophagus K22.8

Presbyophrenia F03 ☑

Presbyopia H52.4

Description of contraceptives (initial) Z30.019
 barrier Z30.018
 diaphragm Z30.018
 emergency (postcoital) Z30.012
 implantable subdermal Z30.017
 injectable Z30.013
 intrauterine contraceptive device Z30.014
 pills Z30.011
 postcoital (emergency) Z30.012
 repeat Z30.40
 barrier Z30.49
 diaphragm Z30.49
 implantable subdermal Z30.46
 injectable Z30.42
 pills Z30.41
 specified type NEC Z30.49
 transdermal patch hormonal Z30.45
 vaginal ring hormonal Z30.44
 specified type NEC Z30.018
 transdermal patch hormonal Z30.016
 vaginal ring hormonal Z30.015

Presence (of)
 ankle-joint implant (functional) (prosthesis) Z96.66 ☑
 aortocoronary (bypass) graft Z95.1
 arterial-venous shunt (dialysis) Z99.2
 artificial
 eye (globe) Z97.0
 heart (fully implantable) (mechanical) Z95.812
 valve Z95.2
 larynx Z96.3
 lens (intraocular) Z96.1
 limb (complete) (partial) Z97.1 ☑
 arm Z97.1 ☑
 bilateral Z97.15
 leg Z97.1 ☑
 bilateral Z97.16
 audiological implant (functional) Z96.29
 bladder implant (functional) Z96.0
 bone
 conduction hearing device Z96.29
 implant (functional) NEC Z96.7
 joint (prosthesis) — see Presence, joint implant
 cardiac
 defibrillator (functional) (with synchronous cardiac pacemaker) Z95.810
 implant or graft Z95.9
 specified type NEC Z95.818
 pacemaker Z95.0
 resynchronization therapy
 defibrillator Z95.810
 pacemaker Z95.0
 cerebrospinal fluid drainage device Z98.2
 cochlear implant (functional) Z96.21
 contact lens (es) Z97.3
 coronary artery graft or prosthesis Z95.5
 CRT-D (cardiac resynchronization therapy defibrillator) Z95.810
 CRT-P (cardiac resynchronization therapy pacemaker) Z95.0
 cardioverter-defibrillator (ICD) Z95.810
 CSF shunt Z98.2
 dental prosthesis device Z97.2
 dentures Z97.2
 device (external) NEC Z97.8
 cardiac NEC Z95.818

Presence — continued
 device — continued
 heart assist Z95.811
 implanted (functional) Z96.9
 specified NEC Z96.89
 prosthetic Z97.8
 ear implant Z96.20
 cochlear implant Z96.21
 myringotomy tube Z96.22
 specified type NEC Z96.29
 elbow-joint implant (functional) (prosthesis) Z96.62 ☑
 endocrine implant (functional) NEC Z96.49
 eustachian tube stent or device (functional) Z96.29
 external hearing-aid or device Z97.4
 finger-joint implant (functional) (prosthesis) Z96.69 ☑
 functional implant Z96.9
 specified NEC Z96.89
 graft
 cardiac NEC Z95.818
 vascular NEC Z95.828
 hearing-aid or device (external) Z97.4
 implant (bone) (cochlear) (functional) Z96.21
 heart assist device Z95.811
 heart valve implant (functional) Z95.2
 prosthetic Z95.2
 specified type NEC Z95.4
 xenogenic Z95.3
 hip-joint implant (functional) (prosthesis) Z96.64 ☑
 ICD (cardioverter-defibrillator) Z95.810
 implanted device (artificial) (functional) (prosthesis) Z96.9
 automatic cardiac defibrillator (with synchronous cardiac pacemaker) Z95.810
 cardiac pacemaker Z95.0
 cochlear Z96.21
 dental Z96.5
 heart Z95.812
 heart valve Z95.2
 prosthetic Z95.2
 specified NEC Z95.4
 xenogenic Z95.3
 insulin pump Z96.41
 intraocular lens Z96.1
 joint Z96.60
 ankle Z96.66 ☑
 elbow Z96.62 ☑
 finger Z96.69 ☑
 hip Z96.64 ☑
 knee Z96.65 ☑
 shoulder Z96.61 ☑
 specified NEC Z96.698
 wrist Z96.63 ☑
 larynx Z96.3
 myringotomy tube Z96.22
 otological Z96.20
 cochlear Z96.21
 eustachian stent Z96.29
 myringotomy Z96.22
 specified NEC Z96.29
 stapes Z96.29
 skin Z96.81
 skull plate Z96.7
 specified NEC Z96.89
 urogenital Z96.0
 insulin pump (functional) Z96.41
 intestinal bypass or anastomosis Z98.0
 intraocular lens (functional) Z96.1
 intrauterine contraceptive device (IUD) Z97.5
 intravascular implant (functional) (prosthesis) NEC Z95.9
 coronary artery Z95.5
 defibrillator (with synchronous cardiac pacemaker) Z95.810
 peripheral vessel (with angioplasty) Z95.820
 joint implant (prosthesis) (any) Z96.60
 ankle — see Presence, ankle joint implant
 elbow — see Presence, elbow joint implant
 finger — see Presence, finger joint implant
 hip — see Presence, hip joint implant
 knee — see Presence, knee joint implant
 shoulder — see Presence, shoulder joint implant
 specified joint NEC Z96.698
 wrist — see Presence, wrist joint implant
 knee-joint implant (functional) (prosthesis) Z96.65 ☑
 laryngeal implant (functional) Z96.3
 mandibular implant (dental) Z96.5
 myringotomy tube (s) Z96.22
 orthopedic-joint implant (prosthesis) (any) — see Presence, joint implant

Presence — continued
 otological implant (functional) Z96.29
 shoulder-joint implant (functional) (prosthesis) Z96.61 ☑
 skull-plate implant Z96.7
 spectacles Z97.3
 stapes implant (functional) Z96.29
 systemic lupus erythematosus [SLE] inhibitor D68.62
 tendon implant (functional) (graft) Z96.7
 tooth root (s) implant Z96.5
 ureteral stent Z96.0
 urethral stent Z96.0
 urogenital implant (functional) Z96.0
 vascular implant or device Z95.9
 access port device Z95.828
 specified type NEC Z95.828
 wrist-joint implant (functional) (prosthesis) Z96.63 ☑

Presenile (see also condition)
 dementia F03 ☑
 premature aging E34.8

Presentation, fetal — see Delivery, complicated by, malposition

Prespondylolisthesis (congenital) Q76.2

Pressure
 area, skin — see Ulcer, pressure, by site
 brachial plexus G54.0
 brain G93.5
 injury at birth NEC P11.1
 cerebral — see Pressure, brain
 chest R07.89
 cone, tentorial G93.5
 hyposystolic (see also Hypotension)
 incidental reading, without diagnosis of hypotension R03.1
 increased
 intracranial (benign) G93.2
 injury at birth P11.0
 intraocular H40.05 ☑
 lumbosacral plexus G54.1
 mediastinum J98.59
 necrosis (chronic) — see Ulcer, pressure, by site
 parental, inappropriate (excessive) Z62.6
 sore (chronic) — see Ulcer, pressure, by site
 spinal cord G95.20
 ulcer (chronic) — see Ulcer, pressure, by site
 venous, increased I87.8

Pre-syncope R55

Preterm
 delivery (see also Pregnancy, complicated by, preterm labor) O60.10 ☑
 labor — see Pregnancy, complicated by, preterm labor
 newborn (infant) P07.30
 gestational age
 28 completed weeks (28 weeks, 0 days through 28 weeks, 6 days) P07.31
 29 completed weeks (29 weeks, 0 days through 29 weeks, 6 days) P07.32
 30 completed weeks (30 weeks, 0 days through 30 weeks, 6 days) P07.33
 31 completed weeks (31 weeks, 0 days through 31 weeks, 6 days) P07.34
 32 completed weeks (32 weeks, 0 days through 32 weeks, 6 days) P07.35
 33 completed weeks (33 weeks, 0 days through 33 weeks, 6 days) P07.36
 34 completed weeks (34 weeks, 0 days through 34 weeks, 6 days) P07.37
 35 completed weeks (35 weeks, 0 days through 35 weeks, 6 days) P07.38
 36 completed weeks (36 weeks, 0 days through 36 weeks, 6 days) P07.39

Previa
 placenta (total) (without hemorrhage) O44.0 ☑
 with hemorrhage O44.1 ☑
 complete O44.0 ☑
 with hemorrhage O44.1 ☑
 low (see also Delivery, complicated, by, placenta, low) O44.4 ☑
 with hemorrhage O44.5 ☑
 marginal O44.2 ☑
 with hemorrhage O44.3 ☑
 partial O44.2 ☑
 with hemorrhage O44.3 ☑
 vasa O69.4 ☑

Priapism N48.30
 due to
 disease classified elsewhere N48.32
 drug N48.33
 specified cause NEC N48.39
 trauma N48.31

Prickling - Proctitis

Proctors: This errata is permitted during the examination.

Prickling sensation (skin) R20.2**Prickly heat** L74.0**Primary** — see condition**Primigravida**

- elderly, affecting management of pregnancy, labor and delivery (supervision only) — see Pregnancy, complicated by, elderly, primigravida
- older, affecting management of pregnancy, labor and delivery (supervision only) — see Pregnancy, complicated by, elderly, primigravida
- very young, affecting management of pregnancy, labor and delivery (supervision only) — see Pregnancy, complicated by, young mother, primigravida

Primipara

- elderly, affecting management of pregnancy, labor and delivery (supervision only) — see Pregnancy, complicated by, elderly, primigravida
- older, affecting management of pregnancy, labor and delivery (supervision only) — see Pregnancy, complicated by, elderly, primigravida
- very young, affecting management of pregnancy, labor and delivery (supervision only) — see Pregnancy, complicated by, young mother, primigravida

Primus varus (bilateral) Q66.2 ☑**PRIND** (Prolonged reversible ischemic neurologic deficit) I63.9**Pringle's disease** (tuberous sclerosis) Q85.1**Prinzmetal** angina I20.1**Prizefighter** ear — see Cauliflower ear**Problem** (with) (related to)

- academic Z55.8
- acculturation Z60.3
- adjustment (to)
 - change of job Z56.1
 - life-cycle transition Z60.0
 - pension Z60.0
 - retirement Z60.0
- adopted child Z62.821
- alcoholism in family Z63.72
- atypical parenting situation Z62.9
- bankruptcy Z59.8
- behavioral (adult) F69
- drug seeking Z76.5
- birth of sibling affecting child Z62.898
- care (of)
 - provider dependency Z74.9
 - specified NEC Z74.8
 - sick or handicapped person in family or household Z63.6
- child
 - abuse (affecting the child) — see Maltreatment, child custody or support proceedings Z65.3
 - in welfare custody Z62.21
 - in care of non-parental family member Z62.21
 - in foster care Z62.21
 - living in orphanage or group home Z62.22
- child-rearing Z62.9
 - specified NEC Z62.898
- communication (developmental) F80.9
- conflict or discord (with)
 - boss Z56.4
 - classmates Z55.4
 - counselor Z64.4
 - employer Z56.4
 - family Z63.9
 - specified NEC Z63.8
 - probation officer Z64.4
 - social worker Z64.4
 - teachers Z55.4
 - workmates Z56.4
- conviction in legal proceedings Z65.0
 - with imprisonment Z65.1
- counselor Z64.4
- creditors Z59.8
- digestive K92.9
- drug addict in family Z63.72
- ear — see Disorder, ear
- economic Z59.9
 - affecting care Z59.9
 - specified NEC Z59.8
- education Z55.9
 - specified NEC Z55.8
- employment Z56.9
 - change of job Z56.1
 - discord Z56.4
 - environment Z56.5

Problem — continued

- employment — continued
 - sexual harassment Z56.81
 - specified NEC Z56.89
 - stress NEC Z56.6
 - stressful schedule Z56.3
 - threat of job loss Z56.2
 - unemployment Z56.0
- enuresis, child F98.0
- eye H57.9
- failed examinations (school) Z55.2
- falling Z91.81
- family (see also Disruption, family) Z63.9-
 - specified NEC Z63.8
- feeding (elderly) (infant) R63.3
 - newborn P92.9
 - breast P92.5
 - overfeeding P92.4
 - slow P92.2
 - specified NEC P92.8
 - underfeeding P92.3
 - nonorganic F50.89
- finance Z59.9
 - specified NEC Z59.8
- foreclosure on loan Z59.8
- foster child Z62.822
- frightening experience (s) in childhood Z62.898
- genital NEC
 - female N94.9
 - male N50.9
- health care Z75.9
 - specified NEC Z75.8
- hearing — see Deafness
- homelessness Z59.0
- housing Z59.9
 - inadequate Z59.1
 - isolated Z59.8
 - specified NEC Z59.8
- identity (of childhood) F93.8
- illegitimate pregnancy (unwanted) Z64.0
- illiteracy Z55.0
- impaired mobility Z74.09
- imprisonment or incarceration Z65.1
- inadequate teaching affecting education Z55.8
- inappropriate (excessive) parental pressure Z62.6
- influencing health status NEC Z78.9
- in-law Z63.1
- institutionalization, affecting child Z62.22
- intrafamilial communication Z63.8
- jealousy, child F93.8
- landlord Z59.2
- language (developmental) F80.9
- learning (developmental) F81.9
- legal Z65.3
 - conviction without imprisonment Z65.0
 - imprisonment Z65.1
 - release from prison Z65.2
- life-management Z73.9
 - specified NEC Z73.89
- life-style Z72.9
 - gambling Z72.6
 - high-risk sexual behavior (heterosexual) Z72.51
 - bisexual Z72.53
 - homosexual Z72.52
 - inappropriate eating habits Z72.4
 - self-damaging behavior NEC Z72.89
 - specified NEC Z72.89
 - tobacco use Z72.0
- literacy Z55.9
 - low level Z55.0
 - specified NEC Z55.8
- living alone Z60.2
- lodgers Z59.2
- loss of love relationship in childhood Z62.898
- marital Z63.0
 - involving
 - divorce Z63.5
 - estrangement Z63.5
 - gender identity F66
- mastication K08.89
- medical
 - care, within family Z63.6
 - facilities Z75.9
 - specified NEC Z75.8
- mental F48.9
- multiparity Z64.1
- negative life events in childhood Z62.9
 - altered pattern of family relationships Z62.898
 - frightening experience Z62.898
 - loss of
 - love relationship Z62.898
 - self-esteem Z62.898

Problem — continued

- negative life — continued
 - physical abuse (alleged) — see Maltreatment, child
 - removal from home Z62.29
 - specified event NEC Z62.898
 - neighbor Z59.2
 - neurological NEC R29.818
 - new step-parent affecting child Z62.898
 - none (feared complaint unfounded) Z71.1
 - occupational NEC Z56.89
 - parent-child — see Conflict, parent-child
 - personal hygiene Z91.89
 - personality F69
 - phase-of-life transition, adjustment Z60.0
 - presence of sick or disabled person in family or household Z63.79
 - needing care Z63.6
 - primary support group (family) Z63.9
 - specified NEC Z63.8
 - probation officer Z64.4
 - psychiatric F99
 - psychosexual (development) F66
 - psychosocial Z65.9
 - religious or spiritual Z65.8
 - specified NEC Z65.8
 - relationship Z63.9
 - childhood F93.8
 - release from prison Z65.2
 - religious or spiritual Z65.8
 - removal from home affecting child Z62.29
 - seeking and accepting known hazardous and harmful
 - behavioral or psychological interventions Z65.8
 - chemical, nutritional or physical interventions Z65.8
 - sexual function (nonorganic) F52.9
 - sight H54.7
 - sleep disorder, child F51.9
 - smell — see Disturbance, sensation, smell
 - social
 - environment Z60.9
 - specified NEC Z60.8
 - exclusion and rejection Z60.4
 - worker Z64.4
 - speech R47.9
 - developmental F80.9
 - specified NEC R47.89
 - swallowing — see Dysphagia
 - taste — see Disturbance, sensation, taste
 - tic, child F95.0
 - underachievement in school Z55.3
 - unemployment Z56.0
 - threatened Z56.2
 - unwanted pregnancy Z64.0
 - upbringing Z62.9
 - specified NEC Z62.898
 - urinary N39.9
 - voice production R47.89
 - work schedule (stressful) Z56.3
- Procedure** (surgical)
- converted
 - arthroscopic to open Z53.33
 - laparoscopic to open Z53.31
 - specified procedure NEC to open Z53.39
 - thoracoscopic to open Z53.32
 - for purpose other than remedying health state Z41.9
 - specified NEC Z41.8
 - not done Z53.9
 - because of
 - administrative reasons Z53.8
 - contraindication Z53.09
 - smoking Z53.01
 - patient's decision Z53.20
 - for reasons of belief or group pressure Z53.1
 - left against medical advice (AMA) Z53.21
 - specified reason NEC Z53.29
 - specified reason NEC Z53.8
- Procedentia** (uteri) N81.3
- Proctalgia** K62.89
- fugax K59.4
 - spasmodic K59.4
- Proctitis** K62.89
- amebic (acute) A06.0
 - chlamydial A56.3
 - gonococcal A54.6
 - granulomatous — see Enteritis, regional, large intestine
 - herpetic A60.1
 - radiation K62.7
 - tuberculous A18.32

Proctors: This errata is permitted during the examination.

Proctitis - Protrusion

Proctitis — *continued*

ulcerative (chronic) K51.20
with
 complication K51.219
 abscess K51.214
 fistula K51.213
 obstruction K51.212
 rectal bleeding K51.211
 specified NEC K51.218

Proctoceles
female (without uterine prolapse) N81.6
 with uterine prolapse N81.2
 complete N81.3
male K62.3

Proctocolitis
food-induced eosinophilic K52.82
food protein-induced K52.82
milk protein-induced K52.82
mucosal — see Rectosigmoiditis, ulcerative

Proctoptosis K62.3

Proctorrhagia K62.5

Proctosigmoiditis K63.89
ulcerative (chronic) — see Rectosigmoiditis, ulcerative

Proctospasm K59.4
psychogenic F45.8

Profichet's disease — see Disorder, soft tissue, specified type NEC

Progeria E34.8

Prognathism (mandibular) (maxillary) M26.19

Progonoma (melanotic) — see Neoplasm, benign, by site

Progressive — see condition

Prolactinoma
specified site — see Neoplasm, benign, by site
unspecified site D35.2

Prolapse, prolapsed
anus, anal (canal) (sphincter) K62.2
arm or hand O32.2 ✓
 causing obstructed labor O64.4 ✓
bladder (mucosa) (sphincter) (acquired) congenital Q79.4
 female — see Cystocele
 male N32.89
breast implant (prosthetic) T85.49 ✓
cecostomy K94.09
cecum K63.4
cervix, cervical (hypertrophied) N81.2
 anterior lip, obstructing labor O65.5
 congenital Q51.828
 postpartal, old N81.2
 stump N81.85
ciliary body (traumatic) — see Laceration, eye(ball), with prolapse or loss of interocular tissue
colon (pedunculated) K63.4
colostomy K94.09
disc (intervertebral) — see Displacement, intervertebral disc
eye implant (orbital) T85.398 ✓
 lens (ocular) — see Complications, intraocular lens
fallopian tube N83.4 ✓
gastric (mucosa) K31.89
genital, female N81.9
 specified NEC N81.89
globe, nontraumatic — see Luxation, globe
ileostomy bud K94.19
intervertebral disc — see Displacement, intervertebral disc
intestine (small) K63.4
iris (traumatic) — see Laceration, eye(ball), with prolapse or loss of interocular tissue
 nontraumatic H21.89
kidney N28.83
 congenital Q63.2
laryngeal muscles or ventricle J38.7
liver K76.89
meatus urinarius N36.8
mitral (valve) I34.1
ocular lens implant — see Complications, intraocular lens
organ or site, congenital NEC — see Malposition, congenital
ovary N83.4 ✓
 pelvic floor, female N81.89
 perineum, female N81.89
 rectum (mucosa) (sphincter) K62.3
 due to trichuris trichuria B79
spleen D73.89
stomach K31.89
umbilical cord
 complicating delivery O69.0 ✓
urachus, congenital Q64.4

Prolapse — *continued*

ureter N28.89
 with obstruction N13.5
 with infection N13.6
ureterovesical orifice N28.89
urethra (acquired) (infected) (mucosa) N36.8
 congenital Q64.71
urinary meatus N36.8
 congenital Q64.72
uterovaginal N81.4
 complete N81.3
 incomplete N81.2
uterus (with prolapse of vagina) N81.4
 complete N81.3
 congenital Q51.818
 first degree N81.2
 in pregnancy or childbirth — see Pregnancy, complicated by, abnormal, uterus
 incomplete N81.2
 postpartal (old) N81.4
 second degree N81.2
 third degree N81.3
uveal (traumatic) — see Laceration, eye(ball), with prolapse or loss of interocular tissue
vagina (anterior) (wall) — see Cystocele
 with prolapse of uterus N81.4
 complete N81.3
 incomplete N81.2
 posterior wall N81.6
 posthysterectomy N99.3
vitreous (humor) H43.0 ✓
 in wound — see Laceration, eye(ball), with prolapse or loss of interocular tissue
womb — see Prolapse, uterus

Prolapsus, female N81.9
 specified NEC N81.89

Proliferation (s)
prostate, atypical small acinar N42.32
primary cutaneous CD30 ✓ positive large T-cell C86.6

Proliferative — see condition

Prolonged, prolongation (of)
bleeding (time) (idiopathic) R79.1
coagulation (time) R79.1
gestation (over 42 completed weeks)
 mother O48.1
 newborn P08.22
 interval I44.0
 labor O63.9
 first stage O63.0
 second stage O63.1
 partial thromboplastin time (PTT) R79.1
 pregnancy (more than 42 weeks gestation) O48.1
 prothrombin time R79.1
 QT interval I45.81
 uterine contractions in labor O62.4

Prominence, prominent
auricle (congenital) (ear) Q17.5
ischial spine or sacral promontory
 with disproportion (fetopelvic) O33.0
 causing obstructed labor O65.0
nose (congenital) acquired M95.0

Promiscuity — see High, risk, sexual behavior

Pronation
ankle — see Deformity, limb, foot, specified NEC
foot (see also Deformity, limb, foot, specified NEC)
 congenital Q74.2

Prophylactic
administration of
 antibiotics, long-term Z79.2
 short-term use - omit code
 drug (see also Long-term (current) drug therapy (use of)) Z79.899-
 medication Z79.899
organ removal (for neoplasia management) Z40.00
 breast Z40.01
 fallopian tube (s) Z40.03
 with ovary (s) Z40.02
 ovary (s) Z40.02
 specified site NEC Z40.09
surgery Z40.9
 for risk factors related to malignant neoplasm — see Prophylactic, organ removal
 specified NEC Z40.8
 vaccination Z23

Propionic acidemia E71.121

Proptosis (ocular) (see also Exophthalmos)
 thyroid — see Hyperthyroidism, with goiter

Prosecution, anxiety concerning Z65.3

Prosopagnosia R48.3

Prostadienia N42.81

Prostate, prostatic — see condition

Prostatism — see Hyperplasia, prostate

Prostatitis (congestive) (suppurative) (with cystitis) N41.9
 acute N41.0
 cavitary N41.8
 chronic N41.1
 diverticular N41.8
 due to Trichomonas (vaginalis) A59.02
 fibrous N41.1
 gonococcal (acute) (chronic) A54.22
 granulomatous N41.4
 hypertrophic N41.1
 subacute N41.1
 trichomonal A59.02
 tuberculous A18.14

Prostatocystitis N41.3

Prostatorrhoea N42.89

Prostatosis N42.82

Prostration R53.83
 heat (see also Heat, exhaustion)
 anhydrotic T67.3 ✓
 due to
 salt (and water) depletion T67.4 ✓
 water depletion T67.3 ✓
 nervous F48.8
 senile R54

Protanomaly (anomalous trichromat) H53.54

Protanopia (complete) (incomplete) H53.54

Protection (against) (from) — see Prophylactic

Protein
 deficiency NEC — see Malnutrition
 malnutrition — see Malnutrition
 sickness (see also Reaction, serum) T80.69 ✓

Proteinemia R77.9

Proteinosis
 alveolar (pulmonary) J84.01
 lipid or lipoid (of Urbach) E78.89

Proteinuria R80.9
 Bence Jones R80.3
 complicating pregnancy — see Proteinuria, gestational
 gestational
 complicating
 childbirth O12.14
 pregnancy O12.1 ✓
 with edema O12.2 ✓
 puerperium O12.15
 idiopathic R80.0
 isolated R80.0
 with glomerular lesion N06.9
 dense deposit disease N06.6
 diffuse
 crescentic glomerulonephritis N06.7
 endocapillary proliferative
 glomerulonephritis N06.4
 mesangiocapillary glomerulonephritis N06.5
 focal and segmental hyalinosis or sclerosis N06.1
 membranous (diffuse) N06.2
 mesangial proliferative (diffuse) N06.3
 minimal change N06.0
 specified pathology NEC N06.8
 orthostatic R80.2
 with glomerular lesion — see Proteinuria, isolated,
 with glomerular lesion
 persistent R80.1
 with glomerular lesion — see Proteinuria, isolated,
 with glomerular lesion
 postural R80.2
 with glomerular lesion — see Proteinuria, isolated,
 with glomerular lesion
 pre-eclamptic — see Pre-eclampsia
 puerperal O12.15
 specified type NEC R80.8

Proteolysis, pathologic D65

Proteus (mirabilis) (morganii), as cause of disease classified elsewhere B96.4

Prothrombin gene mutation D68.52

Protoporphyrin, erythropoietic E80.0

Protozoal (see also condition)
 disease B64
 specified NEC B60.8

Protrusion, protrusion
 acetabuli M24.7
 acetabulum (into pelvis) M24.7
 device, implant or graft (see also Complications, by site and type, mechanical) T85.698 ✓
 arterial graft NEC — see Complication,
 cardiovascular device, mechanical, vascular
 breast (implant) T85.49 ✓
 catheter NEC T85.698 ✓
 cystostomy T83.090 ✓

Protrusion - Psychosis

Proctors: This errata is permitted during the examination.

Protrusion — *continued*

device — *continued*

- dialysis (renal) T82.49 ☑
- intraoperative T85.691 ☑
- infusion NEC T82.594 ☑
- spinal (epidural) (subdural) T85.690 ☑
- urinary (*see also* Complications, catheter, urinary) T83.098 ☑
- electronic (electrode) (pulse generator) (stimulator)
 - bone T84.390 ☑
 - nervous system — *see* Complication, prosthetic device, mechanical, electronic nervous system stimulator
- fixation, internal (orthopedic) NEC — *see* Complication, fixation device, mechanical
- gastrointestinal — *see* Complications, prosthetic device, mechanical, gastrointestinal device
- genital NEC T83.498 ☑
- intrauterine contraceptive device T83.39 ☑
- penile prosthesis (cylinder) (implanted) (pump) (reservoir) T83.490 ☑
- testicular prosthesis T83.491 ☑
- heart NEC — *see* Complication, cardiovascular device, mechanical
- joint prosthesis — *see* Complications, joint prosthesis, mechanical, specified NEC, by site
- ocular NEC — *see* Complications, prosthetic device, mechanical, ocular device
- orthopedic NEC — *see* Complication, orthopedic, device, mechanical
- specified NEC T85.628 ☑
- urinary NEC (*see also* Complication, genitourinary, device, urinary, mechanical)
 - graft T83.29 ☑
- vascular NEC — *see* Complication, cardiovascular device, mechanical
- ventricular intracranial shunt T85.09 ☑
- intervertebral disc — *see* Displacement, intervertebral disc
- joint prosthesis — *see* Complications, joint prosthesis, mechanical, specified NEC, by site
- nucleus pulposus — *see* Displacement, intervertebral disc

Prune belly (syndrome) Q79.4

Prurigo (ferox) (gravis) (Hebrae) (Hebra's) (mitis) (simplex) L28.2

- Besnier's L20.0
- estivalis L56.4
- nodularis L28.1
- psychogenic F45.8

Pruritus, pruritic (essential) L29.9

- ani, anus L29.0
- psychogenic F45.8
- anogenital L29.3
 - psychogenic F45.8
- due to onchocerca volvulus B73.1
- gravidarum — *see* Pregnancy, complicated by, specified pregnancy-related condition NEC
- hiemalis L29.8
- neurogenic (any site) F45.8
- perianal L29.0
- psychogenic (any site) F45.8
- scroti, scrotum L29.1
 - psychogenic F45.8
- senile, senilis L29.8
- specified NEC L29.8
 - psychogenic F45.8
- Trichomonas A59.9
- vulva, vulvae L29.2
 - psychogenic F45.8

Pseudarthrosis, pseudoarthrosis (bone) — *see* Nonunion, fracture

- clavicle, congenital Q74.0
- joint, following fusion or arthrodesis M96.0

Pseudoaneurysm — *see* Aneurysm

Pseudoangioma I81

Pseudoangina (pectoris) — *see* Angina

Pseudoarteriosus Q28.8

Pseudoarthrosis — *see* Pseudarthrosis

Pseudobulbar affect (PBA) F48.2

Pseudochromhidrosis L67.8

Pseudocirrhosis, liver, pericardial I31.1

Pseudocowpox B08.03

Pseudocoxalgia M91.3 ☑

Pseudocroup J38.5

Pseudo-Cushing's syndrome, alcohol-induced E24.4

Pseudocystitis F45.8

Pseudocyst

- lung J98.4
- pancreas K86.3
- retina — *see* Cyst, retina

Pseudoelephantiasis neuroarthritica Q82.0

Pseudoexfoliation, capsule (lens) — *see* Cataract, specified NEC

Pseudofolliculitis barbae L73.1

Pseudoglioma H44.89

Pseudohemophilia (Bernuth's) (hereditary) (type B) D68.0

- Type A D69.8
- vascular D69.8

Pseudohermaphroditism Q56.3

- adrenal E25.8
- female Q56.2
 - with adrenocortical disorder E25.8
 - without adrenocortical disorder Q56.2
- adrenal (congenital) E25.0
- unspecified E25.9
- male Q56.1
 - with
 - adrenocortical disorder E25.8
 - androgen resistance E34.51
 - cleft scrotum Q56.1
 - feminizing testis E34.51
 - 5-alpha-reductase deficiency E29.1
 - without gonadal disorder Q56.1
 - adrenal E25.8
 - unspecified E25.9

Pseudo-Hurler's polydystrophy E77.0

Pseudohydrocephalus G93.2

Pseudohypertrophic muscular dystrophy (Erb's) G71.02

Pseudohypertrophy, muscle G71.09

Pseudohypoparathyroidism E20.1

Pseudoinsomnia F51.03

Pseudoleukemia, infantile D64.89

Pseudomembranous — *see* condition

Pseudomenses (newborn) P54.6

Pseudomenstruation (newborn) P54.6

Pseudomeningocele (cerebral) (infective) (post-traumatic) G96.19

- postprocedural (spinal) G97.82

Pseudomonas

- aeruginosa, as cause of disease classified elsewhere B96.5
- mallei infection A24.0
 - as cause of disease classified elsewhere B96.5
 - pseudomallei, as cause of disease classified elsewhere B96.5
- Pseudomyotonia G71.19
- Pseudomyxoma peritonei C78.6
- Pseudoneuritis, optic (nerve) (disc) (papilla), congenital Q14.2
- Pseudo-obstruction intestine (acute) (chronic) (idiopathic) (intermittent secondary) (primary)** K59.8
- Pseudopapilledema** H47.33 ☑
 - congenital Q14.2
- Pseudoparalysis**
 - arm or leg R29.818
 - atonic, congenital P94.2
- Pseudopelade** L66.0
- Pseudophakia** Z96.1
- Pseudopolyarthritis, rhizomelic** M35.3
- Pseudopolythemia** D75.1
- Pseudopseudohypoparathyroidism** E20.1
- Pseudopterygium** H11.81 ☑
- Pseudoptosis (eyelid)** — *see* Blepharochalasis
- Pseudopuberty, precocious**
 - female heterosexual E25.8
 - male isosexual E25.8
- Pseudorickets (renal)** N25.0
- Pseudorubella** B08.20
- Pseudosclerema, newborn** P83.88
- Pseudosclerosis (brain)**
 - of Westphal (Strümpell) E83.01
 - Jakob's — *see* Creutzfeldt-Jakob disease or syndrome
 - spastic — *see* Creutzfeldt-Jakob disease or syndrome
- Pseudotetanus** — *see* Convulsions
- Pseudotetany** R29.0
 - hysterical F44.5
- Pseudotruncus arteriosus** Q25.49
- Pseudotuberculosis** A28.2
 - enterocolitis A04.8
 - pasteurella (infection) A28.0
- Pseudotumor**
 - cerebri G93.2
 - orbital H05.11 ☑
- Pseudoxanthoma elasticum** Q82.8
- Psilosis (sprue) (tropical)** K90.1
 - nontropical K90.0
- Psittacosis** A70
- Psoitis** M60.88

Psoriasis L40.9

- arthropathic L40.50
- arthritis mutilans L40.52
- distal interphalangeal L40.51
- juvenile L40.54
- other specified L40.59
- spondylitis L40.53
- buccal K13.29
- flexural L40.48
- guttate L40.4
- mouth K13.29
- nummular L40.0
- plaque L40.0
- psychogenic F54
- pustular (generalized) L40.1
 - palmaris et plantaris L40.3
- specified NEC L40.8
- vulgaris L40.0

Psychasthenia F48.8

Psychiatric disorder or problem F99

Psychogenic (*see also* condition)

- factors associated with physical conditions F54

Psychological and behavioral factors affecting medical condition F59

Psychoneurosis, psychoneurotic (*see also* Neurosis)

- anxiety (state) F41.1
- depersonalization F48.1
- hypochondriacal F45.21
- hysteria F44.9
- neurasthenic F48.8
- personality NEC F60.89

Psychopathy, psychopathic

- affectionless F94.2
- autistic F84.5
- constitution, post-traumatic F07.81
- personality — *see* Disorder, personality
- sexual — *see* Deviation, sexual
- state F60.2

Psychosexual identity disorder of childhood F64.2

Psychosis, psychotic F29

- acute (transient) F23
- hysterical F44.9
- affective — *see* Disorder, mood
- alcoholic F10.959
 - with
 - abuse F10.159
 - anxiety disorder F10.980
 - with
 - abuse F10.180
 - dependence F10.280
 - delirium tremens F10.231
 - delusions F10.950
 - with
 - abuse F10.150
 - dependence F10.250
 - dementia F10.97
 - with dependence F10.27
 - dependence F10.259
 - hallucinosus F10.951
 - with
 - abuse F10.151
 - dependence F10.251
 - mood disorder F10.94
 - with
 - abuse F10.14
 - dependence F10.24
 - paranoia F10.950
 - with
 - abuse F10.150
 - dependence F10.250
 - persisting amnesia F10.96
 - with dependence F10.26
 - amnesic confabulatory F10.96
 - with dependence F10.26
 - delirium tremens F10.231
 - Korsakoff's, Korsakov's, Korsakow's F10.26
 - paranoid type F10.950
 - with
 - abuse F10.150
 - dependence F10.250
 - anergastic — *see* Psychosis, organic
 - arteriosclerotic (simple type) (uncomplicated) F01.50
 - with behavioral disturbance F01.51
 - childhood F84.0
 - atypical F84.8
 - climacteric — *see* Psychosis, involuntal
 - confusional F29
 - acute or subacute F05
 - reactive F23
 - cycloid F23
 - depressive — *see* Disorder, depressive

Proctors: This errata is permitted during the examination.

Psychosis - Puerperal

Psychosis — continued

disintegrative (childhood) F84.3
 drug-induced — see F11-F19 with .x59
 paranoid and hallucinatory states — see F11-F19 with .x50 or .x51
 due to or associated with
 addiction, drug — see F11-F19 with .x59
 dependence
 alcohol F10.259
 drug — see F11-F19 with .x59
 epilepsy F06.8
 Huntington's chorea F06.8
 ischemia, cerebrovascular (generalized) F06.8
 multiple sclerosis F06.8
 physical disease F06.8
 presenile dementia F03
 senile dementia F03
 vascular disease (arteriosclerotic) (cerebral) F01.50
 with behavioral disturbance F01.51
 epileptic F06.8
 episode F23
 due to or associated with physical condition F06.8
 exhaustive F43.0
 hallucinatory, chronic F28
 hypomanic F30.8
 hysterical (acute) F44.9
 induced F24
 infantile F84.0
 atypical F84.8
 infective (acute) (subacute) F05
 involuntal F28
 depressive — see Disorder, depressive
 melancholic — see Disorder, depressive
 paranoid (state) F22
 Korsakoff's, Korsakov's, Korsakow's (nonalcoholic) F04
 alcoholic F10.96
 in dependence F10.26
 induced by other psychoactive substance — see categories F11-F19 with .x5x
 mania, manic (single episode) F30.2
 recurrent type F31.89
 manic-depressive — see Disorder, bipolar
 menopausal — see Psychosis, involuntal
 mixed schizophrenic and affective F25.8
 multi-infarct (cerebrovascular) F01.50
 with behavioral disturbance F01.51
 nonorganic F29
 specified NEC F28
 organic F09
 due to or associated with
 arteriosclerosis (cerebral) — see Psychosis, arteriosclerotic
 cerebrovascular disease, arteriosclerotic — see Psychosis, arteriosclerotic
 childbirth — see Psychosis, puerperal
 Creutzfeldt-Jakob disease or syndrome — see Creutzfeldt-Jakob disease or syndrome
 dependence, alcohol F10.259
 disease
 alcoholic liver F10.259
 brain, arteriosclerotic — see Psychosis, arteriosclerotic
 cerebrovascular F01.50
 with behavioral disturbance F01.51
 Creutzfeldt-Jakob — see Creutzfeldt-Jakob disease or syndrome
 endocrine or metabolic F06.8
 acute or subacute F05
 liver, alcoholic F10.259
 epilepsy transient (acute) F05
 infection
 brain (intracranial) F06.8
 acute or subacute F05
 intoxication
 alcoholic (acute) F10.259
 drug F11-F19 with .x59
 ischemia, cerebrovascular (generalized) — see Psychosis, arteriosclerotic
 puerperium — see Psychosis, puerperal
 trauma, brain (birth) (from electric current) (surgical) F06.8
 acute or subacute F05
 infective F06.8
 acute or subacute F05
 post-traumatic F06.8
 acute or subacute F05
 paranoiac F22
 paranoid (climacteric) (involuntal) (menopausal) F22
 psychogenic (acute) F23
 schizophrenic F20.0
 senile F03

Psychosis — continued

postpartum (NOS) F53.1
 presbyophrenic (type) F03
 presenile F03
 psychogenic (paranoid) F23
 depressive F32.3
 puerperal (NOS) F53.1
 specified type — see Psychosis, by type
 reactive (brief) (transient) (emotional stress) (psychological trauma) F23
 depressive F32.3
 recurrent F33.3
 excitative type F30.8
 schizoaffective F25.9
 depressive type F25.1
 manic type F25.0
 schizophrenia, schizophrenic — see Schizophrenia
 schizophrenia-like, in epilepsy F06.2
 schizophreniform F20.81
 affective type F25.9
 brief F23
 confusional type F23
 mixed type F25.0
 senile NEC F03
 depressed or paranoid type F03
 simple deterioration F03
 specified type - code to condition
 shared F24
 situational (reactive) F23
 symbiotic (childhood) F84.3
 symptomatic F09
 Psychosomatic — see Disorder, psychosomatic
 Psychosyndrome, organic F07.9
 Psychotic episode due to or associated with physical condition F06.8
 Pterygium (eye) H11.00
 amyloid H11.01
 central H11.02
 colli Q18.3
 double H11.03
 peripheral
 progressive H11.05
 stationary H11.04
 recurrent H11.06
 Ptilosis (eyelid) — see Madarosis
 Ptomaine (poisoning) — see Poisoning, food
 Ptois (see also Blepharoptosis)
 adiposa (false) — see Blepharoptosis
 breast N64.81
 brow H57.81
 cecum K63.4
 colon K63.4
 congenital (eyelid) Q10.0
 specified site NEC — see Anomaly, by site
 eyebrow H57.81
 eyelid — see Blepharoptosis
 congenital Q10.0
 gastric K31.89
 intestine K63.4
 kidney N28.83
 liver K76.89
 renal N28.83
 splanchnic K63.4
 spleen D73.89
 stomach K31.89
 viscera K63.4
 PTP D69.51
 Ptyalism (periodic) K11.7
 hysterical F45.8
 pregnancy — see Pregnancy, complicated by, specified pregnancy-related condition NEC
 psychogenic F45.8
 Ptyalolithiasis K11.5
 Pubarche, precocious E30.1
 Pubertas praecox E30.1
 Puberty (development state) Z00.3
 bleeding (excessive) N92.2
 delayed E30.0
 precocious (constitutional) (cryptogenic) (idiopathic) E30.1
 central E22.8
 due to
 ovarian hyperfunction E28.1
 estrogen E28.0
 testicular hyperfunction E29.0
 premature E30.1
 due to
 adrenal cortical hyperfunction E25.8
 pineal tumor E34.8
 pituitary (anterior) hyperfunction E22.8
 Puckering, macula — see Degeneration, macula, puckering
 Pudenda, pudendum — see condition

Puente's disease (simple glandular cheilitis) K13.0
 Puerperal, puerperium (complicated by, complications) abnormal glucose (tolerance test) O99.815
 abscess
 areola O91.02
 associated with lactation O91.03
 Bartholin's gland O86.19
 breast O91.12
 associated with lactation O91.13
 cervix (uteri) O86.11
 genital organ NEC O86.19
 kidney O86.21
 mammary O91.12
 associated with lactation O91.13
 nipple O91.02
 associated with lactation O91.03
 peritoneum O85
 subareolar O91.12
 associated with lactation O91.13
 urinary tract — see Puerperal, infection, urinary
 uterus O86.12
 vagina (wall) O86.13
 vaginorectal O86.13
 vulvovaginal gland O86.13
 adnexitis O86.19
 afibrinogenemia, or other coagulation defect O72.3
 albuminuria (acute) (subacute) — see Proteinuria, gestational
 alcohol use O99.315
 anemia O90.81
 pre-existing (pre-pregnancy) O99.03
 anesthetic death O89.8
 apoplexy O99.43
 bariatric surgery status O99.845
 blood disorder NEC O99.13
 blood dyscrasia O72.3
 cardiomyopathy O90.3
 cerebrovascular disorder (conditions in 160-169) O99.43
 cervicitis O86.11
 circulatory system disorder O99.43
 coagulopathy (any) O99.13
 with hemorrhage O72.3
 complications O90.9
 specified NEC O90.89
 convulsions — see Eclampsia
 cystitis O86.22
 cystopyelitis O86.29
 delirium NEC F05
 diabetes O24.93
 gestational — see Puerperal, gestational diabetes
 pre-existing O24.33
 specified NEC O24.83
 type 1 O24.03
 type 2 O24.13
 digestive system disorder O99.63
 disease O90.9
 breast NEC O92.29
 cerebrovascular (acute) O99.43
 nonobstetric NEC O99.89
 tubo-ovarian O86.19
 Valsuani's O99.03
 disorder O90.9
 biliary tract O26.63
 lactation O92.70
 liver O26.63
 nonobstetric NEC O99.89
 disruption
 cesarean wound O90.0
 episiotomy wound O90.1
 perineal laceration wound O90.1
 drug use O99.325
 eclampsia (with pre-existing hypertension) O15.2
 embolism (pulmonary) (blood clot) — see Embolism, obstetric, puerperal
 endocrine, nutritional or metabolic disease NEC O99.285
 endophlebitis — see Puerperal, phlebitis
 endotracheitis O86.11
 failure
 lactation (complete) O92.3
 partial O92.4
 renal, acute O90.4
 fever (of unknown origin) O86.4
 septic O85
 fissure, nipple O92.12
 associated with lactation O92.13
 fistula
 breast (due to mastitis) O91.12
 associated with lactation O91.13
 nipple O91.02
 associated with lactation O91.03

Puerperal - Puncture

Proctors: This errata is permitted during the examination.

Puerperal — *continued*

galactophoritis O91.22
 associated with lactation O91.23
 galactorrhoea O92.6
 gastric banding status O99.845
 gastric bypass status O99.845
 gastrointestinal disease NEC O99.63
 gestational
 diabetes O24.439
 diet controlled O24.430
 insulin (and diet) controlled O24.434
 oral drug controlled (antidiabetic)
 (hypoglycemic) O24.435
 edema O12.05
 with proteinuria O12.25
 proteinuria O12.15
 gonorrhoea O98.23
 hematoma, subdural O99.43
 hemiplegia, cerebral O99.355
 due to cerebrovascular disorder O99.43
 hemorrhage O72.1
 brain O99.43
 bulbar O99.43
 cerebellar O99.43
 cerebral O99.43
 cortical O99.43
 delayed or secondary O72.2
 extradural O99.43
 internal capsule O99.43
 intracranial O99.43
 intrapontine O99.43
 meningeal O99.43
 pontine O99.43
 retained placenta O72.0
 subarachnoid O99.43
 subcortical O99.43
 subdural O99.43
 third stage O72.0
 uterine, delayed O72.2
 ventricular O99.43
 hemorrhoids O87.2
 hepatorenal syndrome O90.4
 hypertension — see Hypertension, complicating,
 puerperium
 hypertrophy, breast O92.29
 induration breast (fibrous) O92.29
 infection O86.4
 cervix O86.11
 generalized O85
 genital tract NEC O86.19
 obstetric surgical wound O86.09
 kidney (bacillus coli) O86.21
 maternal O98.93
 carrier state NEC O99.835
 gonorrhoea O98.23
 human immunodeficiency virus (HIV) O98.73
 protozoal O98.63
 sexually transmitted NEC O98.33
 specified NEC O98.83
 streptococcus group B (GBS) carrier
 state O99.825
 syphilis O98.13
 tuberculosis O98.03
 viral hepatitis O98.43
 viral NEC O98.53
 nipple O91.02
 associated with lactation O91.03
 peritoneum O85
 renal O86.21
 specified NEC O86.89
 urinary (asymptomatic) (tract) NEC O86.20
 bladder O86.22
 kidney O86.21
 specified site NEC O86.29
 urethra O86.22
 vagina O86.13
 vein — see Puerperal, phlebitis
 ischemia, cerebral O99.43
 lymphangitis O86.89
 breast O91.22
 associated with lactation O91.23
 malignancy O9A.13
 malnutrition O25.3
 mamillitis O91.02
 associated with lactation O91.03
 mammitis O91.22
 associated with lactation O91.23
 mania F30.8
 mastitis O91.22
 associated with lactation O91.23
 purulent O91.12
 associated with lactation O91.13

Puerperal — *continued*

melancholia — see Disorder, depressive
 mental disorder NEC O99.345
 metrorrhonitis O85
 metrorrhagia — see Hemorrhage, postpartum
 metrosalpingitis O86.19
 metrovaginits O86.13
 milk leg O87.1
 monoplegia, cerebral O99.43
 mood disturbance O90.6
 necrosis, liver (acute) (subacute) (conditions in
 subcategory K72.0) O26.63
 with renal failure O90.4
 nervous system disorder O99.355
 neuritis O90.89
 obesity (pre-existing prior to pregnancy) O99.215
 obesity surgery status O99.845
 occlusion, precerebral artery O99.43
 paralysis
 bladder (sphincter) O90.89
 cerebral O99.43
 paralytic stroke O99.43
 parametritis O85
 paravaginitis O86.13
 pelviperitonitis O85
 perimetritis O86.12
 perimetrosalpingitis O86.19
 perinephritis O86.21
 periphlebitis — see Puerperal phlebitis
 peritoneal infection O85
 peritonitis (pelvic) O85
 perivaginitis O86.13
 phlebitis O87.0
 deep O87.1
 pelvic O87.1
 superficial O87.0
 phlebothrombosis, deep O87.1
 phlegmasia alba dolens O87.1
 placental polyp O90.89
 pneumonia, embolic — see Embolism, obstetric,
 puerperal
 pre-eclampsia — see Pre-eclampsia
 psychosis (NOS) F53.1
 pyelitis O86.21
 pyelocystitis O86.29
 pyelonephritis O86.21
 pyelonephrosis O86.21
 pyemia O85
 pyocystitis O86.29
 pyohemia O85
 pyometra O86.12
 pyonephritis O86.21
 pyosalpingitis O86.19
 pyrexia (of unknown origin) O86.4
 renal
 disease NEC O90.89
 failure O90.4
 respiratory disease NEC O99.53
 retention
 decidua — see Retention, decidua
 placenta O72.0
 secundines — see Retention, secundines
 retracted nipple O92.02
 salpingo-ovaritis O86.19
 salpingoperitonitis O85
 secondary perineal tear O90.1
 sepsis (pelvic) O85
 sepsis O85
 septic thrombophlebitis O86.81
 skin disorder NEC O99.73
 specified condition NEC O99.89
 stroke O99.43
 subinvolution (uterus) O90.89
 subluxation of symphysis (pubis) O26.73
 suppuration — see Puerperal, abscess
 tetanus A34
 thelitis O91.02
 associated with lactation O91.03
 thrombocytopenia O72.3
 thrombophlebitis (superficial) O87.0
 deep O87.1
 pelvic O87.1
 septic O86.81
 thrombosis (venous) — see Thrombosis, puerperal
 thyroiditis O90.5
 toxemia (eclamptic) (pre-eclamptic) (with
 convulsions) O15.2
 trauma, non-obstetric O9A.23
 caused by abuse (physical) (suspected) O9A.33
 confirmed O9A.33
 psychological (suspected) O9A.53
 confirmed O9A.53

Puerperal — *continued*

trauma — *continued*
 sexual (suspected) O9A.43
 confirmed O9A.43
 uremia (due to renal failure) O90.4
 urethritis O86.22
 vaginitis O86.13
 varicose veins (legs) O87.4
 vulva or perineum O87.8
 venous O87.9
 vulvitis O86.19
 vulvovaginitis O86.13
 white leg O87.1
Puerperium — see Puerperal
Pulmolithiasis J98.4
Pulmonary — see condition
Pulpitis (acute) (anachoretic) (chronic) (hyperplastic)
 (putrescent) (suppurative) (ulcerative) K04.01
 irreversible K04.02
 reversible K04.01
Pulpless tooth K04.99
Pulse
 alternating R00.8
 bigeminal R00.8
 fast R00.0
 feeble, rapid due to shock following injury T79.4
 rapid R00.0
 weak R09.89
Pulsus alternans or trigeminus R00.8
Punch drunk F07.81
Punctum lacrimale occlusion — see Obstruction,
 lacrimal
Puncture
 abdomen, abdominal
 wall S31.139
 with
 foreign body S31.149
 penetration into peritoneal cavity S31.639
 with foreign body S31.649
 epigastric region S31.132
 with
 foreign body S31.142
 penetration into peritoneal
 cavity S31.632
 with foreign body S31.642
 left
 lower quadrant S31.134
 with
 foreign body S31.144
 penetration into peritoneal
 cavity S31.634
 with foreign body S31.644
 upper quadrant S31.131
 with
 foreign body S31.141
 penetration into peritoneal
 cavity S31.631
 with foreign body S31.641
 periumbilic region S31.135
 with
 foreign body S31.145
 penetration into peritoneal
 cavity S31.635
 with foreign body S31.645
 right
 lower quadrant S31.133
 with
 foreign body S31.143
 penetration into peritoneal
 cavity S31.633
 with foreign body S31.643
 upper quadrant S31.130
 with
 foreign body S31.140
 penetration into peritoneal
 cavity S31.630
 with foreign body S31.640
 accidental, complicating surgery — see
 Complication, accidental puncture or laceration
 alveolar (process) — see Puncture, oral cavity
 ankle S91.039
 with
 foreign body S91.049
 left S91.032
 with
 foreign body S91.042
 right S91.031
 with
 foreign body S91.041
 anus S31.833
 with foreign body S31.834

Proctors: This errata is permitted during the examination.

Puncture

Puncture — continued

arm (upper) S41.139 ☑
 with foreign body S41.149 ☑
 left S41.132 ☑
 with foreign body S41.142 ☑
 lower — see Puncture, forearm
 right S41.131 ☑
 with foreign body S41.141 ☑
 auditory canal (external) (meatus) — see Puncture, ear
 auricle, ear — see Puncture, ear
 axilla — see Puncture, arm
 back (see also Puncture, thorax, back)
 lower S31.030 ☑
 with
 foreign body S31.040 ☑
 with penetration into retroperitoneal space S31.041 ☑
 penetration into retroperitoneal space S31.031 ☑
 bladder (traumatic) S37.29 ☑
 nontraumatic N32.89
 breast S21.039 ☑
 with foreign body S21.049 ☑
 left S21.032 ☑
 with foreign body S21.042 ☑
 right S21.031 ☑
 with foreign body S21.041 ☑
 buttock S31.803 ☑
 with foreign body S31.804 ☑
 left S31.823 ☑
 with foreign body S31.824 ☑
 right S31.813 ☑
 with foreign body S31.814 ☑
 by
 device, implant or graft — see Complications, by site and type, mechanical
 foreign body left accidentally in operative wound T81.539 ☑
 instrument (any) during a procedure, accidental — see Puncture, accidental complicating surgery
 calf — see Puncture, leg
 canaliculus lacrimalis — see Puncture, eyelid
 canthus, eye — see Puncture, eyelid
 cervical esophagus S11.23 ☑
 with foreign body S11.24 ☑
 cheek (external) S01.439 ☑
 with foreign body S01.449 ☑
 left S01.432 ☑
 with foreign body S01.442 ☑
 right S01.431 ☑
 with foreign body S01.441 ☑
 internal — see Puncture, oral cavity
 chest wall — see Puncture, thorax
 chin — see Puncture, head, specified site NEC
 clitoris — see Puncture, vulva
 costal region — see Puncture, thorax
 digit (s)
 hand — see Puncture, finger
 foot — see Puncture, toe
 ear (canal) (external) S01.339 ☑
 with foreign body S01.349 ☑
 left S01.332 ☑
 with foreign body S01.342 ☑
 right S01.331 ☑
 with foreign body S01.341 ☑
 drum S09.2 ☑
 elbow S51.039 ☑
 with
 foreign body S51.049 ☑
 left S51.032 ☑
 with
 foreign body S51.042 ☑
 right S51.031 ☑
 with
 foreign body S51.041 ☑
 epididymis — see Puncture, testis
 epigastric region — see Puncture, abdomen, wall, epigastric
 epiglottis S11.83 ☑
 with foreign body S11.84 ☑
 esophagus
 cervical S11.23 ☑
 with foreign body S11.24 ☑
 thoracic S27.818 ☑
 eyeball S05.6 ☑
 with foreign body S05.5 ☑
 eyebrow — see Puncture, eyelid
 eyelid S01.13 ☑
 with foreign body S01.14 ☑
 left S01.132 ☑
 with foreign body S01.142 ☑

Puncture — continued

eyelid — continued
 right S01.131 ☑
 with foreign body S01.141 ☑
 face NEC — see Puncture, head, specified site NEC
 finger (s) S61.239 ☑
 with
 damage to nail S61.339 ☑
 with
 foreign body S61.349 ☑
 foreign body S61.249 ☑
 index S61.238 ☑
 with
 damage to nail S61.338 ☑
 with
 foreign body S61.348 ☑
 foreign body S61.248 ☑
 left S61.231 ☑
 with
 damage to nail S61.331 ☑
 with
 foreign body S61.341 ☑
 foreign body S61.241 ☑
 right S61.230 ☑
 with
 damage to nail S61.330 ☑
 with
 foreign body S61.340 ☑
 foreign body S61.240 ☑
 little S61.238 ☑
 with
 damage to nail S61.338 ☑
 with
 foreign body S61.348 ☑
 foreign body S61.248 ☑
 left S61.237 ☑
 with
 damage to nail S61.337 ☑
 with
 foreign body S61.347 ☑
 foreign body S61.247 ☑
 right S61.236 ☑
 with
 damage to nail S61.336 ☑
 with
 foreign body S61.346 ☑
 foreign body S61.246 ☑
 middle S61.238 ☑
 with
 damage to nail S61.338 ☑
 with
 foreign body S61.348 ☑
 foreign body S61.248 ☑
 left S61.233 ☑
 with
 damage to nail S61.333 ☑
 with
 foreign body S61.343 ☑
 foreign body S61.243 ☑
 right S61.232 ☑
 with
 damage to nail S61.332 ☑
 with
 foreign body S61.342 ☑
 foreign body S61.242 ☑
 ring S61.238 ☑
 with
 damage to nail S61.338 ☑
 with
 foreign body S61.348 ☑
 foreign body S61.248 ☑
 left S61.235 ☑
 with
 damage to nail S61.335 ☑
 with
 foreign body S61.345 ☑
 foreign body S61.245 ☑
 right S61.234 ☑
 with
 damage to nail S61.334 ☑
 with
 foreign body S61.344 ☑
 foreign body S61.244 ☑
 flank S31.139 ☑
 with foreign body S31.149 ☑
 foot (except toe (s) alone) S91.339 ☑
 with foreign body S91.349 ☑
 left S91.332 ☑
 with foreign body S91.342 ☑
 right S91.331 ☑
 with foreign body S91.341 ☑
 toe — see Puncture, toe

Puncture — continued

forearm S51.839 ☑
 with
 foreign body S51.849 ☑
 elbow only — see Puncture, elbow
 left S51.832 ☑
 with
 foreign body S51.842 ☑
 right S51.831 ☑
 with
 foreign body S51.841 ☑
 forehead — see Puncture, head, specified site NEC
 genital organs, external
 female S31.532 ☑
 with foreign body S31.542 ☑
 vagina — see Puncture, vagina
 vulva — see Puncture, vulva
 male S31.531 ☑
 with foreign body S31.541 ☑
 penis — see Puncture, penis
 scrotum — see Puncture, scrotum
 testis — see Puncture, testis
 groin — see Puncture, abdomen, wall
 gum — see Puncture, oral cavity
 hand S61.439 ☑
 with
 foreign body S61.449 ☑
 finger — see Puncture, finger
 left S61.432 ☑
 with
 foreign body S61.442 ☑
 right S61.431 ☑
 with
 foreign body S61.441 ☑
 thumb — see Puncture, thumb
 head S01.93 ☑
 with foreign body S01.94 ☑
 cheek — see Puncture, cheek
 ear — see Puncture, ear
 eyelid — see Puncture, eyelid
 lip — see Puncture, oral cavity
 nose — see Puncture, nose
 oral cavity — see Puncture, oral cavity
 scalp S01.03 ☑
 with foreign body S01.04 ☑
 specified site NEC S01.83 ☑
 with foreign body S01.84 ☑
 temporomandibular area — see Puncture, cheek
 heart S26.99 ☑
 with hemopericardium S26.09 ☑
 without hemopericardium S26.19 ☑
 heel — see Puncture, foot
 hip S71.039 ☑
 with foreign body S71.049 ☑
 left S71.032 ☑
 with foreign body S71.042 ☑
 right S71.031 ☑
 with foreign body S71.041 ☑
 hymen — see Puncture, vagina
 hypochondrium — see Puncture, abdomen, wall
 hypogastric region — see Puncture, abdomen, wall
 inguinal region — see Puncture, abdomen, wall
 instep — see Puncture, foot
 internal organs — see Injury, by site
 interscapular region — see Puncture, thorax, back
 intestine
 large
 colon S36.599 ☑
 ascending S36.590 ☑
 descending S36.592 ☑
 sigmoid S36.593 ☑
 specified site NEC S36.598 ☑
 transverse S36.591 ☑
 rectum S36.69 ☑
 small S36.499 ☑
 duodenum S36.490 ☑
 specified site NEC S36.498 ☑
 intra-abdominal organ S36.99 ☑
 gallbladder S36.128 ☑
 intestine — see Puncture, intestine
 liver S36.118 ☑
 pancreas — see Puncture, pancreas
 peritoneum S36.81 ☑
 specified site NEC S36.898 ☑
 spleen S36.09 ☑
 stomach S36.39 ☑
 jaw — see Puncture, head, specified site NEC
 knee S81.039 ☑
 with foreign body S81.049 ☑
 left S81.032 ☑
 with foreign body S81.042 ☑
 right S81.031 ☑
 with foreign body S81.041 ☑

Puncture - Purpura

Proctors: This errata is permitted during the examination.

Puncture — continued

labium (majus) (minus) — see Puncture, vulva
 lacrimal duct — see Puncture, eyelid
 larynx S11.013 ☑
 with foreign body S11.014 ☑
 leg (lower) S81.839 ☑
 with foreign body S81.849 ☑
 foot — see Puncture, foot
 knee — see Puncture, knee
 left S81.832 ☑
 with foreign body S81.842 ☑
 right S81.831 ☑
 with foreign body S81.841 ☑
 upper — see Puncture, thigh
 lip S01.531 ☑
 with foreign body S01.541 ☑
 loin — see Puncture, abdomen, wall
 lower back — see Puncture, back, lower
 lumbar region — see Puncture, back, lower
 malar region — see Puncture, head, specified site
 NEC
 mammary — see Puncture, breast
 mastoid region — see Puncture, head, specified
 site NEC
 mouth — see Puncture, oral cavity
 nail
 finger — see Puncture, finger, with damage to nail
 toe — see Puncture, toe, with damage to nail
 nasal (septum) (sinus) — see Puncture, nose
 nasopharynx — see Puncture, head, specified site
 NEC
 neck S11.93 ☑
 with foreign body S11.94 ☑
 involving
 cervical esophagus — see Puncture, cervical
 esophagus
 larynx — see Puncture, larynx
 pharynx — see Puncture, pharynx
 thyroid gland — see Puncture, thyroid gland
 trachea — see Puncture, trachea
 specified site NEC S11.83 ☑
 with foreign body S11.84 ☑
 nose (septum) (sinus) S01.23 ☑
 with foreign body S01.24 ☑
 ocular — see Puncture, eyeball
 oral cavity S01.532 ☑
 with foreign body S01.542 ☑
 orbit S05.4 ☑
 palate — see Puncture, oral cavity
 palm — see Puncture, hand
 pancreas S36.299 ☑
 body S36.291 ☑
 head S36.290 ☑
 tail S36.292 ☑
 pelvis — see Puncture, back, lower
 penis S31.23 ☑
 with foreign body S31.24 ☑
 perineum
 female S31.43 ☑
 with foreign body S31.44 ☑
 male S31.139 ☑
 with foreign body S31.149 ☑
 periocular area (with or without lacrimal passages)
 — see Puncture, eyelid
 phalanges
 finger — see Puncture, finger
 toe — see Puncture, toe
 pharynx S11.23 ☑
 with foreign body S11.24 ☑
 pinna — see Puncture, ear
 popliteal space — see Puncture, knee
 prepuce — see Puncture, penis
 pubic region S31.139 ☑
 with foreign body S31.149 ☑
 pudendum — see Puncture, genital organs, external
 rectovaginal septum — see Puncture, vagina
 sacral region — see Puncture, back, lower
 sacroiliac region — see Puncture, back, lower
 salivary gland — see Puncture, oral cavity
 scalp S01.03 ☑
 with foreign body S01.04 ☑
 scapular region — see Puncture, shoulder
 scrotum S31.33 ☑
 with foreign body S31.34 ☑
 shin — see Puncture, leg
 shoulder S41.039 ☑
 with foreign body S41.049 ☑
 left S41.032 ☑
 with foreign body S41.042 ☑
 right S41.031 ☑
 with foreign body S41.041 ☑
 spermatic cord — see Puncture, testis

Puncture — continued

sternal region — see Puncture, thorax, front
 submaxillary region — see Puncture, head, specified
 site NEC
 submental region — see Puncture, head, specified
 site NEC
 subungual
 finger (s) — see Puncture, finger, with damage to nail
 toe — see Puncture, toe, with damage to nail
 supraclavicular fossa — see Puncture, neck,
 specified site NEC
 temple, temporal region — see Puncture, head,
 specified site NEC
 temporomandibular area — see Puncture, cheek
 testis S31.33 ☑
 with foreign body S31.34 ☑
 thigh S71.139 ☑
 with foreign body S71.149 ☑
 left S71.132 ☑
 with foreign body S71.142 ☑
 right S71.131 ☑
 with foreign body S71.141 ☑
 thorax, thoracic (wall) S21.93 ☑
 with foreign body S21.94 ☑
 back S21.23 ☑
 with
 foreign body S21.24 ☑
 with penetration S21.44 ☑
 penetration S21.43 ☑
 breast — see Puncture, breast
 front S21.13 ☑
 with
 foreign body S21.14 ☑
 with penetration S21.34 ☑
 penetration S21.33 ☑
 throat — see Puncture, neck
 thumb S61.039 ☑
 with
 damage to nail S61.139 ☑
 with
 foreign body S61.149 ☑
 foreign body S61.049 ☑
 left S61.032 ☑
 with
 damage to nail S61.132 ☑
 with
 foreign body S61.142 ☑
 foreign body S61.042 ☑
 right S61.031 ☑
 with
 damage to nail S61.131 ☑
 with
 foreign body S61.141 ☑
 foreign body S61.041 ☑
 thyroid gland S11.13 ☑
 with foreign body S11.14 ☑
 toe (s) S91.139 ☑
 with
 damage to nail S91.239 ☑
 with
 foreign body S91.249 ☑
 foreign body S91.149 ☑
 great S91.133 ☑
 with
 damage to nail S91.233 ☑
 with
 foreign body S91.243 ☑
 foreign body S91.143 ☑
 left S91.132 ☑
 with
 damage to nail S91.232 ☑
 with
 foreign body S91.242 ☑
 foreign body S91.142 ☑
 right S91.131 ☑
 with
 damage to nail S91.231 ☑
 with
 foreign body S91.241 ☑
 foreign body S91.141 ☑
 lesser S91.136 ☑
 with
 damage to nail S91.236 ☑
 with
 foreign body S91.246 ☑
 foreign body S91.146 ☑
 left S91.135 ☑
 with
 damage to nail S91.235 ☑
 with
 foreign body S91.245 ☑
 foreign body S91.145 ☑

Puncture — continued

toe (s) — continued
 right S91.134 ☑
 with
 damage to nail S91.234 ☑
 with
 foreign body S91.244 ☑
 foreign body S91.144 ☑
 tongue — see Puncture, oral cavity
 trachea S11.023 ☑
 with foreign body S11.024 ☑
 tunica vaginalis — see Puncture, testis
 tympanum, tympanic membrane S09.2 ☑
 umbilical region S31.135 ☑
 with foreign body S31.145 ☑
 uvula — see Puncture, oral cavity
 vagina S31.43 ☑
 with foreign body S31.44 ☑
 vocal cords S11.033 ☑
 with foreign body S11.034 ☑
 vulva S31.43 ☑
 with foreign body S31.44 ☑
 wrist S61.539 ☑
 with
 foreign body S61.549 ☑
 left S61.532 ☑
 with
 foreign body S61.542 ☑
 right S61.531 ☑
 with
 foreign body S61.541 ☑
PUO (pyrexia of unknown origin) R50.9
Pupillary membrane (persistent) Q13.89
Pupillotonia — see Anomaly, pupil, function, tonic
 pupil
Purpura D69.2
 abdominal D69.0
 allergic D69.0
 anaphylactoid D69.0
 annularis telangiectodes L81.7
 arthritic D69.0
 autoerythrocyte sensitization D69.2
 autoimmune D69.0
 bacterial D69.0
 Bateman's (senile) D69.2
 capillary fragility (hereditary) (idiopathic) D69.8
 cryoglobulinemic D89.1
 Devil's pinches D69.2
 fibrinolytic — see Fibrinolysis
 fulminans, fulminous D65
 gangrenous D65
 hemorrhagic, hemorrhagica D69.3
 not due to thrombocytopenia D69.0
 Henoch (-Schönlein) (allergic) D69.0
 hypergammaglobulinemic (benign)
 (Waldenström) D89.0
 idiopathic (thrombocytopenic) D69.3
 nonthrombocytopenic D69.0
 immune thrombocytopenic D69.3
 infectious D69.0
 malignant D69.0
 neonatorum P54.5
 nervosa D69.0
 newborn P54.5
 nonthrombocytopenic D69.2
 hemorrhagic D69.0
 idiopathic D69.0
 nonthrombocytopenic D69.2
 peliosis rheumatica D69.0
 posttransfusion (post-transfusion) (from (fresh)
 whole blood or blood products) D69.51
 primary D69.49
 red cell membrane sensitivity D69.2
 rheumatica D69.0
 Schönlein (-Henoch) (allergic) D69.0
 scorbatic E54 [D77]
 senile D69.2
 simplex D69.2
 symptomatic D69.0
 telangiectasia annularis L81.7
 thrombocytopenic D69.49
 congenital D69.42
 hemorrhagic D69.3
 hereditary D69.42
 idiopathic D69.3
 immune D69.3
 neonatal, transitory P61.0
 thrombotic M31.1
 thrombohemolytic — see Fibrinolysis
 thrombolytic — see Fibrinolysis
 thrombopenic D69.49
 thrombotic, thrombocytopenic M31.1

Proctors: This errata is permitted during the examination.

Purpura - Ranula

Purpura — *continued*
 toxic D69.0
 vascular D69.0
 visceral symptoms D69.0

Purpuric spots R23.3

Purulent — *see* condition

Pus
 in
 stool R19.5
 urine N39.0
 tube (rupture) — *see* Salpingo-oophoritis

Pustular rash L08.0

Pustule (nonmalignant) L08.9
 malignant A22.0

Pustulosis palmaris et plantaris L40.3

Putnam (-Dana) disease or syndrome — *see* Degeneration, combined

Putrescent pulp (dental) K04.1

Pyarthritis, pyarthrosis — *see* Arthritis, pyogenic or pyemic

tuberculous — *see* Tuberculosis, joint

Pyelectasis — *see* Hydronephrosis

Pyelitis (congenital) (uremic) (*see also* Pyelonephritis)
 with
 calculus — *see* category N20
 with hydronephrosis N13.2
 contracted kidney N11.9
 acute N10
 chronic N11.9
 with calculus — *see* category N20
 with hydronephrosis N13.2
 cystica N28.84
 puerperal (postpartum) O86.21
 tuberculous A18.11

Pyelocystitis — *see* Pyelonephritis

Pyelonephritis (*see also* Nephritis, tubulo-interstitial)
 with
 calculus — *see* category N20
 with hydronephrosis N13.2
 contracted kidney N11.9
 acute N10
 calculous — *see* category N20
 with hydronephrosis N13.2
 chronic N11.9
 with calculus — *see* category N20
 with hydronephrosis N13.2
 associated with ureteral obstruction or stricture N11.1
 nonobstructive N11.8
 with reflux (vesicoureteral) N11.0
 obstructive N11.1
 specified NEC N11.8
 in (due to)
 brucellosis A23.9 [N16]
 cryoglobulinemia (mixed) D89.1 [N16]
 cystinosis E72.04
 diphtheria A36.84
 glycogen storage disease E74.09 [N16]
 leukemia NEC C95.9 [N16]
 lymphoma NEC C85.90 [N16]
 multiple myeloma C90.0 [N16]
 obstruction N11.1
 Salmonella infection A02.25
 sarcoidosis D86.84
 sepsis A41.9 [N16]
 Sjögren's disease M35.04
 toxoplasmosis B58.83
 transplant rejection T86.91 [N16]
 Wilson's disease E83.01 [N16]
 nonobstructive N12
 with reflux (vesicoureteral) N11.0
 chronic N11.8
 syphilitic A52.75

Pyelonephrosis (obstructive) N11.1
 chronic N11.9

Pyelophlebitis I80.8

Pyeloureteritis cystica N28.85

Pyemia, pyemic (fever) (infection) (purulent) (*see also* Sepsis)
 joint — *see* Arthritis, pyogenic or pyemic
 liver K75.1
 pneumococcal A40.3
 portal K75.1
 postvaccinal T88.0
 puerperal, postpartum, childbirth O85
 specified organism NEC A41.89
 tuberculous — *see* Tuberculosis, miliary

Pyogpagus Q89.4

Pyknoepilepsy (idiopathic) — *see* Pyknolepsy

Pyknolepsy G40.A09
 intractable G40.A19
 with status epilepticus G40.A11
 without status epilepticus G40.A19

Pyknolepsy — *continued*
 not intractable G40.A09
 with status epilepticus G40.A01
 without status epilepticus G40.A09

Pylephlebitis K75.1

Pyle's syndrome Q78.5

Pylethrombophlebitis K75.1

Pylethrombosis K75.1

Pyelorrhisis K29.90
 with bleeding K29.91

Pylorospasm (reflex) NEC K31.3
 congenital or infantile Q40.0
 newborn Q40.0
 neurotic F45.8
 psychogenic F45.8

Pylorus, pyloric — *see* condition

Pyoarthritis — *see* Arthritis, pyogenic or pyemic

Pyocele
 mastoid — *see* Mastoiditis, acute
 sinus (accessory) — *see* Sinusitis
 turbinate (bone) J32.9
 urethra (*see also* Urethritis) N34.0

Pyocolpos — *see* Vaginitis

Pyocystitis N30.80
 with hematuria N30.81

Pyoderma, pyoderma L08.0
 gangrenosum L88
 newborn P39.4
 phagedenic L88
 vegetans L08.81

Pyodermatitis L08.0
 vegetans L08.81

Pyogenic — *see* condition

Pyohydronephrosis N13.6

Pyometra, pyometrium, pyometritis — *see* Endometritis

Pyomyositis (tropical) — *see* Myositis, infective

Pyonephritis N12

Pyonephrosis N13.6
 tuberculous A18.11

Pyo-oophoritis — *see* Salpingo-oophoritis

Pyo-ovarium — *see* Salpingo-oophoritis

Pyopericarditis, pyopericardium I30.1

Pyoplebitis — *see* Phlebitis

Pyopneumopericardium I30.1

Pyopneumothorax (infective) J86.9
 with fistula J86.0
 tuberculous NEC A15.6

Pyosalpinx, pyosalpingitis (*see also* Salpingo-oophoritis)

Pyothorax J86.9
 with fistula J86.0
 tuberculous NEC A15.6

Pyoureter N28.89
 tuberculous A18.11

Pyramidopallidonigral syndrome G20

Pyrexia (of unknown origin) R50.9
 atmospheric T67.0
 during labor NEC O75.2
 heat T67.0
 newborn P81.9
 environmentally-induced P81.0
 persistent R50.9
 puerperal O86.4

Pyroglobulinemia NEC E88.09

Pyromania F63.1

Pyrosis R12

Pyuria (bacterial) N39.0

Q

Q fever A78
 with pneumonia A78

Quadricuspid aortic valve Q23.8

Quadrilateral fever A78

Quadruparesis — *see* Quadriplegia
 meaning muscle weakness M62.81

Quadriplegia G82.50
 complete
 C1-C4 level G82.51
 C5-C7 level G82.53
 congenital (cerebral) (spinal) G80.8
 spastic G80.0
 embolic (current episode) I63.4
 functional R53.2
 incomplete
 C1-C4 level G82.52
 C5-C7 level G82.54
 thrombotic (current episode) I63.3
 traumatic - code to injury with seventh character S
 current episode — *see* Injury, spinal (cord), cervical

Quadruplet, pregnancy — *see* Pregnancy, quadruplet

Quarrelsome F60.3

Queensland fever A77.3

Quervain's disease M65.4
 thyroid E06.1

Queyrat's erythroplasia D07.4
 penis D07.4
 specified site — *see* Neoplasm, skin, in situ
 unspecified site D07.4

Quincke's disease or edema T78.3
 hereditary D84.1

Quinsy (gangrenous) J36

Quintan fever A79.0

Quintuplet, pregnancy — *see* Pregnancy, quintuplet

R

Rabbit fever — *see* Tularemia

Rabies A82.9
 contact Z20.3
 exposure to Z20.3
 inoculation reaction — *see* Complications,
 vaccination
 sylvatic A82.0
 urban A82.1

Rachischisis — *see* Spina bifida

Rachitic (*see also* condition)
 deformities of spine (late effect) (sequelae) E64.3
 pelvis (late effect) (sequelae) E64.3
 with disproportion (fetopelvic) O33.0
 causing obstructed labor O65.0

Rachitis, rachitism (acute) (tarda) (*see also* Rickets)
 renalis N25.0
 sequelae E64.3

Radial nerve — *see* condition

Radiation
 burn — *see* Burn
 effects NOS T66
 sickness NOS T66
 therapy, encounter for Z51.0

Radiculitis (pressure) (vertebrogenic) — *see* Radiculopathy

Radiculomyelitis (*see also* Encephalitis)
 toxic, due to
 Clostridium tetani A35
 Corynebacterium diphtheriae A36.82

Radiculopathy M54.10
 cervical region M54.12
 cervicothoracic region M54.13
 due to
 disc disorder
 C3 M50.11
 C4 M50.11
 C5 M50.121
 C6 M50.122
 C7 M50.123
 C8 M50.13
 displacement of intervertebral disc — *see*
 Disorder, disc, with, radiculopathy
 leg M54.1
 lumbar region M54.16
 lumbosacral region M54.17
 occipito-atlanto-axial region M54.11
 postherpetic B02.29
 sacrococcygeal region M54.18
 syphilitic A52.11
 thoracic region (with visceral pain) M54.14
 thoracolumbar region M54.15

Radiodermal burns (acute, chronic, or occupational)
 — *see* Burn

Radiodermatitis L58.9
 acute L58.0
 chronic L58.1

Radiotherapy session Z51.0

RAEB (refractory anemia with excess blasts) D46.2

Rage, meaning rabies — *see* Rabies

Raggicker's disease A22.1

Ragsorter's disease A22.1

Raillietiniasis B71.8

Railroad neurosis F48.8

Railway spine F48.8

Raised (*see also* Elevated)
 antibody titer R76.0

Rake teeth, tooth M26.39

Rales R09.89

Ramifying renal pelvis Q63.8

Ramsay-Hunt disease or syndrome (*see also* Hunt's disease) B02.21
 meaning dyssynergia cerebellaris myoclonica G11.1

Ranula K11.6
 congenital Q38.4

Rape - Rectosigmoiditis

Proctors: This errata is permitted during the examination.

Rape

adult
 confirmed T74.21 ✓
 suspected T76.21 ✓
 alleged, observation or examination, ruled out
 adult Z04.41
 child Z04.42
 child
 confirmed T74.22 ✓
 suspected T76.22 ✓

Rapid
 feeble pulse, due to shock, following injury T79.4 ✓
 heart (beat) R00.0
 psychogenic F45.8
 second stage (delivery) O62.3
 time-zone change syndrome G47.25

Rarefaction, bone — see Disorder, bone, density and structure, specified NEC

Rash (toxic) R21
 canker A38.9
 diaper L22
 drug (internal use) L27.0
 contact (see also Dermatitis, due to, drugs, external) L25.1
 following immunization T88.1 ✓
 food — see Dermatitis, due to, food
 heat L74.0
 napkin (psoriasisiform) L22
 nettle — see Urticaria
 pustular L08.0
 rose R21
 epidemic B06.9
 scarlet A38.9
 serum (see also Reaction, serum) T80.69 ✓
 wandering tongue K14.1

Rasmussen aneurysm — see Tuberculosis, pulmonary
Rasmussen encephalitis G04.81

Rat-bite fever A25.9
 due to *Streptobacillus moniliformis* A25.1
 spirochetal (*morsus muris*) A25.0

Rathke's pouch tumor D44.3

Raymond (-Céstan) syndrome I65.8

Raynaud's disease, phenomenon or syndrome (secondary) I73.00
 with gangrene (symmetric) I73.01

RDS (newborn) (type I) P22.0
 type II P22.1

Reaction (see also Disorder)
 adaptation — see Disorder, adjustment
 adjustment (anxiety) (conduct disorder) (depressiveness) (distress) — see Disorder, adjustment
 with
 mutism, elective (child) (adolescent) F94.0
 adverse
 food (any) (ingested) NEC T78.1 ✓
 anaphylactic — see Shock, anaphylactic, due to food
 affective — see Disorder, mood
 allergic — see Allergy
 anaphylactic — see Shock, anaphylactic
 anaphylactoid — see Shock, anaphylactic
 anesthesia — see Anesthesia, complication
 antitoxin (prophylactic) (therapeutic) — see Complications, vaccination
 anxiety F41.1
 Arthus — see Arthus' phenomenon
 asthenic F48.8
 combat and operational stress F43.0
 compulsive F42.8
 conversion F44.9
 crisis, acute F43.0
 deoxyribonuclease (DNA) (DNase) hypersensitivity D69.2
 depressive (single episode) F32.9
 affective (single episode) F31.4
 recurrent episode F33.9
 neurotic F34.1
 psychoneurotic F34.1
 psychotic F32.3
 recurrent — see Disorder, depressive, recurrent
 dissociative F44.9
 drug NEC T88.7 ✓
 addictive — see Dependence, drug
 transmitted via placenta or breast milk — see Absorption, drug, addictive, through placenta
 allergic — see Allergy, drug
 lichenoid L43.2
 newborn P93.8
 gray baby syndrome P93.0
 overdose or poisoning (by accident) — see Table of Drugs and Chemicals, by drug, poisoning

Reaction — continued

drug NEC — continued
 photoallergic L56.1
 phototoxic L56.0
 withdrawal — see Dependence, by drug, with
 withdrawal
 infant of dependent mother P96.1
 newborn P96.1
 wrong substance given or taken (by accident) — see Table of Drugs and Chemicals, by drug, poisoning

fear F40.9
 child (abnormal) F93.8

febrile nonhemolytic transfusion (FNHTR) R50.84
 fluid loss, cerebrospinal G97.1

foreign
 body NEC — see Granuloma, foreign body
 in operative wound (inadvertently left) — see Foreign body, accidentally left during a procedure
 substance accidentally left during a procedure (chemical) (powder) (talc) T81.60 ✓
 aseptic peritonitis T81.61 ✓
 body or object (instrument) (sponge) (swab) — see Foreign body, accidentally left during a procedure
 specified reaction NEC T81.69 ✓

grief — see Disorder, adjustment
 Herxheimer's R68.89
 hyperkinetic — see Hyperkinesia
 hypochondriacal F45.20
 hypoglycemic, due to insulin E16.0
 with coma (diabetic) — see Diabetes, coma
 nondiabetic E15
 therapeutic misadventure — see subcategory T38.3 ✓

hypomanic F30.8
 hysterical F44.9

immunization — see Complications, vaccination
 incompatibility
 ABO blood group (infusion) (transfusion) — see Complication(s), transfusion, incompatibility reaction, ABO
 delayed serologic T80.39 ✓
 minor blood group (Duffy) (E) (K) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) T80.89 ✓
 Rh (factor) (infusion) (transfusion) — see Complication(s), transfusion, incompatibility reaction, Rh (factor)

inflammatory — see Infection
 infusion — see Complications, infusion
 inoculation (immune serum) — see Complications, vaccination
 insulin T38.3 ✓

involutional psychotic — see Disorder, depressive
 leukemoid D72.823
 basophilic D72.823
 lymphocytic D72.823
 monocytic D72.823
 myelocytic D72.823
 neutrophilic D72.823

LSD (acute)
 due to drug abuse — see Abuse, drug, hallucinogen
 due to drug dependence — see Dependence, drug, hallucinogen
 lumbar puncture G97.1
 manic-depressive — see Disorder, bipolar
 neurasthenic F48.8
 neurogenic — see Neurosis
 neurotic F48.9
 neurotic-depressive F34.1
 nitritoid — see Crisis, nitritoid
 nonspecific
 to
 cell mediated immunity measurement of gamma interferon antigen response without active tuberculosis R76.12
 QuantiFERON-TB test (QFT) without active tuberculosis R76.12
 tuberculin test (see also Reaction, tuberculin skin test) R76.11
 obsessive-compulsive F42.8
 organic, acute or subacute — see Delirium
 paranoid (acute) F23
 chronic F22
 senile F03 ✓
 passive dependency F60.7
 phobic F40.9
 post-traumatic stress, uncomplicated Z73.3
 psychogenic F99

Reaction — continued

psychoneurotic (see also Neurosis)
 compulsive F42.8
 depersonalization F48.1
 depressive F34.1
 hypochondriacal F45.20
 neurasthenic F48.8
 obsessive F42.8
 psychophysiological — see Disorder, somatoform
 psychosomatic — see Disorder, somatoform
 psychotic — see Psychosis
 scarlet fever toxin — see Complications, vaccination
 schizophrenic F23
 acute (brief) (undifferentiated) F23
 latent F21
 undifferentiated (acute) (brief) F23
 serological for syphilis — see Serology for syphilis serum T80.69 ✓
 anaphylactic (immediate) (see also Shock, anaphylactic) T80.59 ✓
 specified reaction NEC
 due to
 administration of blood and blood products T80.61 ✓
 immunization T80.62 ✓
 serum specified NEC T80.69 ✓
 vaccination T80.62 ✓
 situational — see Disorder, adjustment
 somatization — see Disorder, somatoform
 spinal puncture G97.1
 stress (severe) F43.9
 acute (agitation) ("daze") (disorientation) (disturbance of consciousness) (flight reaction) (fugue) F43.0
 specified NEC F43.8
 surgical procedure — see Complications, surgical procedure
 tetanus antitoxin — see Complications, vaccination
 toxic, to local anesthesia T88.59 ✓
 in labor and delivery O74.4
 in pregnancy O29.3X ✓
 postpartum, puerperal O89.3
 toxin-antitoxin — see Complications, vaccination
 transfusion (blood) (bone marrow) (lymphocytes) (allergic) — see Complications, transfusion
 tuberculin skin test, abnormal R76.11
 vaccination (any) — see Complications, vaccination
 withdrawing, child or adolescent F93.8

Reactive airway disease — see Asthma
Reactive depression — see Reaction, depressive

Rearrangement
 chromosomal
 balanced (in) Q95.9
 abnormal individual (autosomal) Q95.2
 non-sex (autosomal) chromosomes Q95.2
 sex/non-sex chromosomes Q95.3
 specified NEC Q95.8

Recalcitrant patient — see Noncompliance

Recanalization, thrombus — see Thrombosis

Recession, receding
 chamber angle (eye) H21.55 ✓
 chin M26.09
 gingival (postinfective) (postoperative) generalized K06.020
 minimal K06.021
 moderate K06.022
 severe K06.023
 localized K06.010
 minimal K06.011
 moderate K06.012
 severe K06.013

Recklinghausen disease Q85.01
 bones E21.0

Reclus' disease (cystic) — see Mastopathy, cystic

Recrudescence typhus (fever) A75.1

Recruitment, auditory H93.21 ✓

Rectalgia K62.89

Rectitis K62.89

Rectocele
 female (without uterine prolapse) N81.6
 with uterine prolapse N81.4
 incomplete N81.2
 in pregnancy — see Pregnancy, complicated by, abnormal, pelvic organs or tissues NEC
 male K62.3

Rectosigmoid junction — see condition

Rectosigmoiditis K63.89
 ulcerative (chronic) K51.30
 with
 complication K51.319
 abscess K51.314
 fistula K51.313
 obstruction K51.312

Proctors: This errata is permitted during the examination.

Rectosigmoiditis - Request

Rectosigmoiditis — *continued*

- ulcerative — *continued*
 - rectal bleeding K51.311
 - specified NEC K51.318
- Rectourethral** — *see* condition
- Rectovaginal** — *see* condition
- Rectovesical** — *see* condition
- Rectum**, rectal — *see* condition
- Recurrent** — *see* condition
 - pregnancy loss — *see* Loss (of), pregnancy, recurrent
- Red bugs** B88.0
- Red-cedar lung** or pneumonitis J67.8
- Red tide** (*see also* Table of Drugs and Chemicals) T65.82 ☑
- Reduced**
 - mobility Z74.09
 - ventilatory or vital capacity R94.2
- Redundant**, redundancy
 - anus (congenital) Q43.8
 - clitoris N90.89
 - colon (congenital) Q43.8
 - foreskin (congenital) N47.8
 - intestine (congenital) Q43.8
 - labia N90.69
 - organ or site, congenital NEC — *see* Accessory panniculus (abdominal) E65
 - prepuce (congenital) N47.8
 - pylorus K31.89
 - rectum (congenital) Q43.8
 - scrotum N50.89
 - sigmoid (congenital) Q43.8
 - skin L98.7
 - and subcutaneous tissue L98.7
 - of face L57.4
 - eyelids — *see* Blepharochalasis
 - stomach K31.89
- Reduplication** — *see* Duplication
- Reflex** R29.2
 - hyperactive gag J39.2
 - pupillary, abnormal — *see* Anomaly, pupil, function
 - vasoconstriction I73.9
 - vasovagal R55
- Reflux** K21.9
 - acid K21.9
 - esophageal K21.9
 - with esophagitis K21.0
 - newborn P78.83
 - gastroesophageal K21.9
 - with esophagitis K21.0
 - mitral — *see* Insufficiency, mitral
 - ureteral — *see* Reflux, vesicoureteral
 - vesicoureteral (with scarring) N13.70
 - with
 - nephropathy N13.729
 - with hydroureter N13.739
 - bilateral N13.732
 - unilateral N13.731
 - bilateral N13.722
 - unilateral N13.721
 - without hydroureter N13.729
 - bilateral N13.722
 - unilateral N13.721
 - pyelonephritis (chronic) N11.0
 - congenital Q62.7
 - without nephropathy N13.71
- Reforming, artificial openings — *see* Attention to, artificial, opening
- Refractive error** — *see* Disorder, refraction
- Refsum's disease** or syndrome G60.1
- Refusal of**
 - food, psychogenic F50.89
 - treatment (because of) Z53.20
 - left against medical advice (AMA) Z53.21
 - patient's decision NEC Z53.29
 - reasons of belief or group pressure Z53.1
- Regional** — *see* condition
- Regurgitation** R11.10
 - aortic (valve) — *see* Insufficiency, aortic
 - food (*see also* Vomiting)
 - with reswallowing — *see* Rumination
 - newborn P92.1
 - gastric contents — *see* Vomiting
 - heart — *see* Endocarditis
 - mitral (valve) — *see* Insufficiency, mitral
 - congenital Q23.3
 - myocardial — *see* Endocarditis
 - pulmonary (valve) (heart) I37.1
 - congenital Q22.2
 - syphilitic A52.03
 - tricuspid — *see* Insufficiency, tricuspid
 - valve, valvular — *see* Endocarditis
 - congenital Q24.8
 - vesicoureteral — *see* Reflux, vesicoureteral

- Reifenstein syndrome E34.52
- Reinsertion**
 - implantable subdermal contraceptive Z30.46
 - intrauterine contraceptive device Z30.433
- Reiter's disease**, syndrome, or urethritis M02.30
 - ankle M02.37 ☑
 - elbow M02.32 ☑
 - foot joint M02.37 ☑
 - hand joint M02.34 ☑
 - hip M02.35 ☑
 - knee M02.36 ☑
 - multiple site M02.39
 - shoulder M02.31 ☑
 - vertebra M02.38
 - wrist M02.33 ☑
- Reichmann's disease** or syndrome K31.89
- Rejection**
 - food, psychogenic F50.89
 - transplant T86.91
 - bone T86.830
 - marrow T86.01
 - cornea T86.840
 - heart T86.21
 - with lung (s) T86.31
 - intestine T86.850
 - kidney T86.11
 - liver T86.41
 - lung (s) T86.810
 - with heart T86.31
 - organ (immune or nonimmune cause) T86.91
 - pancreas T86.890
 - skin (allograft) (autograft) T86.820
 - specified NEC T86.890
 - stem cell (peripheral blood) (umbilical cord) T86.5
- Relapsing fever** A68.9
 - Carter's (Asiatic) A68.1
 - Dutton's (West African) A68.1
 - Koch's A68.9
 - louse-borne (epidemic) A68.0
 - Novy's (American) A68.1
 - Obermeyers's (European) A68.0
 - Spirillum A68.9
 - tick-borne (endemic) A68.1
- Relationship**
 - occlusal
 - open anterior M26.220
 - open posterior M26.221
- Relaxation**
 - anus (sphincter) K62.89
 - psychogenic F45.8
 - arch (foot) (*see also* Deformity, limb, flat foot)
 - back ligaments — *see* Instability, joint, spine
 - bladder (sphincter) N31.2
 - cardioesophageal K21.9
 - cervix — *see* Incompetency, cervix
 - diaphragm J98.6
 - joint (capsule) (ligament) (paralytic) — *see* Flail, joint
 - congenital NEC Q74.8
 - lumbosacral (joint) — *see* subcategory M53.2 ☑
 - pelvic floor N81.89
 - perineum N81.89
 - posture R29.3
 - rectum (sphincter) K62.89
 - sacroiliac (joint) — *see* subcategory M53.2 ☑
 - scrotum N50.89
 - urethra (sphincter) N36.44
 - vesical N31.2
- Release** from prison, anxiety concerning Z65.2
- Remains**
 - canal of Cloquet Q14.0
 - capsule (opaque) Q14.8
- Remittent fever** (malarial) B54
- Remnant**
 - canal of Cloquet Q14.0
 - capsule (opaque) Q14.8
 - cervix, cervical stump (acquired) (postoperative) N88.8
 - cystic duct, postcholecystectomy K91.5
 - ingernail L60.8
 - congenital Q84.6
 - meniscus, knee — *see* Derangement, knee, meniscus, specified NEC
 - thyroglossal duct Q89.2
 - tonsil J35.8
 - infected (chronic) J35.01
 - urachus Q64.4
- Removal** (from) (of)
 - artificial
 - arm Z44.00 ☑
 - complete Z44.01 ☑
 - partial Z44.02 ☑
 - eye Z44.2 ☑

- Removal** — *continued*
 - artificial — *continued*
 - leg Z44.10 ☑
 - complete Z44.11 ☑
 - partial Z44.12 ☑
 - breast implant Z45.81 ☑
 - cardiac pulse generator (battery) (end-of-life) Z45.010
 - catheter (urinary) (indwelling) Z46.6
 - from artificial opening — *see* Attention to, artificial, opening
 - non-vascular Z46.82
 - vascular NEC Z45.2
 - drains Z48.03
 - device Z46.9
 - contraceptive Z30.432
 - implantable subdermal Z30.46
 - implanted NEC Z45.89
 - specified NEC Z46.89
 - dressing (nonsurgical) Z48.00
 - surgical Z48.01
 - external
 - fixation device - code to fracture with seventh character D
 - prosthesis, prosthetic device Z44.9
 - breast Z44.3 ☑
 - specified NEC Z44.8
 - home in childhood (to foster home or institution) Z62.29
 - ileostomy Z43.2
 - insulin pump Z46.81
 - myringotomy device (stent) (tube) Z45.82
 - nervous system device NEC Z46.2
 - brain neuromodulator Z46.2
 - visual substitution device Z46.2
 - implanted Z45.31
 - non-vascular catheter Z46.82
 - orthodontic device NEC Z46.2
 - organ, prophylactic (for neoplasia management) — *see* Prophylactic, organ removal
 - staples Z48.02
 - stent
 - ureteral Z46.6
 - suture Z48.02
 - urinary device Z46.6
 - vascular access device or catheter Z45.2
- Ren**
 - arcuatus Q63.1
 - mobile, mobilis N28.89
 - congenital Q63.8
 - unguliformis Q63.1
- Renal** — *see* condition
- Renou-Osler-Weber disease** or syndrome I78.0
- Reninoma** D41.0 ☑
- Renon-Delille syndrome** E23.3
- Reovirus**, as cause of disease classified elsewhere B97.5
- Repeated falls** NEC R29.6
- Replaced chromosome** by dicentric ring Q93.2
- Replacement** by artificial or mechanical device or prosthesis of
 - bladder Z96.0
 - blood vessel NEC Z95.828
 - bone NEC Z96.7
 - cochlea Z96.21
 - coronary artery Z95.5
 - eustachian tube Z96.29
 - eye globe Z97.0
 - heart Z95.812
 - valve Z95.2
 - prosthetic Z95.2
 - specified NEC Z95.4
 - xenogenic Z95.3
 - intestine Z96.89
 - joint Z96.60
 - hip — *see* Presence, hip joint implant
 - knee — *see* Presence, knee joint implant
 - specified site NEC Z96.698
 - larynx Z96.3
 - lens Z96.1
 - limb (s) — *see* Presence, artificial, limb
 - mandible NEC (for tooth root implant(s)) Z96.5
 - organ NEC Z96.89
 - peripheral vessel NEC Z95.828
 - stapes Z96.29
 - teeth Z97.2
 - tendon Z96.7
 - tissue NEC Z96.89
 - tooth root (s) Z96.5
 - vessel NEC Z95.828
 - coronary (artery) Z95.5
- Request** for expert evidence Z04.89

Reserve - Retinitis

Proctors: This errata is permitted during the examination.

Reserve, decreased or low
cardiac — see Disease, heart
kidney N28.89

Residual (see also condition)
ovary syndrome N99.83
state, schizophrenic F20.5
urine R39.198

Resistance, resistant (to)
activated protein C D68.51
complicating pregnancy O26.89 ☑
insulin E88.81
organism (s)
to
drug Z16.30
aminoglycosides Z16.29
amoxicillin Z16.11
ampicillin Z16.11
antibiotic (s) Z16.20
multiple Z16.24
specified NEC Z16.29
antifungal Z16.32
antimicrobial (single) Z16.30
multiple Z16.35
specified NEC Z16.39
antimycobacterial (single) Z16.341
multiple Z16.342
antiparasitic Z16.31
antiviral Z16.33
beta lactam antibiotics Z16.10
specified NEC Z16.19
cephalosporins Z16.19
extended beta lactamase (ESBL) Z16.12
fluoroquinolones Z16.23
macrolides Z16.29
methicillin — see MRSA
multiple drugs (MDRO)
antibiotics Z16.24
antimicrobial Z16.35
antimycobacterials Z16.342
penicillins Z16.11
quinine (and related compounds) Z16.31
quinolones Z16.23
sulfonamides Z16.29
tetracyclines Z16.29
tuberculostatics (single) Z16.341
multiple Z16.342
vancomycin Z16.21
related antibiotics Z16.22
thyroid hormone E07.89

Resorption
dental (roots) K03.3
alveoli M26.79
teeth (external) (internal) (pathological)
(roots) K03.3

Respiration
Cheyne-Stokes R06.3
decreased due to shock, following injury T79.4 ☑
disorder of, psychogenic F45.8
insufficient, or poor R06.89
newborn P28.5
painful R07.1
sighing, psychogenic F45.8

Respiratory (see also condition)
distress syndrome (newborn) (type I) P22.0
type II P22.1
syncytial virus, as cause of disease classified
elsewhere B97.4

Respite care Z75.5

Response (drug)
photoallergic L56.1
phototoxic L56.0

Restenosis
stent
vascular
end stent
adjacent to stent — see Arteriosclerosis
within the stent
coronary T82.855 ☑
peripheral T82.856 ☑
in stent
coronary vessel T82.855 ☑
peripheral vessel T82.856 ☑

Restless legs (syndrome) G25.81

Restlessness R45.1

Restriction of housing space Z59.1

Restoration (of)
dental
aesthetically inadequate or displeasing K08.56
defective K08.50
specified NEC K08.59
failure of marginal integrity K08.51
failure of periodontal anatomical integrity K08.54

Restoration — continued
organ continuity from previous sterilization
(tuboplasty) (vasoplasty) Z31.0
aftercare Z31.42
tooth (existing)
contours biologically incompatible with oral
health K08.54
open margins K08.51
overhanging K08.52
poor aesthetic K08.56
poor gingival margins K08.51
unsatisfactory, of tooth K08.50
specified NEC K08.59

Restorative material (dental)
allergy to K08.55
fractured K08.539
with loss of material K08.531
without loss of material K08.530
unrepairable overhanging of K08.52

Rests, ovarian, in fallopian tube Q50.6

Restzustand (schizophrenic) F20.5

Retained (see also Retention)
cholelithiasis following cholecystectomy K91.86
foreign body fragments (type of) Z18.9
acrylics Z18.2
animal quill (s) or spines Z18.31
cement Z18.83
concrete Z18.83
crystalline Z18.83
depleted isotope Z18.09
depleted uranium Z18.01
diethylhexyl phthalates Z18.2
glass Z18.81
isocyanate Z18.2
magnetic metal Z18.11
metal Z18.10
nonmagnetic metal Z18.12
nontherapeutic radioactive Z18.09
organic NEC Z18.39
plastic Z18.2
quill (s) (animal) Z18.31
radioactive (nontherapeutic) NEC Z18.09
specified NEC Z18.89
spine (s) (animal) Z18.31
stone Z18.83
tooth (teeth) Z18.32
wood Z18.33
fragments (type of) Z18.9
acrylics Z18.2
animal quill (s) or spines Z18.31
cement Z18.83
concrete Z18.83
crystalline Z18.83
depleted isotope Z18.09
depleted uranium Z18.01
diethylhexyl phthalates Z18.2
glass Z18.81
isocyanate Z18.2
magnetic metal Z18.11
metal Z18.10
nonmagnetic metal Z18.12
nontherapeutic radioactive Z18.09
organic NEC Z18.39
plastic Z18.2
quill (s) (animal) Z18.31
radioactive (nontherapeutic) NEC Z18.09
specified NEC Z18.89
spine (s) (animal) Z18.31
stone Z18.83
tooth (teeth) Z18.32
wood Z18.33
gallstones, following cholecystectomy K91.86

Retardation
development, developmental, specific — see
Disorder, developmental
endochondral bone growth — see Disorder, bone,
development or growth
growth R62.50
due to malnutrition E45
mental — see Disability, intellectual
motor function, specific F82
physical (child) R62.52
due to malnutrition E45
reading (specific) F81.0
spelling (specific) (without reading disorder) F81.81

Retching — see Vomiting

Retention (see also Retained)
bladder — see Retention, urine
carbon dioxide E87.2
cholelithiasis following cholecystectomy K91.86
cyst — see Cyst

Retention — continued
dead
fetus (at or near term) (mother) O36.4 ☑
early fetal death O02.1
ovum O02.0
decidua (fragments) (following delivery) (with
hemorrhage) O72.2
without hemorrhage O73.1
deciduous tooth K00.6
dental root K08.3
fecal — see Constipation
fetus
dead O36.4 ☑
early O02.1
fluid R60.9
foreign body (see also Foreign body, retained)
current trauma - code as Foreign body, by site
or type
gallstones, following cholecystectomy K91.86
gastric K31.89
intrauterine contraceptive device, in pregnancy
— see Pregnancy, complicated by, retention,
intrauterine device
membranes (complicating delivery) (with
hemorrhage) O72.2
with abortion — see Abortion, by type
without hemorrhage O73.1
meniscus — see Derangement, meniscus
menses N94.89
milk (puerperal, postpartum) O92.79
nitrogen, extrarenal R39.2
ovary syndrome N99.83
placenta (total) (with hemorrhage) O72.0
without hemorrhage O73.0
portions or fragments (with hemorrhage) O72.2
without hemorrhage O73.1
products of conception
early pregnancy (dead fetus) O02.1
following
delivery (with hemorrhage) O72.2
without hemorrhage O73.1
secundines (following delivery) (with
hemorrhage) O72.0
without hemorrhage O73.0
complicating puerperium (delayed
hemorrhage) O72.2
partial O72.2
without hemorrhage O73.1
smegma, clitoris N90.89
urine R33.9
due to hyperplasia (hypertrophy) of prostate —
see Hyperplasia, prostate
drug-induced R33.0
organic R33.8
drug-induced R33.0
psychogenic F45.8
specified NEC R33.8
water (in tissues) — see Edema

Reticular erythematous mucinosis L98.5

Reticulation, dust — see Pneumoconiosis

Reticulocytosis R70.1

Reticuloendotheliosis
acute infantile C96.0
leukemic C91.4 ☑
nonlipid C96.0

Reticulohistiocytoma (giant-cell) D76.3

Reticuloid, actinic L57.1

Reticulosis (skin)
acute of infancy C96.0
hemophagocytic, familial D76.1
histiocytic medullary C96.A
lipomelanotic I89.8
malignant (midline) C86.0
polymorphic C86.0
Sézary — see Sézary disease

Retina, retinal (see also condition)
dark area D49.81

Retinitis (see also Inflammation, chorioretinal)
albuminurica N18.9 [H32]
diabetic — see Diabetes, retinitis
disciformis — see Degeneration, macula
focal — see Inflammation, chorioretinal, focal
gravidarum — see Pregnancy, complicated by,
specified pregnancy-related condition NEC
juxtapapillary — see Inflammation, chorioretinal,
focal, juxtapapillary
luetica — see Retinitis, syphilitic
pigmentosa H35.52
proliferans — see Disorder, globe, degenerative,
specified type NEC
proliferating — see Disorder, globe, degenerative,
specified type NEC

Proctors: This errata is permitted during the examination.

Retinitis - Rhinitis

- Retinitis** — *continued*
renal N18.9 [H32]
syphilitic (early) (secondary) A51.43
 central, recurrent A52.71
 congenital (early) A50.01 [H32]
 late A52.71
tuberculous A18.53
- Retinoblastoma** C69.2
differentiated C69.2
undifferentiated C69.2
- Retinochoroiditis** (see also Inflammation, chorioretinal)
disseminated — see Inflammation, chorioretinal, disseminated
 syphilitic A52.71
focal — see Inflammation, chorioretinal
juxtapapillary — see Inflammation, chorioretinal, focal, juxtapapillary
- Retinopathy** (background) H35.00
arteriosclerotic I70.8 [H35.0]
atherosclerotic I70.8 [H35.0]
central serous — see Chorioretinopathy, central serous
Coats H35.02
diabetic — see Diabetes, retinopathy
exudative H35.02
hypertensive H35.03
in (due to)
 diabetes — see Diabetes, retinopathy
 sickle-cell disorders D57. [H36]
of prematurity H35.10
 stage 0 H35.11
 stage 1 H35.12
 stage 2 H35.13
 stage 3 H35.14
 stage 4 H35.15
 stage 5 H35.16
pigmentary, congenital — see Dystrophy, retina
proliferative NEC H35.2
 diabetic — see Diabetes, retinopathy, proliferative
 sickle-cell D57. [H36]
solar H31.02
- Retinoschisis** H33.10
congenital Q14.1
specified type NEC H33.19
- Retortamoniasis** A07.8
- Retractile testis** Q55.22
- Retraction**
cervix — see Retroversion, uterus
drum (membrane) — see Disorder, tympanic membrane, specified NEC
finger — see Deformity, finger
lid H02.539
 left H02.536
 lower H02.535
 upper H02.534
right H02.533
 lower H02.532
 upper H02.531
lung J98.4
mediastinum J98.59
nipple N64.53
 associated with
 lactation O92.03
 pregnancy O92.01
 puerperium O92.02
 congenital Q83.8
palmar fascia M72.0
pleura — see Pleurisy
ring, uterus (Bandl's) (pathological) O62.4
sternum (congenital) Q76.7
 acquired M95.4
uterus — see Retroversion, uterus
valve (heart) — see Endocarditis
- Retrolbulbar** — see condition
- Retrocecal** — see condition
- Retrocession** — see Retroversion
- Retrodisplacement** — see Retroversion
- Retroflexion, retroflexion** — see Retroversion
- Retrognathia, retrognathism** (mandibular) (maxillary) M26.19
- Retrograde menstruation** N92.5
- Retroperineal** — see condition
- Retroperitoneal** — see condition
- Retroperitonitis** K68.9
- Retropharyngeal** — see condition
- Retroplacental** — see condition
- Retroposition** — see Retroversion
- Retroprosthetic membrane** T85.398
- Retrosternal thyroid** (congenital) Q89.2
- Retroversion, retroverted**
cervix — see Retroversion, uterus
female NEC — see Retroversion, uterus
- Retroversion** — *continued*
iris H21.89
testis (congenital) Q55.29
uterus (acquired) (acute) (any degree) (asymptomatic) (cervix) (postinfectious) (postpartal, old) N85.4
 congenital Q51.818
 in pregnancy Q34.53
- Retrovirus, as cause of disease classified elsewhere** B97.30
human
 immunodeficiency, type 2 (HIV 2) B97.35
 T-cell lymphotropic
 type I (HTLV-I) B97.33
 type II (HTLV-II) B97.34
lentivirus B97.31
oncovirus B97.32
specified NEC B97.39
- Retrusion, premaxilla** (developmental) M26.09
- Rett's disease or syndrome** F84.2
- Reverse peristalsis** R19.2
- Reye's syndrome** G93.7
- Rh** (factor)
hemolytic disease (newborn) P55.0
incompatibility, immunization or sensitization affecting management of pregnancy
 NEC O36.09
anti-D antibody O36.01
newborn P55.0
transfusion reaction — see Complication(s), transfusion, incompatibility reaction, Rh (factor)
negative mother affecting newborn P55.0
titer elevated — see Complication(s), transfusion, incompatibility reaction, Rh (factor)
transfusion reaction — see Complication(s), transfusion, incompatibility reaction, Rh (factor)
- Rhabdomyolysis** (idiopathic) NEC M62.82
traumatic T79.6
- Rhabdomyoma** (see also Neoplasm, connective tissue, benign)
adult — see Neoplasm, connective tissue, benign
fetal — see Neoplasm, connective tissue, benign
glycogenic — see Neoplasm, connective tissue, benign
- Rhabdomyosarcoma** (any type) — see Neoplasm, connective tissue, malignant
- Rhabdosarcoma** — see Rhabdomyosarcoma
- Rhesus** (factor) incompatibility — see Rh, incompatibility
- Rheumatic** (acute) (subacute) (chronic)
adherent pericardium I09.2
coronary arteritis I01.9
degeneration, myocardium I09.0
fever (acute) — see Fever, rheumatic
heart — see Disease, heart, rheumatic
myocardial degeneration — see Degeneration, myocardium
myocarditis (chronic) (inactive) (with chorea) I09.0
 active or acute I01.2
 with chorea (acute) (rheumatic) (Sydenham's) I02.0
pancarditis, acute I01.8
 with chorea (acute) (rheumatic) (Sydenham's) I02.0
pericarditis (active) (acute) (with effusion) (with pneumonia) I01.0
 with chorea (acute) (rheumatic) (Sydenham's) I02.0
 chronic or inactive I09.2
pneumonia I00 [J17]
torticollis M43.6
typhoid fever A01.09
- Rheumatism** (articular) (neuralgic) (nonarticular) M79.0
gout — see Arthritis, rheumatoid
intercostal, meaning Tietze's disease M94.0
palindromic (any site) M12.30
 ankle M12.37
 elbow M12.32
 foot joint M12.37
 hand joint M12.34
 hip M12.35
 knee M12.36
 multiple site M12.39
 shoulder M12.31
 specified joint NEC M12.38
 vertebrae M12.38
 wrist M12.33
 sciatic M54.4
- Rheumatoid** (see also condition)
arthritis (see also Arthritis, rheumatoid)
 with involvement of organs NEC M05.60
 ankle M05.67
- Rheumatoid** — *continued*
arthritis — *continued*
 elbow M05.62
 foot joint M05.67
 hand joint M05.64
 hip M05.65
 knee M05.66
 multiple site M05.69
 shoulder M05.61
 vertebra — see Spondylitis, ankylosing
 wrist M05.63
seronegative — see Arthritis, rheumatoid, seronegative
seropositive — see Arthritis, rheumatoid, seropositive
carditis M05.30
 ankle M05.37
 elbow M05.32
 foot joint M05.37
 hand joint M05.34
 hip M05.35
 knee M05.36
 multiple site M05.39
 shoulder M05.31
 vertebra — see Spondylitis, ankylosing
 wrist M05.33
endocarditis — see Rheumatoid, carditis
lung (disease) M05.10
 ankle M05.17
 elbow M05.12
 foot joint M05.17
 hand joint M05.14
 hip M05.15
 knee M05.16
 multiple site M05.19
 shoulder M05.11
 vertebra — see Spondylitis, ankylosing
 wrist M05.13
myocarditis — see Rheumatoid, carditis
myopathy M05.40
 ankle M05.47
 elbow M05.42
 foot joint M05.47
 hand joint M05.44
 hip M05.45
 knee M05.46
 multiple site M05.49
 shoulder M05.41
 vertebra — see Spondylitis, ankylosing
 wrist M05.43
pericarditis — see Rheumatoid, carditis
polyarthritis — see Arthritis, rheumatoid
polyneuropathy M05.50
 ankle M05.57
 elbow M05.52
 foot joint M05.57
 hand joint M05.54
 hip M05.55
 knee M05.56
 multiple site M05.59
 shoulder M05.51
 vertebra — see Spondylitis, ankylosing
 wrist M05.53
vasculitis M05.20
 ankle M05.27
 elbow M05.22
 foot joint M05.27
 hand joint M05.24
 hip M05.25
 knee M05.26
 multiple site M05.29
 shoulder M05.21
 vertebra — see Spondylitis, ankylosing
 wrist M05.23
- Rhinitis** (atrophic) (catarrhal) (chronic) (croupous) (fibrinous) (granulomatous) (hyperplastic) (hypertrophic) (membranous) (obstructive) (purulent) (suppurative) (ulcerative) J31.0
with
 sore throat — see Nasopharyngitis
acute J00
allergic J30.9
 with asthma J45.909
 with
 exacerbation (acute) J45.901
 status asthmaticus J45.902
due to
 food J30.5
 pollen J30.1
nonseasonal J30.89
perennial J30.89
seasonal NEC J30.2
specified NEC J30.89

Rhinitis - Rupture

Proctors: This errata is permitted during the examination.

Rhinitis — continued

infective J00
 pneumococcal J00
 syphilitic A52.73
 congenital A50.05 [J99]
 tuberculous A15.8
 vasomotor J30.0

Rhinoantritis (chronic) — see Sinusitis, maxillary

Rhinodacryolith — see Dacryolith

Rhinolith (nasal sinus) J34.89

Rhinomegaly J34.89

Rhinopharyngitis (acute) (subacute) (see also Nasopharyngitis)
 chronic J31.1
 destructive ulcerating A66.5
 mutilans A66.5

Rhinophyma L71.1

Rhinorrhea J34.89
 cerebrospinal (fluid) G96.0
 paroxysmal — see Rhinitis, allergic
 spasmodic — see Rhinitis, allergic

Rhinosalpingitis — see Salpingitis, eustachian

Rhinoscleroma A48.8

Rhinosporidiosis B48.1

Rhinovirus infection NEC B34.8

Rhizomelic chondrodysplasia punctata E71.540

Rhythm
 atrioventricular nodal I49.8
 disorder I49.9
 coronary sinus I49.8
 ectopic I49.8
 nodal I49.8
 escape I49.9
 heart, abnormal I49.9
 idioventricular I44.2
 nodal I49.8
 sleep, inversion G47.2 ☑
 nonorganic origin — see Disorder, sleep, circadian
 rhythm, psychogenic

Rhithidosis facialis L98.8

Rib (see also condition)
 cervical Q76.5

Riboflavin deficiency E53.0

Rice bodies (see also Loose, body, joint)
 knee M23.4 ☑

Richter syndrome — see Leukemia, chronic
 lymphocytic, B-cell type

Richter's hernia — see Hernia, abdomen, with
 obstruction

Ricinism — see Poisoning, food, noxious, plant

Rickets (active) (acute) (adolescent) (chest wall)
 (congenital) (current) (infantile) (intestinal) E55.0
 adult — see Osteomalacia
 celiac K90.0
 hypophosphatemic with nephrotic-glycosuric
 dwarfism E72.09
 inactive E64.3
 kidney N25.0
 renal N25.0
 sequelae, any E64.3
 vitamin-D-resistant E83.31 [M90.80]

Rickettsial disease A79.9
 specified type NEC A79.89

Rickettsialpox (Rickettsia akari) A79.1

Rickettsiosis A79.9
 due to
 Ehrlichia sennetsu A79.81
 Rickettsia akari (rickettsialpox) A79.1
 specified type NEC A79.89
 tick-borne A77.9
 vesicular A79.1

Rider's bone — see Ossification, muscle, specified NEC

Ridge, alveolus (see also condition)
 flabby K06.8

Ridged ear, congenital Q17.3

Riedel's
 lobe, liver Q44.7
 struma, thyroiditis or disease E06.5

Rieger's anomaly or syndrome Q13.81

Riehl's melanosis L81.4

Rietti-Greppi-Micheli anemia D56.9

Rieux's hernia — see Hernia, abdomen, specified site
 NEC

Riga (-Fede) disease K14.0

Riggs' disease — see Periodontitis

Right aortic arch Q25.47

Right middle lobe syndrome J98.11

Rigid, rigidity (see also condition)
 abdominal R19.30
 with severe abdominal pain R10.0
 epigastric R19.36
 generalized R19.37

Rigid — continued

abdominal — continued
 left lower quadrant R19.34
 left upper quadrant R19.32
 periumbilic R19.35
 right lower quadrant R19.33
 right upper quadrant R19.31

articular, multiple, congenital Q68.8

cervix (uteri) in pregnancy — see Pregnancy,
 complicated by, abnormal, cervix

hymen (acquired) (congenital) N89.6
 nuchal R29.1

pelvic floor in pregnancy — see Pregnancy, complicated
 by, abnormal, pelvic organs or tissues NEC

perineum or vulva in pregnancy — see Pregnancy,
 complicated by, abnormal, vulva

spine — see Dorsopathy, specified NEC

vagina in pregnancy — see Pregnancy, complicated
 by, abnormal, vagina

Rigors R68.89
 with fever R50.9

Riley-Day syndrome G90.1

RIND (reversible ischemic neurologic deficit) I63.9

Ring (s)
 aorta (vascular) Q25.45
 Bandl's O62.4
 contraction, complicating delivery O62.4
 esophageal, lower (muscular) K22.2
 Fleischer's (cornea) H18.04 ☑
 hymenal, tight (acquired) (congenital) N89.6
 Kayser-Fleischer (cornea) H18.04 ☑
 retraction, uterus, pathological O62.4
 Schatzki's (esophagus) (lower) K22.2
 congenital Q39.3
 Soemmerring's — see Cataract, secondary
 vascular (congenital) Q25.8
 aorta Q25.45

Ringed hair (congenital) Q84.1

Ringworm B35.9
 beard B35.0
 black dot B35.0
 body B35.4
 Burmese B35.5
 corporeal B35.4
 foot B35.3
 groin B35.6
 hand B35.2
 honeycomb B35.0
 nails B35.1
 perianal (area) B35.6
 scalp B35.0
 specified NEC B35.8
 Tokelau B35.5

Rise, venous pressure I87.8

Rising, PSA following treatment for malignant
 neoplasm of prostate R97.21

Risk
 for
 dental caries Z91.849
 high Z91.843
 low Z91.841
 moderate Z91.842

suicidal
 meaning personal history of attempted
 suicide Z91.5
 meaning suicidal ideation — see Ideation, suicidal

Ritter's disease L00

Rivalry, sibling Z62.891

Rivalta's disease A42.2

River blindness B73.01

Robert's pelvis Q74.2
 with disproportion (fetopelvic) O33.0
 causing obstructed labor O65.0

Robin (-Pierre) syndrome Q87.0

Robinow-Silvermann-Smith syndrome Q87.1

Robinson's (hidrotic) ectodermal dysplasia or
 syndrome Q82.4

Robles' disease B73.01

Rocky Mountain (spotted) fever A77.0

Roetheln — see Rubella

Roger's disease Q21.0

Rokitansky-Aschoff sinuses (gallbladder) K82.8

Rolando's fracture (displaced) S62.22 ☑
 nondisplaced S62.22 ☑

Romano-Ward (prolonged QT interval) syndrome
 I45.81

Romberg's disease or syndrome G51.8

Roof, mouth — see condition

Rosacea L71.9
 acne L71.9
 keratitis L71.8
 specified NEC L71.8

Rosary, rachitic E55.0

Rose
 cold J30.1
 fever J30.1
 rash R21
 epidemic B06.9

Rosenbach's erysipeloid A26.0

Rosenthal's disease or syndrome D68.1

Roseola B09
 infantum B08.20
 due to human herpesvirus 6 B08.21
 due to human herpesvirus 7 B08.22

Rosbach's disease K31.89
 psychogenic F45.8

Ross River disease or fever B33.1

Rostan's asthma (cardiac) — see Failure, ventricular, left

Rotation
 anomalous, incomplete or insufficient,
 intestine Q43.3
 cecum (congenital) Q43.3
 colon (congenital) Q43.3
 spine, incomplete or insufficient — see Dorsopathy,
 deforming, specified NEC
 tooth, teeth, fully erupted M26.35
 vertebra, incomplete or insufficient — see
 Dorsopathy, deforming, specified NEC

Rotes Quérol disease or syndrome — see Hyperostosis,
 ankylosing

Roth (-Bernhardt) disease or syndrome — see Meralgia
 paraesthetica

Rothmund (-Thomson) syndrome Q82.8

Rotor's disease or syndrome E80.6

Round
 back (with wedging of vertebrae) — see Kyphosis
 sequelae (late effect) of rickets E64.3
 worms (large) (infestation) NEC B82.0
 Ascariasis (see also Ascariasis) B77.9

Roussy-Lévy syndrome G60.0

Rubella (German measles) B06.9
 complication NEC B06.09
 neurological B06.00
 congenital P35.0
 contact Z20.4
 exposure to Z20.4
 maternal
 manifest rubella in infant P35.0
 care for (suspected) damage to fetus O35.3 ☑
 suspected damage to fetus affecting
 management of pregnancy O35.3 ☑
 specified complications NEC B06.89

Rubeola (meaning measles) — see Measles
 meaning rubella — see Rubella

Rubeosis, iris — see Disorder, iris, vascular

Rubinstein-Taybi syndrome Q87.2

Rudimentary (congenital) (see also Agenesis)
 arm — see Defect, reduction, upper limb
 bone Q79.9
 cervix uteri Q51.828
 eye Q11.2
 lobule of ear Q17.3
 patella Q74.1
 respiratory organs in thoracopagus Q89.4
 tracheal bronchus Q32.4
 uterus Q51.818
 in male Q56.1
 vagina Q52.0

Ruled out condition — see Observation, suspected

Rumination R11.10
 with nausea R11.2
 disorder of infancy F98.21
 neurotic F42.8
 newborn P92.1
 obsessional F42.8
 psychogenic F42.8

Runeberg's disease D51.0

Runny nose R09.89

Rupia (syphilitic) A51.39
 congenital A50.06
 tertiary A52.79

Rupture, ruptured
 abscess (spontaneous) - code by site under Abscess
 aneurysm — see Aneurysm
 anus (sphincter) — see Laceration, anus
 aorta, aortic I71.8
 abdominal I71.3
 arch I71.1
 ascending I71.1
 descending I71.8
 abdominal I71.3
 thoracic I71.1
 syphilitic A52.01
 thoracoabdominal I71.5

Proctors: This errata is permitted during the examination.

Rupture

Rupture — continued

aorta — continued
 thorax, thoracic I71.1
 transverse I71.1
 traumatic — see Injury, aorta, laceration, major valve or cusp (see also Endocarditis, aortic) I35.8
 appendix (with peritonitis) (see also Appendicitis) K35.32
 with localized peritonitis (see also Appendicitis) K35.32
 arteriovenous fistula, brain I60.8
 artery I77.2
 brain — see Hemorrhage, intracranial, intracerebral
 coronary — see Infarct, myocardium
 heart — see Infarct, myocardium
 pulmonary I28.8
 traumatic (complication) — see Injury, blood vessel
 bile duct (common) (hepatic) K83.2
 cystic K82.2
 bladder (sphincter) (nontraumatic) (spontaneous) N32.89
 following ectopic or molar pregnancy O08.6
 obstetrical trauma O71.5
 traumatic S37.29 ✓
 blood vessel (see also Hemorrhage)
 brain — see Hemorrhage, intracranial, intracerebral
 heart — see Infarct, myocardium
 traumatic (complication) — see Injury, blood vessel, laceration, major, by site
 bone — see Fracture
 bowel (nontraumatic) K63.1
 brain
 aneurysm (congenital) (see also Hemorrhage, intracranial, subarachnoid)
 syphilitic A52.05
 hemorrhagic — see Hemorrhage, intracranial, intracerebral
 capillaries I78.8
 cardiac (auricle) (ventricle) (wall) I23.0
 with hemopericardium I23.0
 infectious I40.9
 traumatic — see Injury, heart
 cartilage (articular) (current) (see also Sprain)
 knee S83.3 ✓
 semilunar — see Tear, meniscus
 cecum (with peritonitis) K65.0
 with peritoneal abscess K35.33
 traumatic S36.598 ✓
 celiac artery, traumatic — see Injury, blood vessel, celiac artery, laceration, major
 cerebral aneurysm (congenital) (see Hemorrhage, intracranial, subarachnoid)
 cervix (uteri)
 with ectopic or molar pregnancy O08.6
 following ectopic or molar pregnancy O08.6
 obstetrical trauma O71.3
 traumatic S37.69 ✓
 chordae tendineae NEC I51.1
 concurrent with acute myocardial infarction — see Infarct, myocardium
 following acute myocardial infarction (current complication) I23.4
 choroid (direct) (indirect) (traumatic) H31.32 ✓
 circle of Willis I60.6
 colon (nontraumatic) K63.1
 traumatic — see Injury, intestine, large
 cornea (traumatic) — see Injury, eye, laceration
 coronary (artery) (thrombotic) — see Infarct, myocardium
 corpus luteum (infected) (ovary) N83.1 ✓
 cyst — see Cyst
 cystic duct K82.2
 Descemet's membrane — see Change, corneal membrane, Descemet's, rupture
 traumatic — see Injury, eye, laceration
 diaphragm, traumatic — see Injury, intrathoracic, diaphragm
 disc — see Rupture, intervertebral disc
 diverticulum (intestine) K57.80
 with bleeding K57.81
 bladder N32.3
 large intestine K57.20
 with
 bleeding K57.21
 small intestine K57.40
 with bleeding K57.41
 small intestine K57.00
 with
 bleeding K57.01

Rupture — continued

diverticulum — continued
 large intestine K57.40
 with bleeding K57.41
 duodenal stump K31.89
 ear drum (nontraumatic) (see also Perforation, tympanum)
 traumatic S09.2 ✓
 due to blast injury — see Injury, blast, ear
 esophagus K22.3
 eye (without prolapse or loss of intraocular tissue)
 — see Injury, eye, laceration
 fallopian tube NEC (nonobstetric) (nontraumatic) N83.8
 due to pregnancy O00.10 ✓
 with intrauterine pregnancy O00.11 ✓
 fontanel P13.1
 gallbladder K82.2
 traumatic S36.128 ✓
 gastric (see also Rupture, stomach)
 vessel K92.2
 globe (eye) (traumatic) — see Injury, eye, laceration
 graafian follicle (hematoma) N83.0 ✓
 heart — see Rupture, cardiac
 hymen (nontraumatic) (nonintentional) N89.8
 internal organ, traumatic — see Injury, by site
 intervertebral disc — see Displacement, intervertebral disc
 traumatic — see Rupture, traumatic, intervertebral disc
 intestine NEC (nontraumatic) K63.1
 traumatic — see Injury, intestine
 iris (see also Abnormality, pupillary)
 traumatic — see Injury, eye, laceration
 joint capsule, traumatic — see Sprain
 kidney (traumatic) S37.06 ✓
 birth injury P15.8
 nontraumatic N28.89
 lacrimal duct (traumatic) — see Injury, eye, specified site NEC
 lens (cataract) (traumatic) — see Cataract, traumatic
 ligament, traumatic — see Rupture, traumatic, ligament, by site
 liver S36.116 ✓
 birth injury P15.0
 lymphatic vessel I89.8
 marginal sinus (placental) (with hemorrhage) — see Hemorrhage, antepartum, specified cause NEC
 membrana tympani (nontraumatic) — see Perforation, tympanum
 membranes (spontaneous)
 artificial
 delayed delivery following O75.5
 delayed delivery following — see Pregnancy, complicated by, premature rupture of membranes
 meningeal artery I60.8
 meniscus (knee) (see also Tear, meniscus)
 old — see Derangement, meniscus
 site other than knee - code as Sprain
 mesenteric artery, traumatic — see Injury, mesenteric, artery, laceration, major
 mesentery (nontraumatic) K66.8
 traumatic — see Injury, intra-abdominal, specified, site NEC
 mitral (valve) I34.8
 muscle (traumatic) (see also Strain)
 diastasis — see Diastasis, muscle
 nontraumatic M62.10
 ankle M62.17 ✓
 foot M62.17 ✓
 forearm M62.13 ✓
 hand M62.14 ✓
 lower leg M62.16 ✓
 pelvic region M62.15 ✓
 shoulder region M62.11 ✓
 specified site NEC M62.18
 thigh M62.15 ✓
 upper arm M62.12 ✓
 traumatic — see Strain, by site
 musculotendinous junction NEC, nontraumatic — see Rupture, tendon, spontaneous
 mycotic aneurysm causing cerebral hemorrhage — see Hemorrhage, intracranial, subarachnoid
 myocardium, myocardial — see Rupture, cardiac
 traumatic — see Injury, heart
 nontraumatic, meaning hernia — see Hernia
 obstructed — see Hernia, by site, obstructed
 operation wound — see Disruption, wound, operation
 ovary, ovarian N83.8
 corpus luteum cyst N83.1 ✓
 follicle (graafian) N83.0 ✓

Rupture — continued

oviduct (nonobstetric) (nontraumatic) N83.8
 due to pregnancy O00.10 ✓
 with intrauterine pregnancy O00.11 ✓
 pancreas (nontraumatic) K86.89
 traumatic S36.299 ✓
 papillary muscle NEC I51.2
 following acute myocardial infarction (current complication) I23.5
 pelvic
 floor, complicating delivery O70.1
 organ NEC, obstetrical trauma O71.5
 perineum (nonobstetric) (nontraumatic) N90.89
 complicating delivery — see Delivery, complicated, by, laceration, anus (sphincter)
 postoperative wound — see Disruption, wound, operation
 prostate (traumatic) S37.828 ✓
 pulmonary
 artery I28.8
 valve (heart) I37.8
 vein I28.8
 vessel I28.8
 pus tube — see Salpingitis
 pyosalpinx — see Salpingitis
 rectum (nontraumatic) K63.1
 traumatic S36.69 ✓
 retina, retinal (traumatic) (without detachment) (see also Break, retina)
 with detachment — see Detachment, retina, with retinal, break
 rotator cuff (nontraumatic) M75.10 ✓
 complete M75.12 ✓
 incomplete M75.11 ✓
 sclera — see Injury, eye, laceration
 sigmoid (nontraumatic) K63.1
 traumatic S36.593 ✓
 spinal cord (see also Injury, spinal cord, by region)
 due to injury at birth P11.5
 newborn (birth injury) P11.5
 spleen (traumatic) S36.09 ✓
 birth injury P15.1
 congenital (birth injury) P15.1
 due to P. vivax malaria B51.0
 nontraumatic D73.5
 spontaneous D73.5
 splenic vein R58
 traumatic — see Injury, blood vessel, splenic vein
 stomach (nontraumatic) (spontaneous) K31.89
 traumatic S36.39 ✓
 supraspinatus (complete) (incomplete) (nontraumatic) — see Tear, rotator cuff
 symphysis pubis
 obstetric O71.6
 traumatic S33.4 ✓
 synovium (cyst) M66.10
 ankle M66.17 ✓
 elbow M66.12 ✓
 finger M66.14 ✓
 foot M66.17 ✓
 forearm M66.13 ✓
 hand M66.14 ✓
 pelvic region M66.15 ✓
 shoulder region M66.11 ✓
 specified site NEC M66.18
 thigh M66.15 ✓
 toe M66.17 ✓
 upper arm M66.12 ✓
 wrist M66.13 ✓
 tendon (traumatic) — see Strain
 nontraumatic (spontaneous) M66.9
 ankle M66.87 ✓
 extensor M66.20
 ankle M66.27 ✓
 foot M66.27 ✓
 forearm M66.23 ✓
 hand M66.24 ✓
 lower leg M66.26 ✓
 multiple sites M66.29
 pelvic region M66.25 ✓
 shoulder region M66.21 ✓
 specified site NEC M66.28
 thigh M66.25 ✓
 upper arm M66.22 ✓
 flexor M66.30
 ankle M66.37 ✓
 foot M66.37 ✓
 forearm M66.33 ✓
 hand M66.34 ✓
 lower leg M66.36 ✓
 multiple sites M66.39
 pelvic region M66.35 ✓

Rupture - Sarcoidosis

Proctors: This errata is permitted during the examination.

Rupture — continued

tendon — continued

- shoulder region M66.31 ☑
- specified site NEC M66.38
- thigh M66.35 ☑
- upper arm M66.32 ☑
- foot M66.87 ☑
- forearm M66.83 ☑
- hand M66.84 ☑
- lower leg M66.86 ☑
- multiple sites M66.89
- pelvic region M66.85 ☑
- shoulder region M66.81 ☑
- specified
 - site NEC M66.88
 - tendon M66.80
 - thigh M66.85 ☑
 - upper arm M66.82 ☑
- thoracic duct I89.8
- tonsil J35.8
- traumatic
 - aorta — see Injury, aorta, laceration, major
 - diaphragm — see Injury, intrathoracic, diaphragm
 - external site — see Wound, open, by site
 - eye — see Injury, eye, laceration
 - internal organ — see Injury, by site
 - intervertebral disc
 - cervical S13.0 ☑
 - lumbar S33.0 ☑
 - thoracic S23.0 ☑
 - kidney S37.06 ☑
 - ligament (see also Sprain)
 - ankle — see Sprain, ankle
 - carpus — see Rupture, traumatic, ligament, wrist
 - collateral (hand) — see Rupture, traumatic, ligament, finger, collateral
 - finger (metacarpophalangeal)
 - (interphalangeal) S63.40 ☑
 - collateral S63.41 ☑
 - index S63.41 ☑
 - little S63.41 ☑
 - middle S63.41 ☑
 - ring S63.41 ☑
 - index S63.40 ☑
 - little S63.40 ☑
 - middle S63.40 ☑
 - palmar S63.42 ☑
 - index S63.42 ☑
 - little S63.42 ☑
 - middle S63.42 ☑
 - ring S63.42 ☑
 - ring S63.40 ☑
 - specified site NEC S63.499 ☑
 - index S63.49 ☑
 - little S63.49 ☑
 - middle S63.49 ☑
 - ring S63.49 ☑
 - volar plate S63.43 ☑
 - index S63.43 ☑
 - little S63.43 ☑
 - middle S63.43 ☑
 - ring S63.43 ☑
- foot — see Sprain, foot
- radial collateral S53.2 ☑
- radiocarpal — see Rupture, traumatic, ligament, wrist, radiocarpal
- ulnar collateral S53.3 ☑
- ulnocarpal — see Rupture, traumatic, ligament, wrist, ulnocarpal
- wrist S63.30 ☑
 - collateral S63.31 ☑
 - radiocarpal S63.32 ☑
 - specified site NEC S63.39 ☑
 - ulnocarpal (palmar) S63.33 ☑
- liver S36.116 ☑
- membrana tympani — see Rupture, ear drum, traumatic
- muscle or tendon — see Strain
- myocardium — see Injury, heart
- pancreas S36.299 ☑
- rectum S36.69 ☑
- sigmoid S36.593 ☑
- spleen S36.09 ☑
- stomach S36.39 ☑
- symphysis pubis S33.4 ☑
- tympanum, tympanic (membrane) — see Rupture, ear drum, traumatic
- ureter S37.19 ☑
- uterus S37.69 ☑
- vagina — see Injury, vagina
- vena cava — see Injury, vena cava, laceration, major

Rupture — continued

- tricuspid (heart) (valve) I07.8
- tube, tubal (nonobstetric) (nontraumatic) N83.8
 - abscess — see Salpingitis
 - due to pregnancy O00.10 ☑
 - with intrauterine pregnancy O00.11 ☑
- tympanum, tympanic (membrane)
 - (nontraumatic) (see also Perforation, tympanic membrane) H72.9 ☑
 - traumatic — see Rupture, ear drum, traumatic
- umbilical cord, complicating delivery O69.89 ☑
- ureter (traumatic) S37.19 ☑
 - nontraumatic N28.89
- urethra (nontraumatic) N36.8
 - with ectopic or molar pregnancy O08.6
 - following ectopic or molar pregnancy O08.6
 - obstetrical trauma O71.5
 - traumatic S37.39 ☑
- uterosacral ligament (nonobstetric)
 - (nontraumatic) N83.8
- uterus (traumatic) S37.69 ☑
 - before labor O71.0 ☑
 - during or after labor O71.1
 - nonpuerperal, nontraumatic N85.8
 - pregnant (during labor) O71.1
 - before labor O71.0 ☑
- vagina — see Injury, vagina
- valve, valvular (heart) — see Endocarditis
- varicose vein — see Varix
- varix — see Varix
- vena cava R58
 - traumatic — see Injury, vena cava, laceration, major
- vesical (urinary) N32.89
- vessel (blood) R58
 - pulmonary I28.8
 - traumatic — see Injury, blood vessel
- viscus R19.8
- vulva complicating delivery O70.0
- Russell-Silver syndrome Q87.1
- Russian spring-summer type encephalitis A84.0
- Rust's disease (tuberculous cervical spondylitis) A18.01
- Ruvalcaba-Myhre-Smith syndrome E71.440
- Ryland-Lipsitch syndrome I44.2

S

- Saber, sabre shin or tibia (syphilitic) A50.56 [M90.8] ☑
- Sac lacrimal — see condition
- Saccharomyces infection B37.9
- Saccharopinuria E72.3
- Saccular — see condition
- Sacculation
 - aorta (nonsyphilitic) — see Aneurysm, aorta
 - bladder N32.3
 - intralaryngeal (congenital) (ventricular) Q31.3
 - larynx (congenital) (ventricular) Q31.3
 - organ or site, congenital — see Distortion
 - pregnant uterus — see Pregnancy, complicated by, abnormal, uterus
 - ureter N28.89
 - urethra N36.1
 - vesical N32.3
- Sachs' amaurotic familial idiocy or disease E75.02
- Sachs-Tay disease E75.02
- Sacks-Libman disease M32.11
- Sacralgia M53.3
- Sacralization Q76.49
- Sacrodynia M53.3
- Sacroiliac joint — see condition
- Sacroiliitis NEC M46.1
- Sacrum — see condition
- Saddle
 - back — see Lordosis
 - embolus
 - abdominal aorta I74.01
 - pulmonary artery I26.92
 - with acute cor pulmonale I26.02
 - injury - code to condition
 - nose M95.0
 - due to syphilis A50.57
- Sadism (sexual) F65.52
- Sadness, postpartal O90.6
- Sadomasochism F65.50
- Saemisch's ulcer (cornea) — see Ulcer, cornea, central
- Sagging
 - skin and subcutaneous tissue (following bariatric surgery weight loss) (following dietary weight loss) L98.7
- Sahib disease B55.0

Sailors' skin L57.8

- Saint
 - Anthony's fire — see Erysipelas
 - triad — see Hernia, diaphragm
 - Vitus' dance — see Chorea, Sydenham's
- Salaam
 - attack (s) — see Epilepsy, spasms
 - tic R25.8
- Salicylism
 - abuse F55.8
 - overdose or wrong substance given — see Table of Drugs and Chemicals, by drug, poisoning
- Salivary duct or gland — see condition
- Salivation, excessive K11.7
- Salmonella — see Infection, Salmonella
- Salmonellosis A02.0
- Salpingitis (catarrhal) (fallopian tube) (nodular) (pseudofollicular) (purulent) (septic) N70.91
 - with oophoritis N70.93
 - acute N70.01
 - with oophoritis N70.03
 - chlamydial A56.11
 - chronic N70.11
 - with oophoritis N70.13
 - complicating abortion — see Abortion, by type, complicated by, salpingitis
 - ear — see Salpingitis, eustachian
 - eustachian (tube) H68.00 ☑
 - acute H68.01 ☑
 - chronic H68.02 ☑
 - follicularis N70.11
 - with oophoritis N70.13
 - gonococcal (acute) (chronic) A54.24
 - interstitial, chronic N70.11
 - with oophoritis N70.13
 - isthmica nodosa N70.11
 - with oophoritis N70.13
 - specific (gonococcal) (acute) (chronic) A54.24
 - tuberculous (acute) (chronic) A18.17
 - venereal (gonococcal) (acute) (chronic) A54.24
- Salpingocele N83.4 ☑
- Salpingo-oophoritis (catarrhal) (purulent) (ruptured) (septic) (suppurative) N70.93
 - acute N70.03
 - with ectopic or molar pregnancy O08.0
 - following ectopic or molar pregnancy O08.0
 - gonococcal A54.24
 - chronic N70.13
 - following ectopic or molar pregnancy O08.0
 - gonococcal (acute) (chronic) A54.24
 - puerperal O86.19
 - specific (gonococcal) (acute) (chronic) A54.24
 - subacute N70.03
 - tuberculous (acute) (chronic) A18.17
 - venereal (gonococcal) (acute) (chronic) A54.24
- Salpingo-ovariitis — see Salpingo-oophoritis
- Salpingoperitonitis — see Salpingo-oophoritis
- Salzmann's nodular dystrophy — see Degeneration, cornea, nodular
- Sampson's cyst or tumor N80.1
- San Joaquin (Valley) fever B38.0
- Sandblaster's asthma, lung or pneumoconiosis J62.8
- Sander's disease (paranoia) F22
- Sandfly fever A93.1
- Sandhoff's disease E75.01
- Sanfilippo (Type B) (Type C) (Type D) syndrome E76.22
- Sanger-Brown ataxia G11.2
- Sao Paulo fever or typhus A77.0
- Saponification, mesenteric K65.8
- Sarcocele (benign)
 - syphilitic A52.76
 - congenital A50.59
- Sarcocystosis A07.8
- Sarcoepipectocele — see Hernia
- Sarcoepipectocele Q79.2
- Sarcoid (see also Sarcoidosis)
 - arthropathy D86.86
 - Boeck's D86.9
 - Darier-Roussy D86.3
 - iridocyclitis D86.83
 - meningitis D86.81
 - myocarditis D86.85
 - myositis D86.87
 - pyelonephritis D86.84
 - Spiegler-Fendt L08.89
- Sarcoidosis D86.9
 - with
 - cranial nerve palsies D86.82
 - hepatic granuloma D86.89
 - polyarthritis D86.86
 - tubulo-interstitial nephropathy D86.84
 - combined sites NEC D86.89

Proctors: This errata is permitted during the examination.

Sarcoidosis - Schizophrenia

Sarcoidosis — *continued*

lung D86.0
 and lymph nodes D86.2
 lymph nodes D86.1
 and lung D86.2
 meninges D86.81
 skin D86.3
 specified type NEC D86.89

Sarcoma (of) (*see also* Neoplasm, connective tissue, malignant)

alveolar soft part — *see* Neoplasm, connective tissue, malignant

ameloblastic C41.1
 upper jaw (bone) C41.0

botryoid — *see* Neoplasm, connective tissue, malignant

botryoides — *see* Neoplasm, connective tissue, malignant

cerebellar C71.6
 circumscribed (arachnoidal) C71.6
 circumscribed (arachnoidal) cerebellar C71.6
 clear cell (*see also* Neoplasm, connective tissue, malignant)
 kidney C64.

dendritic cells (accessory cells) C96.4

embryonal — *see* Neoplasm, connective tissue, malignant

endometrial (stromal) C54.1
 isthmus C54.0

epithelioid (cell) — *see* Neoplasm, connective tissue, malignant

Ewing's — *see* Neoplasm, bone, malignant

follicular dendritic cell C96.4

germinoblastic (diffuse) — *see* Lymphoma, diffuse large cell
 follicular — *see* Lymphoma, follicular, specified NEC

giant cell (except of bone) (*see also* Neoplasm, connective tissue, malignant)
 bone — *see* Neoplasm, bone, malignant

glomoid — *see* Neoplasm, connective tissue, malignant

granulocytic C92.3

hemangioendothelial — *see* Neoplasm, connective tissue, malignant

hemorrhagic, multiple — *see* Sarcoma, Kaposi's histiocytic C96.A

Hodgkin — *see* Lymphoma, Hodgkin

immunoblastic (diffuse) — *see* Lymphoma, diffuse large cell

interdigitating dendritic cell C96.4

Kaposi's
 colon C46.4
 connective tissue C46.1
 gastrointestinal organ C46.4
 lung C46.5
 lymph node (s) C46.3
 palate (hard) (soft) C46.2
 rectum C46.4
 skin C46.0
 specified site NEC C46.7
 stomach C46.4
 unspecified site C46.9

Kupffer cell C22.3

Langerhans cell C96.4

leptomeningeal — *see* Neoplasm, meninges, malignant

liver NEC C22.4

lymphangioendothelial — *see* Neoplasm, connective tissue, malignant

lymphoblastic — *see* Lymphoma, lymphoblastic (diffuse)

lymphocytic — *see* Lymphoma, small cell B-cell

mast cell C96.22

melanotic — *see* Melanoma

meningeal — *see* Neoplasm, meninges, malignant

meningotheial — *see* Neoplasm, meninges, malignant

mesenchymal (*see also* Neoplasm, connective tissue, malignant)
 mixed — *see* Neoplasm, connective tissue, malignant

mesothelial — *see* Mesothelioma

monstrocellular
 specified site — *see* Neoplasm, malignant, by site
 unspecified site C71.9

myeloid C92.3

neurogenic — *see* Neoplasm, nerve, malignant

odontogenic C41.1
 upper jaw (bone) C41.0

osteoblastic — *see* Neoplasm, bone, malignant

osteogenic (*see also* Neoplasm, bone, malignant)
 juxtacortical — *see* Neoplasm, bone, malignant

periosteal — *see* Neoplasm, bone, malignant

periosteal (*see also* Neoplasm, bone, malignant)
 osteogenic — *see* Neoplasm, bone, malignant

pleomorphic cell — *see* Neoplasm, connective tissue, malignant

Sarcoma — *continued*

reticulum cell (diffuse) — *see* Lymphoma, diffuse large cell
 nodular — *see* Lymphoma, follicular

pleomorphic cell type — *see* Lymphoma, diffuse large cell

rhabdoid — *see* Neoplasm, malignant, by site

round cell — *see* Neoplasm, connective tissue, malignant

small cell — *see* Neoplasm, connective tissue, malignant

soft tissue — *see* Neoplasm, connective tissue, malignant

spindle cell — *see* Neoplasm, connective tissue, malignant

stromal (endometrial) C54.1
 isthmus C54.0

synovial (*see also* Neoplasm, connective tissue, malignant)
 biphasic — *see* Neoplasm, connective tissue, malignant

epithelioid cell — *see* Neoplasm, connective tissue, malignant

spindle cell — *see* Neoplasm, connective tissue, malignant

Sarcomatosis
 meningeal — *see* Neoplasm, meninges, malignant

specified site NEC — *see* Neoplasm, connective tissue, malignant

unspecified site C80.1

Sarcopenia (age-related) M62.84

Sarcosinemia E72.59

Sarcosporidiosis (intestinal) A07.8

Satiety, early R68.81

Saturnine — *see* condition

Saturnism
 overdose or wrong substance given or taken — *see* Table of Drugs and Chemicals, by drug, poisoning

Satyriasis F52.8

Sauriasis — *see* Ichthyosis

SBE (subacute bacterial endocarditis) I33.0

Scabs R23.4

Scabies (any site) B86

Scaglietti-Dagnini syndrome E22.0

Scald — *see* Burn

Scalenus anticus (anterior) syndrome G54.0

Scales R23.4

Scaling, skin R23.4

Scalp — *see* condition

Scapegoating affecting child Z62.3

Scaphocephaly Q75.0

Scapalgia M89.8X1

Scapulohumeral myopathy G71.02

Scar, scarring (*see also* Cicatrix) L90.5
 adherent L90.5
 atrophic L90.5
 cervix
 in pregnancy or childbirth — *see* Pregnancy, complicated by, abnormal cervix

cheloid L91.0

chorioretinal H31.00
 posterior pole macula H31.01
 postsurgical H59.81
 solar retinopathy H31.02
 specified type NEC H31.09

choroid — *see* Scar, chorioretinal

conjunctiva H11.24

cornea H17.9
 xerophthalmic (*see also* Opacity, cornea)
 vitamin A deficiency E50.6

duodenum, obstructive K31.5

hypertrophic L91.0

keloid L91.0

labia N90.89

lung (base) J98.4

macula — *see* Scar, chorioretinal, posterior pole

muscle M62.89

myocardium, myocardial I25.2

painful L90.5

posterior pole (eye) — *see* Scar, chorioretinal, posterior pole

retina — *see* Scar, chorioretinal

trachea J39.8

transmural uterine, in pregnancy O34.29

uterus N85.8
 in pregnancy O34.29
 vagina N89.8
 postoperative N99.2
 vulva N90.89

Scarabiasis B88.2

Scarlatina (anginosa) (maligna) A38.9
 myocarditis (acute) A38.1
 old — *see* Myocarditis

Scarlatina — *continued*

otitis media A38.0
 ulcerosa A38.8

Scarlet fever (albuminuria) (angina) A38.9

Schamberg's disease (progressive pigmentary dermatosis) L81.7

Schatzki's ring (acquired) (esophagus) (lower) K22.2
 congenital Q39.3

Schaufenster krankheit I20.8

Schaumann's
 benign lymphogranulomatosis D86.1
 disease or syndrome — *see* Sarcoidosis

Scheie's syndrome E76.03

Schenck's disease B42.1

Scheuermann's disease or osteochondrosis — *see* Osteochondrosis, juvenile, spine

Schilder (-Flatau) disease G37.0

Schilling-type monocytic leukemia C93.0

Schimmelbusch's disease, cystic mastitis, or hyperplasia — *see* Mastopathy, cystic

Schistosoma infestation — *see* Infestation, Schistosoma

Schistosomiasis B65.9
 with muscle disorder B65.9 [M63.80]
 ankle B65.9 [M63.87]
 foot B65.9 [M63.87]
 forearm B65.9 [M63.83]
 hand B65.9 [M63.84]
 lower leg B65.9 [M63.86]
 multiple sites B65.9 [M63.89]
 pelvic region B65.9 [M63.85]
 shoulder region B65.9 [M63.81]
 specified site NEC B65.9 [M63.88]
 thigh B65.9 [M63.85]
 upper arm B65.9 [M63.82]

Asiatic B65.2
 bladder B65.0
 chestermani B65.8
 colon B65.1
 cutaneous B65.3
 due to
 S. haematobium B65.0
 S. japonicum B65.2
 S. mansoni B65.1
 S. mattheii B65.8

Eastern B65.2
 genitourinary tract B65.0
 intestinal B65.1
 lung NEC B65.9 [J99]
 pneumonia B65.9 [J17]
 Manson's (intestinal) B65.1
 oriental B65.2
 pulmonary NEC B65.9 [J99]
 pneumonia B65.9

Schistosoma
 haematobium B65.0
 japonicum B65.2
 mansoni B65.1
 specified type NEC B65.8
 urinary B65.0
 vesical B65.0

Schizencephaly Q04.6

Schizoaffective psychosis F25.9

Schizodontia K00.2

Schizoid personality F60.1

Schizophrenia, schizophrenic F20.9
 acute (brief) (undifferentiated) F23
 atypical (form) F20.3
 borderline F21
 catalepsy F20.2
 catatonic (type) (excited) (withdrawn) F20.2
 cenesthopathic, cenesthesiopathic F20.89
 childhood type F84.5
 chronic undifferentiated F20.5
 cyclic F25.0
 disorganized (type) F20.1
 flexibilitas cerea F20.2
 hebephrenic (type) F20.1
 incipient F21
 latent F21
 negative type F20.5
 paranoid (type) F20.0
 paraphrenic F20.0
 post-psychotic depression F32.89
 prepsychotic F21
 prodromal F21
 pseudoneurotic F21
 pseudopsychopathic F21
 reaction F23
 residual (state) (type) F20.5
 restzustand F20.5
 schizoaffective (type) — *see* Psychosis, schizoaffective

Schizophrenia - Scoliosis

Proctors: This errata is permitted during the examination.

Schizophrenia — *continued*

simple (type) F20.89
 simplex F20.89
 specified type NEC F20.89
 spectrum and other psychotic disorder F29
 specified NEC F28
 stupor F20.2
 syndrome of childhood F84.5
 undifferentiated (type) F20.3
 chronic F20.5

Schizothymia (persistent) F60.1

Schlatter-Osgood disease or osteochondrosis — *see* Osteochondrosis, juvenile, tibia

Schlatter's tibia — *see* Osteochondrosis, juvenile, tibia

Schmidt's syndrome (polyglandular, autoimmune) E31.0

Schmincke's carcinoma or tumor — *see* Neoplasm, nasopharynx, malignant

Schmitz (-Stutzer) dysentery A03.0

Schmorl's disease or nodes
 lumbar region M51.46
 lumbosacral region M51.47
 sacrococcygeal region M53.3
 thoracic region M51.44
 thoracolumbar region M51.45

Schneiderian
 papilloma — *see* Neoplasm, nasopharynx, benign
 specified site — *see* Neoplasm, benign, by site
 unspecified site D14.0
 specified site — *see* Neoplasm, malignant, by site
 unspecified site C30.0

Scholtz syndrome (malignant carcinoid) E34.0

Scholz (-Bielchowsky-Henneberg) disease or syndrome E75.25

Schönlein (-Henoch) disease or purpura (primary) (rheumatic) D69.0

Schottmuller's disease A01.4

Schroeder's syndrome (endocrine hypertensive) E27.0

Schüller-Christian disease or syndrome C96.5

Schultze's type acroparesthesia, simple I73.89

Schultz's disease or syndrome — *see* Agranulocytosis

Schwalbe-Ziehen-Oppenheim disease G24.1

Schwannoma (*see also* Neoplasm, nerve, benign)
 malignant (*see also* Neoplasm, nerve, malignant)
 with rhabdomyoblastic differentiation — *see* Neoplasm, nerve, malignant
 melanocytic — *see* Neoplasm, nerve, benign
 pigmented — *see* Neoplasm, nerve, benign

Schwannomatosis Q85.03

Schwartz (-Jampel) syndrome G71.13

Schwartz-Bartter syndrome E22.2

Schweniger-Buzzi anetoderma L90.1

Sciatica — *see* condition

Sciatica (infective)
 with lumbago M54.4
 due to intervertebral disc disorder — *see* Disorder, disc, with, radiculopathy
 due to displacement of intervertebral disc (with lumbago) — *see* Disorder, disc, with, radiculopathy
 wallet M54.3

Scimitar syndrome Q26.8

Sclera — *see* condition

Sclerectasia H15.84

Scleredema
 adultorum — *see* Sclerosis, systemic
 Buschke's — *see* Sclerosis, systemic
 newborn P83.0

Sclerema (adiposum) (edematosum) (neonatorum) (newborn) P83.0
 adultorum — *see* Sclerosis, systemic

Scleriosis — *see* Scleroderma

Scleritis H15.00
 with corneal involvement H15.04
 anterior H15.01
 brawny H15.02
 in (due to) zoster B02.34
 posterior H15.03
 specified type NEC H15.09
 syphilitic A52.71
 tuberculous (nodular) A18.51

Sclerochoroiditis H31.8

Scleroconjunctivitis — *see* Scleritis

Sclerocystic ovary syndrome E28.2

Sclerodactyly, sclerodactylia L94.3

Scleroderma, scleroderma (acrosclerotic) (diffuse) (generalized) (progressive) (pulmonary) (*see also* Sclerosis, systemic) M34.9-
 circumscribed L94.0
 linear L94.1
 localized L94.0
 newborn P83.88
 systemic M34.9

Sclerokeratitis H16.8
 tuberculous A18.52

Scleroma nasi A48.8

Scleromalacia (perforans) H15.05

Scleromyxedema L98.5

Sclérose en plaques G35

Sclerosis, sclerotic
 adrenal (gland) E27.8
 Alzheimer's — *see* Disease, Alzheimer's
 amyotrophic (lateral) G12.21
 aorta, aortic I70.0
 valve — *see* Endocarditis, aortic
 artery, arterial, arteriolar, arteriovascular — *see* Arteriosclerosis
 ascending multiple G35
 brain (generalized) (lobular) G37.9
 artery, arterial I67.2
 diffuse G37.0
 disseminated G35
 insular G35
 Krabbe's E75.23
 miliary G35
 multiple G35
 presenile (Alzheimer's) — *see* Disease, Alzheimer's, early onset
 senile (arteriosclerotic) I67.2
 stem, multiple G35
 tuberous Q85.1
 bulbar, multiple G35
 bundle of His I44.39
 cardiac — *see* Disease, heart, ischemic, atherosclerotic
 cardiorenal — *see* Hypertension, cardiorenal
 cardiovascular (*see also* Disease, cardiovascular)
 renal — *see* Hypertension, cardiorenal
 cerebellar — *see* Sclerosis, brain
 cerebral — *see* Sclerosis, brain
 cerebrospinal (disseminated) (multiple) G35
 cerebrovascular I67.2
 choroid — *see* Degeneration, choroid
 combined (spinal cord) (*see also* Degeneration, combined)
 multiple G35
 concentric (Balo) G37.5
 cornea — *see* Opacity, cornea
 coronary (artery) I25.10
 with angina pectoris — *see* Arteriosclerosis, coronary (artery),
 corpus cavernosum
 female N90.89
 male N48.6
 diffuse (brain) (spinal cord) G37.0
 disseminated G35
 dorsal G35
 dorsolateral (spinal cord) — *see* Degeneration, combined
 endometrium N85.5
 extrapyramidal G25.9
 eye, nuclear (senile) — *see* Cataract, senile, nuclear
 focal and segmental (glomerular) (*see also* N00-N07 with fourth character .1) N05.1
 Friedreich's (spinal cord) G11.1
 funicular (spermatic cord) N50.89
 general (vascular) — *see* Arteriosclerosis
 gland (lymphatic) I89.8
 hepatic K74.1
 alcoholic K70.2
 hereditary
 cerebellar G11.9
 spinal (Friedreich's ataxia) G11.1
 hippocampal G93.81
 insular G35
 kidney — *see* Sclerosis, renal
 larynx J38.7
 lateral (amyotrophic) (descending) (spinal) G12.21
 primary G12.23
 lens, senile nuclear — *see* Cataract, senile, nuclear
 liver K74.1
 with fibrosis K74.2
 alcoholic K70.2
 alcoholic K70.2
 cardiac K76.1
 lung — *see* Fibrosis, lung
 mastoid — *see* Mastoiditis, chronic
 mesial temporal G93.81
 mitral I05.8
 Mönckeberg's (medial) — *see* Arteriosclerosis, extremities
 multiple (brain stem) (cerebral) (generalized) (spinal cord) G35
 myocardium, myocardial — *see* Disease, heart, ischemic, atherosclerotic
 nuclear (senile), eye — *see* Cataract, senile, nuclear
 ovary N83.8

Sclerosis — *continued*

pancreas K86.89
 penis N48.6
 peripheral arteries — *see* Arteriosclerosis, extremities
 plaques G35
 pluriglandular E31.8
 polyglandular E31.8
 posterolateral (spinal cord) — *see* Degeneration, combined
 presenile (Alzheimer's) — *see* Disease, Alzheimer's, early onset
 primary, lateral G12.23
 progressive, systemic M34.0
 pulmonary — *see* Fibrosis, lung
 artery I27.0
 valve (heart) — *see* Endocarditis, pulmonary
 renal N26.9
 with
 cystine storage disease E72.09
 hypertensive heart disease (conditions in I11) — *see* Hypertension, cardiorenal
 arteriolar (hyaline) (hyperplastic) — *see* Hypertension, kidney
 retina (senile) (vascular) H35.00
 senile (vascular) — *see* Arteriosclerosis
 spinal (cord) (progressive) G95.89
 ascending G61.0
 combined (*see also* Degeneration, combined)
 multiple G35
 syphilitic A52.11
 disseminated G35
 dorsolateral — *see* Degeneration, combined
 hereditary (Friedreich's) (mixed form) G11.1
 lateral (amyotrophic) G12.23
 multiple G35
 posterior (syphilitic) A52.11
 stomach K31.89
 subendocardial, congenital I42.4
 systemic M34.9
 with
 lung involvement M34.81
 myopathy M34.82
 polyneuropathy M34.83
 drug-induced M34.2
 due to chemicals NEC M34.2
 progressive M34.0
 specified NEC M34.89
 temporal (mesial) G93.81
 tricuspid (heart) (valve) I07.8
 tuberous (brain) Q85.1
 tympanic membrane — *see* Disorder, tympanic membrane, specified NEC
 valve, valvular (heart) — *see* Endocarditis
 vascular — *see* Arteriosclerosis
 vein I87.8

Scoliosis (acquired) (postural) M41.9
 adolescent (idiopathic) — *see* Scoliosis, idiopathic, adolescent
 congenital Q67.5
 due to bony malformation Q76.3
 failure of segmentation (hemivertebra) Q76.3
 hemivertebra fusion Q76.3
 postural Q67.5
 idiopathic M41.20
 adolescent M41.129
 cervical region M41.122
 cervicothoracic region M41.123
 lumbar region M41.126
 lumbosacral region M41.127
 thoracic region M41.124
 thoracolumbar region M41.125
 cervical region M41.22
 cervicothoracic region M41.23
 infantile M41.00
 cervical region M41.02
 cervicothoracic region M41.03
 lumbar region M41.06
 lumbosacral region M41.07
 sacrococcygeal region M41.08
 thoracic region M41.04
 thoracolumbar region M41.05
 juvenile M41.119
 cervical region M41.112
 cervicothoracic region M41.113
 lumbar region M41.116
 lumbosacral region M41.117
 thoracic region M41.114
 thoracolumbar region M41.115
 lumbar region M41.26
 lumbosacral region M41.27
 thoracic region M41.24
 thoracolumbar region M41.25

Proctors: This errata is permitted during the examination.

Scoliosis - Screening**Scoliosis — continued**

infantile — see Scoliosis, idiopathic, infantile
 neuromuscular M41.40
 cervical region M41.42
 cervicothoracic region M41.43
 lumbar region M41.46
 lumbosacral region M41.47
 occipito-atlanto-axial region M41.41
 thoracic region M41.44
 thoracolumbar region M41.45
 paralytic — see Scoliosis, neuromuscular
 postradiation therapy M96.5
 rachitic (late effect or sequelae) E64.3 [M49.80]
 cervical region E64.3 [M49.82]
 cervicothoracic region E64.3 [M49.83]
 lumbar region E64.3 [M49.86]
 lumbosacral region E64.3 [M49.87]
 multiple sites E64.3 [M49.89]
 occipito-atlanto-axial region E64.3 [M49.81]
 sacroccocygeal region E64.3 [M49.88]
 thoracic region E64.3 [M49.84]
 thoracolumbar region E64.3 [M49.85]
 sciatic M54.4
 secondary (to) NEC M41.50
 cerebral palsy, Friedreich's ataxia, poliomyelitis,
 neuromuscular disorders — see Scoliosis,
 neuromuscular
 cervical region M41.52
 cervicothoracic region M41.53
 lumbar region M41.56
 lumbosacral region M41.57
 thoracic region M41.54
 thoracolumbar region M41.55
 specified form NEC M41.80
 cervical region M41.82
 cervicothoracic region M41.83
 lumbar region M41.86
 lumbosacral region M41.87
 thoracic region M41.84
 thoracolumbar region M41.85
 thoracogenic M41.30
 thoracic region M41.34
 thoracolumbar region M41.35
 tuberculous A18.01

Scoliotic pelvis
 with disproportion (fetopelvic) O33.0
 causing obstructed labor O65.0

Scorbutus, scorbutic (see also Scurvy)
 anemia D53.2

Score, NIHSS (National Institutes of Health Stroke Scale) R29.7

Scotoma (arcuate) (Bjerrum) (central) (ring) (see also Defect, visual field, localized, scotoma)
 scintillating H53.19

Scratch — see Abrasion

Scratchy throat R09.89

Screening (for) Z13.9
 alcoholism Z13.39
 anemia Z13.0
 anomaly, congenital Z13.89
 antenatal, of mother (see also Encounter, antenatal screening) Z36.9
 arterial hypertension Z13.6
 arthropod-borne viral disease NEC Z11.59
 autism Z13.41
 bacteriuria, asymptomatic Z13.89
 behavioral disorder Z13.30
 specified NEC Z13.39
 brain injury, traumatic Z13.850
 bronchitis, chronic Z13.83
 brucellosis Z11.2
 cardiovascular disorder Z13.6
 cataract Z13.5
 chlamydial diseases Z11.8
 cholera Z11.0
 chromosomal abnormalities (nonprocreative) NEC Z13.79
 colonoscopy Z12.11
 congenital
 dislocation of hip Z13.89
 eye disorder Z13.5
 malformation or deformation Z13.89
 contamination NEC Z13.88
 cystic fibrosis Z13.228
 dengue fever Z11.59
 dental disorder Z13.84
 depression (adult) (adolescent) (child) Z13.31
 maternal Z13.32
 perinatal Z13.32
 developmental
 delays Z13.40
 global (milestones) Z13.42
 specified NEC Z13.49

Screening — continued

developmental — continued
 handicap Z13.42
 in early childhood Z13.42
 diabetes mellitus Z13.1
 diphtheria Z11.2
 disability, intellectual Z13.39
 disease or disorder Z13.9
 bacterial NEC Z11.2
 intestinal infectious Z11.0
 respiratory tuberculosis Z11.1
 behavioral Z13.30
 specified NEC Z13.39
 blood or blood-forming organ Z13.0
 cardiovascular Z13.6
 Chagas' Z11.6
 chlamydial Z11.8
 dental Z13.89
 developmental delays Z13.40
 global (milestones) Z13.42
 specified NEC Z13.49
 digestive tract NEC Z13.818
 lower GI Z13.811
 upper GI Z13.810
 ear Z13.5
 endocrine Z13.29
 eye Z13.5
 genitourinary Z13.89
 heart Z13.6
 human immunodeficiency virus (HIV)
 infection Z11.4
 immunity Z13.0
 infection
 intestinal Z11.0
 specified NEC Z11.6
 infectious Z11.9
 mental health and behavioral Z13.30
 specified NEC Z13.39
 metabolic Z13.228
 neurological Z13.89
 nutritional Z13.21
 metabolic Z13.228
 lipid disorders Z13.220
 protozoal Z11.6
 intestinal Z11.0
 respiratory Z13.83
 rheumatic Z13.828
 ricketsial Z11.8
 sexually-transmitted NEC Z11.3
 human immunodeficiency virus (HIV) Z11.4
 sickle-cell (trait) Z13.0
 skin Z13.89
 specified NEC Z13.89
 spirochetal Z11.8
 thyroid Z13.29
 vascular Z13.6
 venereal Z11.3
 viral NEC Z11.59
 human immunodeficiency virus (HIV) Z11.4
 intestinal Z11.0
 elevated titer Z13.89
 emphysema Z13.83
 encephalitis, viral (mosquito- or tick-borne) Z11.59
 exposure to contaminants (toxic) Z13.88
 fever
 dengue Z11.59
 hemorrhagic Z11.59
 yellow Z11.59
 filariasis Z11.6
 galactosemia Z13.228
 gastrointestinal condition Z13.818
 genetic (nonprocreative) - for procreative
 management — see Testing, genetic, for
 procreative management
 disease carrier status (nonprocreative) Z13.71
 specified NEC (nonprocreative) Z13.79
 genitourinary condition Z13.89
 glaucoma Z13.5
 gonorrhea Z11.3
 gout Z13.89
 helminthiasis (intestinal) Z11.6
 hematopoietic malignancy Z12.89
 hemoglobinopathies NEC Z13.0
 hemorrhagic fever Z11.59
 Hodgkin disease Z12.89
 human immunodeficiency virus (HIV) Z11.4
 human papillomavirus Z11.51
 hypertension Z13.6
 immunity disorders Z13.0
 infant or child (over 28 days old) Z00.129
 with abnormal findings Z00.121

Screening — continued

infection
 mycotic Z11.8
 parasitic Z11.8
 ingestion of radioactive substance Z13.88
 intellectual disability Z13.39
 intestinal
 helminthiasis Z11.6
 infectious disease Z11.0
 leishmaniasis Z11.6
 leprosy Z11.2
 leptospirosis Z11.8
 leukemia Z12.89
 lymphoma Z12.89
 malaria Z11.6
 malnutrition Z13.29
 metabolic Z13.228
 nutritional Z13.21
 measles Z11.59
 mental health disorder Z13.30
 specified NEC Z13.39
 metabolic errors, inborn Z13.228
 multiphasic Z13.89
 musculoskeletal disorder Z13.828
 osteoporosis Z13.820
 mycoses Z11.8
 myocardial infarction (acute) Z13.6
 neoplasm (malignant) (of) Z12.9
 bladder Z12.6
 blood Z12.89
 breast Z12.39
 routine mammogram Z12.31
 cervix Z12.4
 colon Z12.11
 genitourinary organs NEC Z12.79
 bladder Z12.6
 cervix Z12.4
 ovary Z12.73
 prostate Z12.5
 testis Z12.71
 vagina Z12.72
 hematopoietic system Z12.89
 intestinal tract Z12.10
 colon Z12.11
 rectum Z12.12
 small intestine Z12.13
 lung Z12.2
 lymph (glands) Z12.89
 nervous system Z12.82
 oral cavity Z12.81
 prostate Z12.5
 rectum Z12.12
 respiratory organs Z12.2
 skin Z12.83
 small intestine Z12.13
 specified site NEC Z12.89
 stomach Z12.0
 nephropathy Z13.89
 nervous system disorders NEC Z13.858
 neurological condition Z13.89
 osteoporosis Z13.820
 parasitic infestation Z11.9
 specified NEC Z11.8
 phenylketonuria Z13.228
 plague Z11.2
 poisoning (chemical) (heavy metal) Z13.88
 poliomyelitis Z11.59
 postnatal, chromosomal abnormalities Z13.89
 prenatal, of mother (see also Encounter, antenatal screening) Z36.9
 protozoal disease Z11.6
 intestinal Z11.0
 pulmonary tuberculosis Z11.1
 radiation exposure Z13.88
 respiratory condition Z13.83
 respiratory tuberculosis Z11.1
 rheumatoid arthritis Z13.828
 rubella Z11.59
 schistosomiasis Z11.6
 sexually-transmitted disease NEC Z11.3
 human immunodeficiency virus (HIV) Z11.4
 sickle-cell disease or trait Z13.0
 skin condition Z13.89
 sleeping sickness Z11.6
 special Z13.9
 specified NEC Z13.89
 syphilis Z11.3
 tetanus Z11.2
 trachoma Z11.8
 traumatic brain injury Z13.850
 trypanosomiasis Z11.6
 tuberculosis, respiratory Z11.1

Screening - Sepsis

Proctors: This errata is permitted during the examination.

Screening — *continued*

venereal disease Z11.3
 viral encephalitis (mosquito- or tick-borne) Z11.59
 whooping cough Z11.2
 worms, intestinal Z11.6
 yaws Z11.8
 yellow fever Z11.59
Scrofula, scrofulosis (tuberculosis of cervical lymph glands) A18.2
Scrofulide (primary) (tuberculous) A18.4
Scrofuloderma, scrofuloderma (any site) (primary) A18.4
Scrofulosus lichen (primary) (tuberculous) A18.4
Scrofulous — *see* condition
Scrotal tongue K14.5
Scrotum — *see* condition
Scurvy, scorbutic E54
 anemia D53.2
 gum E54
 infantile E54
 rickets E55.0 [M90.80]
Sealpox B08.62
Seasickness T75.3
Seaworm (infection) (infestation) B80
Sebaceous (*see also* condition)
 cyst — *see* Cyst, sebaceous
Seborrhea, seborrheic L21.9
 capillitii R23.8
 capitis L21.0
 dermatitis L21.9
 infantile L21.1
 eczema L21.9
 infantile L21.1
 sicca L21.0
Seckel's syndrome Q87.1
Seclusion, pupil — *see* Membrane, pupillary
Second hand tobacco smoke exposure (acute) (chronic) Z77.22
 in the perinatal period P96.81
Secondary
 dentin (in pulp) K04.3
 neoplasm, secondaries — *see* Table of Neoplasms, secondary
Secretion
 antidiuretic hormone, inappropriate E22.2
 catecholamine, by pheochromocytoma E27.5
 hormone
 antidiuretic, inappropriate (syndrome) E22.2
 by
 carcinoid tumor E34.0
 pheochromocytoma E27.5
 ectopic NEC E34.2
 urinary
 excessive R35.8
 suppression R34
Section
 nerve, traumatic — *see* Injury, nerve
Sedative, hypnotic, or anxiolytic-induced
 anxiety disorder F13.980
 bipolar and related disorder F13.94
 delirium F13.921
 depressive disorder F13.94
 major neurocognitive disorder F13.97
 mild neurocognitive disorder F13.988
 psychotic disorder F13.959
 sexual dysfunction F13.981
 sleep disorder F13.982
Segmentation, incomplete (congenital) (*see also* Fusion)
 bone NEC Q78.8
 lumbosacral (joint) (vertebra) Q76.49
Seitelberger's syndrome (infantile neuroaxonal dystrophy) G31.89
Seizure (s) (*see also* Convulsions) R56.9
 akinetic — *see* Epilepsy, generalized, specified NEC
 atonic — *see* Epilepsy, generalized, specified NEC
 autonomic (hysterical) F44.5
 convulsive — *see* Convulsions
 cortical (focal) (motor) — *see* Epilepsy, localization-related, symptomatic, with simple partial seizures disorder (*see also* Epilepsy) G40.909
 due to stroke — *see* Sequelae (of), disease, cerebrovascular, by type, specified NEC
 epileptic — *see* Epilepsy
 febrile (simple) R56.00
 with status epilepticus G40.901
 complex (atypical) (complicated) R56.01
 with status epilepticus G40.901
 grand mal G40.409
 intractable G40.419
 with status epilepticus G40.411
 without status epilepticus G40.419

Seizure — *continued*

 grand mal — *continued*
 not intractable G40.409
 with status epilepticus G40.401
 without status epilepticus G40.409
 heart — *see* Disease, heart
 hysterical F44.5
 intractable G40.919
 with status epilepticus G40.911
 Jacksonian (focal) (motor type) (sensory type) — *see* Epilepsy, localization-related, symptomatic, with simple partial seizures
 newborn P90
 nonspecific epileptic
 atonic — *see* Epilepsy, generalized, specified NEC
 clonic — *see* Epilepsy, generalized, specified NEC
 myoclonic — *see* Epilepsy, generalized, specified NEC
 tonic — *see* Epilepsy, generalized, specified NEC
 tonic-clonic — *see* Epilepsy, generalized, specified NEC
 partial, developing into secondarily generalized seizures
 complex — *see* Epilepsy, localization-related, symptomatic, with complex partial seizures
 simple — *see* Epilepsy, localization-related, symptomatic, with simple partial seizures
 petit mal G40.409
 intractable G40.419
 with status epilepticus G40.411
 without status epilepticus G40.419
 not intractable G40.409
 with status epilepticus G40.401
 without status epilepticus G40.409
 post traumatic R56.1
 recurrent G40.909
 specified NEC G40.89
 uncinate — *see* Epilepsy, localization-related, symptomatic, with complex partial seizures
Selenium deficiency, dietary E59
Self-damaging behavior (life-style) Z72.89
Self-harm (attempted)
 history (personal) Z91.5
 in family Z81.8
Self-mutilation (attempted)
 history (personal) Z91.5
 in family Z81.8
Self-poisoning
 history (personal) Z91.5
 in family Z81.8
 observation following (alleged) attempt Z03.6
Semicoma R40.1
Seminal vesiculitis N49.0
Seminoma C62.9
 specified site — *see* Neoplasm, malignant, by site
Senear-Usher disease or syndrome L10.4
Senectus R54
Senescence (without mention of psychosis) R54
Senile, senility (*see also* condition) R41.81
 with
 acute confusional state F05
 mental changes NOS F03
 psychosis NEC — *see* Psychosis, senile
 asthenia R54
 cervix (atrophic) N88.8
 debility R54
 endometrium (atrophic) N85.8
 fallopian tube (atrophic) — *see* Atrophy, fallopian tube
 heart (failure) R54
 ovary (atrophic) — *see* Atrophy, ovary
 premature E34.8
 vagina, vaginitis (atrophic) N95.2
 wart L82.1
Sensation
 burning (skin) R20.8
 tongue K14.6
 loss of R20.8
 prickling (skin) R20.2
 tingling (skin) R20.2
Sense loss
 smell — *see* Disturbance, sensation, smell
 taste — *see* Disturbance, sensation, taste
 touch R20.8
Sensibility disturbance (cortical) (deep) (vibratory) R20.9
Sensitive, sensitivity (*see also* Allergy)
 carotid sinus G90.01
 child (excessive) F93.8
 cold, autoimmune D59.1
 dentin K03.89
 gluten (non-celiac) K90.41

Sensitive — *continued*

 latex Z91.040
 methemoglobin D74.8
 tuberculin, without clinical or radiological symptoms R76.11
 visual
 glare H53.71
 impaired contrast H53.72
Sensitiver Beziehungswahn F22
Sensitization, auto-erythrocytic D69.2
Separation
 anxiety, abnormal (of childhood) F93.0
 apophysis, traumatic - code as Fracture, by site
 choroid — *see* Detachment, choroid
 epiphysis, epiphyseal
 nontraumatic (*see also* Osteochondropathy, specified type NEC)
 upper femoral — *see* Slipped, epiphysis, upper femoral
 traumatic - code as Fracture, by site
 fracture — *see* Fracture
 infundibulum cardiac from right ventricle by a partition Q24.3
 joint (traumatic) (current) - code by site under Dislocation
 pubic bone, obstetrical trauma O71.6
 retina, retinal — *see* Detachment, retina
 symphysis pubis, obstetrical trauma O71.6
 tracheal ring, incomplete, congenital Q32.1
Sepsis (generalized) (unspecified organism) A41.9
 with
 organ dysfunction (acute) (multiple) R65.20
 with septic shock R65.21
 actinomycotic A42.7
 adrenal hemorrhage syndrome (meningococcal) A39.1
 anaerobic A41.4
 Bacillus anthracis A22.7
 Brucella (*see also* Brucellosis) A23.9
 candidal B37.7
 cryptogenic A41.9
 due to device, implant or graft T85.79
 arterial graft NEC T82.7
 breast (implant) T85.79
 catheter NEC T85.79
 dialysis (renal) T82.7
 intraperitoneal T85.71
 infusion NEC T82.7
 spinal (cranial) (epidural) (intrathecal) (spinal) (subarachnoid) (subdural) T85.735
 urethral indwelling T83.511
 urinary T83.518
 ectopic or molar pregnancy O08.82
 electric (electrode) (pulse generator) (stimulator)
 bone T84.7
 cardiac T82.7
 nervous system T85.738
 brain T85.731
 neurostimulator generator T85.734
 peripheral nerve T85.732
 spinal cord T85.733
 urinary T83.590
 fixation, internal (orthopedic) — *see* Complication, fixation device, infection
 gastrointestinal (bile duct) (esophagus) T85.79
 neurostimulator electrode (lead) T85.732
 genital T83.69
 heart NEC T82.7
 valve (prosthesis) T82.6
 graft T82.7
 joint prosthesis — *see* Complication, joint prosthesis, infection
 ocular (corneal graft) (orbital implant) T85.79
 orthopedic NEC T84.7
 fixation device, internal — *see* Complication, fixation device, infection
 specified NEC T85.79
 vascular T82.7
 ventricular intracranial (communicating)
 shunt T85.730
 during labor O75.3
 Enterococcus A41.81
 Erysipelothrix (rhusiopathiae) (erysipeloid) A26.7
 Escherichia coli (E. coli) A41.5
 extraintestinal yersiniosis A28.2
 following
 abortion (subsequent episode) O08.0
 current episode — *see* Abortion
 ectopic or molar pregnancy O08.82
 immunization T88.0
 infusion, therapeutic injection or transfusion
 NEC T80.29
 obstetrical procedure O86.04

Proctors: This errata is permitted during the examination.

Sepsis - Sequelae

Sepsis — *continued*
 gangrenous A41.9
 gonococcal A54.86
 Gram-negative (organism) A41.5
 anaerobic A41.4
 Haemophilus influenzae A41.3
 herpesviral B00.7
 intra-abdominal K65.1
 intraocular — see Endophthalmitis, purulent
 Listeria monocytogenes A32.7
 localized - code to specific localized infection
 in operation wound T81.49
 skin — see Abscess
 malleus A24.0
 melioidosis A24.1
 meningeal — see Meningitis
 meningococcal A39.4
 acute A39.2
 chronic A39.3
 MSSA (Methicillin susceptible Staphylococcus aureus) A41.01
 newborn P36.9
 due to
 anaerobes NEC P36.5
 Escherichia coli P36.4
 Staphylococcus P36.30
 aureus P36.2
 specified NEC P36.39
 Streptococcus P36.10
 group B P36.0
 specified NEC P36.19
 specified NEC P36.8
 Pasteurella multocida A28.0
 pelvic, puerperal, postpartum, childbirth O85
 postprocedural T81.44
 pneumococcal A40.3
 puerperal, postpartum, childbirth (pelvic) O85
 Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium) A02.1
 severe R65.20
 with septic shock R65.21
 skin, localized — see Abscess
 Shigella (see also Dysentery, bacillary) A03.9
 specified organism NEC A41.89
 Staphylococcus, staphylococcal A41.2
 aureus (methicillin susceptible) (MSSA) A41.01
 methicillin resistant (MRSA) A41.02
 coagulase-negative A41.1
 specified NEC A41.1
 Streptococcus, streptococcal A40.9
 agalactiae A40.1
 group
 A A40.0
 B A40.1
 D A41.81
 neonatal P36.10
 group B P36.0
 specified NEC P36.19
 pneumoniae A40.3
 pyogenes A40.0
 specified NEC A40.8
 tracheostomy stoma J95.02
 tularemia A21.7
 umbilical, umbilical cord (newborn) — see Sepsis, newborn
 Yersinia pestis A20.7

Septate — see Septum
Septic — see condition
 arm — see Cellulitis, upper limb
 with lymphangitis — see Lymphangitis, acute, upper limb
 embolus — see Embolism
 finger — see Cellulitis, digit
 with lymphangitis — see Lymphangitis, acute, digit
 foot — see Cellulitis, lower limb
 with lymphangitis — see Lymphangitis, acute, lower limb
 gallbladder (acute) K81.0
 hand — see Cellulitis, upper limb
 with lymphangitis — see Lymphangitis, acute, upper limb
 joint — see Arthritis, pyogenic or pyemic
 leg — see Cellulitis, lower limb
 with lymphangitis — see Lymphangitis, acute, lower limb
 nail (see also Cellulitis, digit)
 with lymphangitis — see Lymphangitis, acute, digit
 sore (see also Abscess)
 throat J02.0
 streptococcal J02.0

Septic — *continued*
 spleen (acute) D73.89
 teeth, tooth (pulpal origin) K04.4
 throat — see Pharyngitis
 thrombus — see Thrombosis
 toe — see Cellulitis, digit
 with lymphangitis — see Lymphangitis, acute, digit
 tonsils, chronic J35.01
 with adenoiditis J35.03
 uterus — see Endometriosis

Septicemia A41.9
 meaning sepsis — see Sepsis

Septum, septate (congenital) (see also Anomaly, by site)
 anal Q42.3
 with fistula Q42.2
 aqueduct of Sylvius Q03.0
 with spina bifida — see Spina bifida, by site, with hydrocephalus
 uterus Q51.20
 complete Q51.21
 partial Q51.22
 specified NEC Q51.28
 vagina Q52.10
 in pregnancy — see Pregnancy, complicated by, abnormal vagina
 causing obstructed labor O65.5
 longitudinal Q52.129
 microperforate
 left side Q52.124
 right side Q52.123
 nonobstruction Q52.120
 obstructing Q52.129
 left side Q52.122
 right side Q52.121
 transverse Q52.11

Sequelae (of) (see also condition)
 abscess, intracranial or intraspinal (conditions in G06 G09
 amputation - code to injury with seventh character S
 burn and corrosion - code to injury with seventh character S
 calcium deficiency E64.8
 cerebrovascular disease — see Sequelae, disease, cerebrovascular
 childbirth O94
 contusion - code to injury with seventh character S
 corrosion — see Sequelae, burn and corrosion
 crushing injury - code to injury with seventh character S
 disease
 cerebrovascular I69.90
 alteration of sensation I69.998
 aphasia I69.920
 apraxia I69.990
 ataxia I69.993
 cognitive deficits I69.91
 disturbance of vision I69.998
 dysarthria I69.922
 dysphagia I69.991
 dysphasia I69.921
 facial droop I69.992
 facial weakness I69.992
 fluency disorder I69.923
 hemiplegia I69.95
 hemorrhage
 intracerebral — see Sequelae, hemorrhage, intracerebral
 intracranial, nontraumatic NEC — see Sequelae, hemorrhage, intracranial, nontraumatic
 subarachnoid — see Sequelae, hemorrhage, subarachnoid
 language deficit I69.928
 monoplegia
 lower limb I69.94
 upper limb I69.93
 paralytic syndrome I69.96
 specified effect NEC I69.998
 specified type NEC I69.80
 alteration of sensation I69.898
 aphasia I69.820
 apraxia I69.890
 ataxia I69.893
 cognitive deficits I69.81
 disturbance of vision I69.898
 dysarthria I69.822
 dysphagia I69.891
 dysphasia I69.821
 facial droop I69.892
 facial weakness I69.892
 fluency disorder I69.823

Sequelae — *continued*
 disease — *continued*
 hemiplegia I69.85
 language deficit I69.828
 monoplegia
 lower limb I69.84
 upper limb I69.83
 paralytic syndrome I69.86
 specified effect NEC I69.898
 speech deficit I69.928
 speech deficit I69.828
 stroke NOS — see Sequelae, stroke NOS
 dislocation - code to injury with seventh character S
 encephalitis or encephalomyelitis (conditions in G04 G09
 in infectious disease NEC B94.8
 viral B94.1
 external cause - code to injury with seventh character S
 foreign body entering natural orifice - code to injury with seventh character S
 fracture - code to injury with seventh character S
 frostbite - code to injury with seventh character S
 Hansen's disease B92
 hemorrhage
 intracerebral I69.10
 alteration of sensation I69.198
 aphasia I69.120
 apraxia I69.190
 ataxia I69.193
 cognitive deficits I69.11
 disturbance of vision I69.198
 dysarthria I69.122
 dysphagia I69.191
 dysphasia I69.121
 facial droop I69.192
 facial weakness I69.192
 fluency disorder I69.123
 hemiplegia I69.15
 language deficit NEC I69.128
 monoplegia
 lower limb I69.14
 upper limb I69.13
 paralytic syndrome I69.16
 specified effect NEC I69.198
 speech deficit NEC I69.128
 intracranial, nontraumatic NEC I69.20
 alteration of sensation I69.298
 aphasia I69.220
 apraxia I69.290
 ataxia I69.293
 cognitive deficits I69.21
 disturbance of vision I69.298
 dysarthria I69.222
 dysphagia I69.291
 dysphasia I69.221
 facial droop I69.292
 facial weakness I69.292
 fluency disorder I69.223
 hemiplegia I69.25
 language deficit NEC I69.228
 monoplegia
 lower limb I69.24
 upper limb I69.23
 paralytic syndrome I69.26
 specified effect NEC I69.298
 speech deficit NEC I69.228
 subarachnoid I69.00
 alteration of sensation I69.098
 aphasia I69.020
 apraxia I69.090
 ataxia I69.093
 cognitive deficits — see subcategory I69.01
 disturbance of vision I69.098
 dysarthria I69.022
 dysphagia I69.091
 dysphasia I69.021
 facial droop I69.092
 facial weakness I69.092
 fluency disorder I69.023
 hemiplegia I69.05
 language deficit NEC I69.028
 monoplegia
 lower limb I69.04
 upper limb I69.03
 paralytic syndrome I69.06
 specified effect NEC I69.098
 speech deficit NEC I69.028
 hepatitis, viral B94.2
 hyperalimentation E68

Sequelae - Shock

Proctors: This errata is permitted during the examination.

Sequelae — continued

infarction
 cerebral I69.30
 alteration of sensation I69.398
 aphasia I69.320
 apraxia I69.390
 ataxia I69.393
 cognitive deficits I69.31
 disturbance of vision I69.398
 dysarthria I69.322
 dysphagia I69.391
 dysphasia I69.321
 facial droop I69.392
 facial weakness I69.392
 fluency disorder I69.323
 hemiplegia I69.35
 language deficit NEC I69.328
 monoplegia
 lower limb I69.34
 upper limb I69.33
 paralytic syndrome I69.36
 specified effect NEC I69.398
 speech deficit NEC I69.328
 infection, pyogenic, intracranial or intraspinal G09
 infectious disease B94.9
 specified NEC B94.8
 injury - code to injury with seventh character S
 leprosy B92
 meningitis
 bacterial (conditions in G00) G09
 other or unspecified cause (conditions in G03) G09
 muscle (and tendon) injury - code to injury with seventh character S
 myelitis — see Sequelae, encephalitis
 niacin deficiency E64.8
 nutritional deficiency E64.9
 specified NEC E64.8
 obstetrical condition O94
 parasitic disease B94.9
 phlebitis or thrombophlebitis of intracranial or intraspinal venous sinuses and veins (conditions in G08) G09
 poisoning - code to poisoning with seventh character S
 nonmedicinal substance — see Sequelae, toxic effect, nonmedicinal substance
 poliomyelitis (acute) B91
 pregnancy O94
 protein-energy malnutrition E64.0
 puerperium O94
 rickets E64.3
 selenium deficiency E64.8
 sprain and strain - code to injury with seventh character S
 stroke NOS I69.30
 alteration in sensation I69.398
 aphasia I69.320
 apraxia I69.390
 ataxia I69.393
 cognitive deficits I69.31
 disturbance of vision I69.398
 dysarthria I69.322
 dysphagia I69.391
 dysphasia I69.321
 facial droop I69.392
 facial weakness I69.392
 hemiplegia I69.35
 language deficit NEC I69.328
 monoplegia
 lower limb I69.34
 upper limb I69.33
 paralytic syndrome I69.36
 specified effect NEC I69.398
 speech deficit NEC I69.328
 tendon and muscle injury - code to injury with seventh character S
 thiamine deficiency E64.8
 trachoma B94.0
 tuberculosis B90.9
 bones and joints B90.2
 central nervous system B90.0
 genitourinary B90.1
 pulmonary (respiratory) B90.9
 specified organs NEC B90.8
 viral
 encephalitis B94.1
 hepatitis B94.2
 vitamin deficiency NEC E64.8
 A E64.1
 B E64.8
 C E64.2

Sequelae — continued

wound, open - code to injury with seventh character S
Sequestration (see also Sequestrum)
 disk — see Displacement, intervertebral disk
 lung, congenital Q33.2
Sequestrum
 bone — see Osteomyelitis, chronic
 dental M27.2
 jaw bone M27.2
 orbit — see Osteomyelitis, orbit
 sinus (accessory) (nasal) — see Sinusitis
Sequoiosis lung or pneumonitis J67.8
Serology for syphilis
 doubtful
 with signs or symptoms - code by site and stage under Syphilis
 follow-up of latent syphilis — see Syphilis, latent
 negative, with signs or symptoms - code by site and stage under Syphilis
 positive A53.0
 with signs or symptoms - code by site and stage under Syphilis
 reactivated A53.0
Seroma (see also Hematoma)
 postprocedural — see Complication, postprocedural, seroma
 traumatic, secondary and recurrent T79.2
Seropurulent — see condition
Serositis, multiple K65.8
 pericardial I31.1
 peritoneal K65.8
Serous — see condition
Sertoli cell adenoma
 specified site — see Neoplasm, benign, by site
 unspecified site
 female D27.9
 male D29.20
carcinoma
 specified site — see Neoplasm, malignant, by site
 unspecified site (male) C62.9
 female C56.9
tumor
 with lipid storage
 specified site — see Neoplasm, benign, by site
 unspecified site
 female D27.9
 male D29.20
 specified site — see Neoplasm, benign, by site
 unspecified site
 female D27.9
 male D29.20
Sertoli-Leydig cell tumor — see Neoplasm, benign, by site
 specified site — see Neoplasm, benign, by site
 unspecified site
 female D27.9
 male D29.20
Serum
 allergy, allergic reaction (see also Reaction, serum) T80.69
 shock (see also Shock, anaphylactic) T80.59
 arthritis (see also Reaction, serum) T80.69
 complication or reaction NEC (see also Reaction, serum) T80.69
 disease NEC (see also Reaction, serum) T80.69
 hepatitis (see also Hepatitis, viral, type B) carrier (suspected) of B18.1
 intoxication (see also Reaction, serum) T80.69
 neuritis (see also Reaction, serum) T80.69
 neuropathy G61.1
 poisoning NEC (see also Reaction, serum) T80.69
 rash NEC (see also Reaction, serum) T80.69
 reaction NEC (see also Reaction, serum) T80.69
 sickness NEC (see also Reaction, serum) T80.69
 urticaria (see also Reaction, serum) T80.69
Sesamoiditis M25.8
Sever's disease or osteochondrosis — see Osteochondrosis, juvenile, tarsus
Severe sepsis R65.20
 with septic shock R65.21
Sex
 chromosome mosaics Q97.8
 lines with various numbers of X chromosomes Q97.2
 education Z70.8
 reassignment surgery status Z87.890
Sextuplet pregnancy — see Pregnancy, sextuplet
Sexual
 function, disorder of (psychogenic) F52.9
 immaturity (female) (male) E30.0

Sexual — continued

impotence (psychogenic) organic origin NEC — see Dysfunction, sexual, male
 precocity (constitutional) (cryptogenic)(female) (idiopathic) (male) E30.1
Sexuality, pathologic — see Deviation, sexual
Sézary disease C84.1
Shadow, lung R91.8
Shaking palsy or paralysis — see Parkinsonism
Shallowness, acetabulum — see Derangement, joint, specified type NEC, hip
Shaver's disease J63.1
Sheath (tendon) — see condition
Sheathing, retinal vessels H35.01
Shedding
 nail L60.8
 premature, primary (deciduous) teeth K00.6
Sheehan's disease or syndrome E23.0
Shelf, rectal K62.89
Shell teeth K00.5
Shellshock (current) F43.0
 lasting state — see Disorder, post-traumatic stress
Shield kidney Q63.1
Shift
 auditory threshold (temporary) H93.24
 mediastinal R93.89
Shifting sleep-work schedule (affecting sleep) G47.26
Shiga (-kruse) dysentery A03.0
Shiga's bacillus A03.0
Shigella (dysentery) — see Dysentery, bacillary
Shigellosis A03.9
 Group A A03.0
 Group B A03.1
 Group C A03.2
 Group D A03.3
Shin splints S86.89
Shingles — see Herpes, zoster
Shipyard disease or eye B30.0
Shirodkar suture, in pregnancy — see Pregnancy, complicated by, incompetent cervix
Shock R57.9
 with ectopic or molar pregnancy O08.3
 adrenal (cortical) (Addisonian) E27.2
 adverse food reaction (anaphylactic) — see Shock, anaphylactic, due to food
 allergic — see Shock, anaphylactic
 anaphylactic T78.2
 chemical — see Table of Drugs and Chemicals due to drug or medicinal substance
 correct substance properly administered T88.6
 overdose or wrong substance given or taken (by accident) — see Table of Drugs and Chemicals, by drug, poisoning
 due to food (nonpoisonous) T78.00
 additives T78.06
 dairy products T78.07
 eggs T78.08
 fish T78.03
 shellfish T78.02
 fruit T78.04
 milk T78.07
 nuts T78.05
 multiple types T78.05
 peanuts T78.01
 peanuts T78.01
 seeds T78.05
 specified type NEC T78.09
 vegetable T78.04
 following sting (s) — see Venom
 immunization T80.52
 serum T80.59
 blood and blood products T80.51
 immunization T80.52
 specified NEC T80.59
 vaccination T80.52
 anaphylactoid — see Shock, anaphylactic
 anesthetic
 correct substance properly administered T88.2
 overdose or wrong substance given or taken — see Table of Drugs and Chemicals, by drug, poisoning
 specified anesthetic — see Table of Drugs and Chemicals, by drug, poisoning
 cardiogenic R57.0
 chemical substance — see Table of Drugs and Chemicals
 complicating ectopic or molar pregnancy O08.3
 culture — see Disorder, adjustment
 drug
 due to correct substance properly administered T88.6

Shock — *continued*

drug — *continued*
 overdose or wrong substance given or taken (by accident) — see Table of Drugs and Chemicals, by drug, poisoning
 during or after labor and delivery O75.1
 electric T75.4 ☑
 (taser) T75.4 ☑
 endotoxic R65.21
 postprocedural (resulting from a procedure, not elsewhere classified) T81.12 ☑
 following
 ectopic or molar pregnancy O08.3
 injury (immediate) (delayed) T79.4 ☑
 labor and delivery O75.1
 food (anaphylactic) — see Shock, anaphylactic, due to food
 from electroshock gun (taser) T75.4 ☑
 gram-negative R65.21
 postprocedural (resulting from a procedure, not elsewhere classified) T81.12 ☑
 hematologic R57.8
 hemorrhagic R57.8
 surgery (intraoperative) (postoperative) T81.19 ☑
 trauma T79.4 ☑
 hypovolemic R57.1
 surgical T81.19 ☑
 traumatic T79.4 ☑
 insulin E15
 therapeutic misadventure — see subcategory T38.3 ☑
 kidney N17.0
 traumatic (following crushing) T79.5 ☑
 liver K72.00
 lightning T75.01 ☑
 lung J80
 obstetric O75.1
 with ectopic or molar pregnancy O08.3
 following ectopic or molar pregnancy O08.3
 pleural (surgical) T81.19 ☑
 due to trauma T79.4 ☑
 postprocedural (postoperative) T81.10 ☑
 with ectopic or molar pregnancy O08.3
 cardiogenic T81.11 ☑
 endotoxic T81.12 ☑
 following ectopic or molar pregnancy O08.3
 gram-negative T81.12 ☑
 hypovolemic T81.19 ☑
 septic T81.12 ☑
 specified type NEC T81.19 ☑
 psychic F43.0
 septic (due to severe sepsis) R65.21
 specified NEC R57.8
 surgical T81.10 ☑
 taser gun (taser) T75.4 ☑
 therapeutic misadventure NEC T81.10 ☑
 thyroxin
 overdose or wrong substance given or taken — see Table of Drugs and Chemicals, by drug, poisoning
 toxic, syndrome A48.3
 transfusion — see Complications, transfusion
 traumatic (immediate) (delayed) T79.4 ☑
Shoemaker's chest M95.4
Short, shortening, shortness
 arm (acquired) (see also Deformity, limb, unequal length)
 congenital Q71.81 ☑
 forearm — see Deformity, limb, unequal length
 bowel syndrome K91.2
 breath R06.02
 cervical (complicating pregnancy) O26.87 ☑
 non-gravid uterus N88.3
 common bile duct, congenital Q44.5
 cord (umbilical), complicating delivery O69.3 ☑
 cystic duct, congenital Q44.5
 esophagus (congenital) Q39.8
 femur (acquired) — see Deformity, limb, unequal length, femur
 congenital — see Defect, reduction, lower limb, longitudinal, femur
 frenum, frenulum, linguae (congenital) Q38.1
 hip (acquired) (see also Deformity, limb, unequal length)
 congenital Q65.89
 leg (acquired) (see also Deformity, limb, unequal length)
 congenital Q72.81 ☑
 lower leg (see also Deformity, limb, unequal length)
 limbed stature, with immunodeficiency D82.2

Short — *continued*

lower limb (acquired) (see also Deformity, limb, unequal length)
 congenital Q72.81 ☑
 organ or site, congenital NEC — see Distortion
 palate, congenital Q38.5
 radius (acquired) (see also Deformity, limb, unequal length)
 congenital — see Defect, reduction, upper limb, longitudinal, radius
 rib syndrome Q77.2
 stature (child) (hereditary) (idiopathic) NEC R62.52
 constitutional E34.3
 due to endocrine disorder E34.3
 Laron-type E34.3
 tendon (see also Contraction, tendon)
 with contracture of joint — see Contraction, joint
 Achilles (acquired) M67.0 ☑
 congenital Q66.89
 congenital Q79.8
 thigh (acquired) (see also Deformity, limb, unequal length, femur)
 congenital — see Defect, reduction, lower limb, longitudinal, femur
 tibialis anterior (tendon) — see Contraction, tendon
 umbilical cord
 complicating delivery O69.3 ☑
 upper limb, congenital — see Defect, reduction, upper limb, specified type NEC
 urethra N36.8
 uvula, congenital Q38.5
 vagina (congenital) Q52.4
Shortsightedness — see Myopia
Shoshin (acute fulminating beriberi) E51.11
Shoulder — see condition
Shovel-shaped incisors K00.2
Shower, thromboembolic — see Embolism
Shunt
 arterial-venous (dialysis) Z99.2
 arteriovenous, pulmonary (acquired) I28.0
 congenital Q25.72
 cerebral ventricle (communicating) in situ Z98.2
 surgical, prosthetic, with complications — see Complications, cardiovascular, device or implant
Shutdown, renal N28.9
Shy-Drager syndrome G90.3
Sialadenitis, sialadenosis (any gland) (chronic) (periodic) (suppurative) — see Sialoadenitis
Sialiectasia K11.8
Sialidosis E77.1
Sialitis, silitis (any gland) (chronic) (suppurative) — see Sialoadenitis
Sialoadenitis
Sialoadenitis (any gland) (periodic) (suppurative)
 K11.20
 acute K11.21
 recurrent K11.22
 chronic K11.23
Sialoadenopathy K11.9
Sialoangitis — see Sialoadenitis
Sialodochitis (fibrinosa) — see Sialoadenitis
Sialodocholithiasis K11.5
Sialolithiasis K11.5
Sialometaplasia, necrotizing K11.8
Sialorrhoea (see also Ptyalism)
 periodic — see Sialoadenitis
Sialosis K11.7
Siamese twin Q89.4
Sibling rivalry Z62.891
Sicard's syndrome G52.7
Sicca syndrome M35.00
 with
 keratoconjunctivitis M35.01
 lung involvement M35.02
 myopathy M35.03
 renal tubulo-interstitial disorders M35.04
 specified organ involvement NEC M35.09
Sick R69
 or handicapped person in family Z63.79
 needing care at home Z63.6
 sinus (syndrome) I49.5
Sick-euthyroid syndrome E07.81
Sickle-cell
 anemia — see Disease, sickle-cell
 trait D57.3
Sicklelema (see also Disease, sickle-cell)
 trait D57.3
Sickness
 air (travel) T75.3 ☑
 airplane T75.3 ☑
 alpine T70.29 ☑
 altitude T70.20 ☑

Sickness — *continued*

Andes T70.29 ☑
 aviator's T70.29 ☑
 balloon T70.29 ☑
 car T75.3 ☑
 compressed air T70.3 ☑
 decompression T70.3 ☑
 green D50.8
 milk — see Poisoning, food, noxious
 motion T75.3 ☑
 mountain T70.29 ☑
 acute D75.1
 protein (see also Reaction, serum) T80.69 ☑
 radiation T66 ☑
 roundabout (motion) T75.3 ☑
 sea T75.3 ☑
 serum NEC (see also Reaction, serum) T80.69 ☑
 sleeping (African) B56.9
 by Trypanosoma B56.9
 brucei
 gambiense B56.0
 rhodesiense B56.1
 East African B56.1
 Gambian B56.0
 Rhodesian B56.1
 West African B56.0
 swing (motion) T75.3 ☑
 train (railway) (travel) T75.3 ☑
 travel (any vehicle) T75.3 ☑
Sideropenia — see Anemia, iron deficiency
Siderosilicosis J62.8
Siderosis (lung) J63.4
 eye (globe) — see Disorder, globe, degenerative, siderosis
Siemens' syndrome (ectodermal dysplasia) Q82.8
Sighing R06.89
 psychogenic F45.8
Sigmoid (see also condition)
 flexure — see condition
 kidney Q63.1
Sigmoiditis (see also Enteritis) K52.9
 infectious A09
 noninfectious K52.9
Silfversköld's syndrome Q78.9
Silicosiderosis J62.8
Silicosis, silicotic (simple) (complicated) J62.8
 with tuberculosis J65
Silicotuberculosis J65
Silo-fillers' disease J68.8
 bronchitis J68.0
 pneumonitis J68.0
 pulmonary edema J68.1
Silver's syndrome Q87.1
Simian malaria B53.1
Simmonds' cachexia or disease E23.0
Simons' disease or syndrome (progressive lipodystrophy) E88.1
Simple, simplex — see condition
Simulation, conscious (of illness) Z76.5
Simultanagnosia (asimultanagnosia) R48.3
Sin Nombre virus disease (Hantavirus) (cardio-pulmonary syndrome) B33.4
Sinding-Larsen disease or osteochondrosis — see Osteochondrosis, juvenile, patella
Singapore hemorrhagic fever A91
Singer's node or nodule J38.2
Single
 atrium Q21.2
 coronary artery Q24.5
 umbilical artery Q27.0
 ventricle Q20.4
Singultus R06.6
 epidemic B33.0
Sinus (see also Fistula)
 abdominal K63.89
 arrest I45.5
 arrhythmia I49.8
 bradycardia R00.1
 branchial cleft (internal) (external) Q18.0
 coccygeal — see Sinus, pilonidal
 dental K04.6
 dermal (congenital) Q06.8
 with abscess Q06.8
 coccygeal, pilonidal — see Sinus, coccygeal
 infected, skin NEC L08.89
 marginal, ruptured or bleeding — see Hemorrhage, antepartum, specified cause NEC
 medial, face and neck Q18.8
 pause I45.5
 pericranii Q01.9
 pilonidal (infected) (rectum) L05.92
 with abscess L05.02

Sinus - Sore

Proctors: This errata is permitted during the examination.

Sinus — continued

preauricular Q18.1
 rectovaginal N82.3
 Rokitansky-Aschoff (gallbladder) K82.8
 sacrococcygeal (dermoid) (infected) — see Sinus, pilonidal
 tachycardia R00.0
 paroxysmal I47.1
 tarsi syndrome M25.57
 testis N50.89
 tract (postinfective) — see Fistula
 urachus Q64.4

Sinusitis (accessory) (chronic) (hyperplastic) (nasal) (nonpurulent) (purulent) J32.9

acute J01.90

ethmoidal J01.20
 recurrent J01.21
 frontal J01.10
 recurrent J01.11
 involving more than one sinus, other than pansinusitis J01.80
 recurrent J01.81
 maxillary J01.00
 recurrent J01.01
 pansinusitis J01.40
 recurrent J01.41
 recurrent J01.91
 specified NEC J01.80
 recurrent J01.81
 sphenoidal J01.30
 recurrent J01.31

allergic — see Rhinitis, allergic
 due to high altitude T70.1
 ethmoidal J32.2
 acute J01.20
 recurrent J01.21
 frontal J32.1
 acute J01.10
 recurrent J01.11

influenzal — see Influenza, with, respiratory manifestations NEC
 involving more than one sinus but not pansinusitis J32.8
 acute J01.80
 recurrent J01.81
 maxillary J32.0
 acute J01.00
 recurrent J01.01
 sphenoidal J32.3
 acute J01.30
 recurrent J01.31

tuberculous, any sinus A15.8

Sinusitis-bronchiectasis-situs inversus (syndrome) (triad) Q89.3

Sipple's syndrome E31.22

Sirenomelia (syndrome) Q87.2

Siriasis T67.0

Sirkari's disease B55.0

Siti A65

Situation, psychiatric F99

Situational

disturbance (transient) — see Disorder, adjustment
 acute F43.0
 maladjustment — see Disorder, adjustment
 reaction — see Disorder, adjustment
 acute F43.0

Situs inversus or transversus (abdominalis) (thoracis) Q89.3

Sixth disease B08.20
 due to human herpesvirus 6 B08.21
 due to human herpesvirus 7 B08.22

Sjögren-Larsson syndrome Q87.1

Sjögren's syndrome or disease — see Sicca syndrome

Skeletal — see condition

Skene's gland — see condition

Skenitis — see Urethritis

Skerljevo A65

Skevas-Zerfus disease — see Toxicity, venom, marine
 animal, sea anemone

Skin (see also condition)

clammy R23.1
 donor — see Donor, skin
 hidebound M35.9

Slate-dressers' or slate-miners' lung J62.8

Sleep

apnea — see Apnea, sleep
 deprivation Z72.820
 disorder or disturbance G47.9
 child F51.9
 nonorganic origin F51.9
 specified NEC G47.8
 disturbance G47.9
 nonorganic origin F51.9

Sleep — continued

drunkenness F51.9
 rhythm inversion G47.2
 terrors F51.4
 walking F51.3
 hysterical F44.89

Sleep hygiene

abuse Z72.821
 inadequate Z72.821
 poor Z72.821

Sleeping sickness — see Sickness, sleeping

Sleeplessness — see Insomnia
 menopausal N95.1

Sleep-wake schedule disorder G47.20

Slim disease (in HIV infection) B20

Slipped, slipping

epiphysis (traumatic) (see also Osteochondropathy, specified type NEC)
 capital femoral (traumatic)
 acute (on chronic) S79.01
 current traumatic - code as Fracture, by site
 upper femoral (nontraumatic) M93.00
 acute M93.01
 on chronic M93.03
 chronic M93.02

intervertebral disc — see Displacement, intervertebral disc
 ligature, umbilical P51.8
 patella — see Disorder, patella, derangement NEC
 rib M89.8X8
 sacroiliac joint — see subcategory M53.2
 tendon — see Disorder, tendon
 ulnar nerve, nontraumatic — see Lesion, nerve, ulnar
 vertebra NEC — see Spondylolisthesis

Slocumb's syndrome E27.0

Sloughing (multiple) (phagedena) (skin) (see also Gangrene)

abscess — see Abscess
 appendix K38.8
 fascia — see Disorder, soft tissue, specified type NEC
 scrotum N50.89
 tendon — see Disorder, tendon
 transplanted organ — see Rejection, transplant
 ulcer — see Ulcer, skin

Slow

feeding, newborn P92.2
 flow syndrome, coronary I20.8
 heart (beat) R00.1

Slowing, urinary stream R39.198

Sluder's neuralgia (syndrome) G44.89

Slurred, slurring speech R47.81

Small (ness)

for gestational age — see Small for dates
 introitus, vagina N89.6
 kidney (unknown cause) N27.9
 bilateral N27.1
 unilateral N27.0
 ovary (congenital) Q50.39
 pelvis
 with disproportion (fetopelvic) O33.1
 causing obstructed labor O65.1
 uterus N85.8
 white kidney N03.9

Small-and-light-for-dates — see Small for dates

Small-for-dates (infant) P05.10
 with weight of
 499 grams or less P05.11
 500-749 grams P05.12
 750-999 grams P05.13
 1000-1249 grams P05.14
 1250-1499 grams P05.15
 1500-1749 grams P05.16
 1750-1999 grams P05.17
 2000-2499 grams P05.18
 2500 grams and over P05.19
 specified NEC P05.19

Smallpox B03

Smearing, fecal R15.1

Smith-Lemli-Opitz syndrome E78.72

Smith's fracture S52.54

Smoker — see Dependence, drug, nicotine

Smoker's

bronchitis J41.0
 cough J41.0
 palate K13.24
 throat J31.2
 tongue K13.24

Smoking

passive Z77.22

Smothering spells R06.81

Snaggle teeth, tooth M26.39

Snapping

finger — see Trigger finger
 hip — see Derangement, joint, specified type NEC,
 hip
 involving the iliotibial band M76.3
 knee — see Derangement, knee
 involving the iliotibial band M76.3

Sneddon-Wilkinson disease or syndrome (sub-corneal
 pustular dermatosis) L13.1

Sneezing (intractable) R06.7

Sniffing

cocaine
 abuse — see Abuse, drug, cocaine
 dependence — see Dependence, drug, cocaine
 gasoline
 abuse — see Abuse, drug, inhalant
 dependence — see Dependence, drug, inhalant
 glue (airplane)
 abuse — see Abuse, drug, inhalant
 drug dependence — see Dependence, drug,
 inhalant

Sniffles

newborn P28.89

Snoring R06.83

Snow blindness — see Photokeratitis

Snuffles (non-syphilitic) R06.5
 newborn P28.89
 syphilitic (infant) A50.05 [J99]

Social

exclusion Z60.4
 due to discrimination or persecution
 (perceived) Z60.5
 migrant Z59.0
 acculturation difficulty Z60.3
 rejection Z60.4
 due to discrimination or persecution Z60.5
 role conflict NEC Z73.5
 skills inadequacy NEC Z73.4
 transplantation Z60.3

Sudoku A25.0

Soemmerring's ring — see Cataract, secondary

Soft (see also condition)

nails L60.3

Softening

bone — see Osteomalacia
 brain (necrotic) (progressive) G93.89
 congenital Q04.8
 embolic I63.4
 hemorrhagic — see Hemorrhage, intracranial,
 intracerebral
 occlusive I63.5
 thrombotic I63.3
 cartilage M94.2
 patella M22.4
 cerebellar — see Softening, brain
 cerebral — see Softening, brain
 cerebrosplinal — see Softening, brain
 myocardial, heart — see Degeneration, myocardial
 spinal cord G95.89
 stomach K31.89

Soldier's

heart F45.8
 patches I31.0

Solitary

cyst, kidney N28.1
 kidney, congenital Q60.0

Solvent abuse — see Abuse, drug, inhalant
 dependence — see Dependence, drug, inhalant

Somatization reaction, somatic reaction — see
 Disorder, somatoform

Somnambulism F51.3
 hysterical F44.89

Somnolence R40.0
 nonorganic origin F51.11

Sonne dysentery A03.3

Soor B37.0

Sore

bed — see Ulcer, pressure, by site
 chiclero B55.1
 Delhi B55.1
 desert — see Ulcer, skin
 eye H57.1
 Lahore B55.1
 mouth K13.79
 canker K12.0
 muscle M79.10
 Naga — see Ulcer, skin
 of skin — see Ulcer, skin
 oriental B55.1
 pressure — see Ulcer, pressure, by site
 skin L98.9
 soft A57