

<p>F11.951 Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations CC HCC CC/MCC/ExC AHA: Q4 2017</p> <p>F11.959 Opioid use, unspecified with opioid-induced psychotic disorder, unspecified HCC AHA: Q4 2017</p> <p>^{6th} F11.98 Opioid use, unspecified with other specified opioid-induced disorder</p> <p>F11.981 Opioid use, unspecified with opioid-induced sexual dysfunction HCC AHA: Q4 2017 Opioid induced sexual dysfunction, without use disorder</p> <p>F11.982 Opioid use, unspecified with opioid-induced sleep disorder HCC AHA: Q4 2017 Opioid induced sleep disorder, without use disorder</p> <p>F11.988 Opioid use, unspecified with other opioid-induced disorder HCC AHA: Q4 2017 Opioid induced anxiety disorder, without use disorder</p> <p>F11.99 Opioid use, unspecified with unspecified opioid-induced disorder HCC AHA: Q4 2017</p> <p>^{4th} F12 Cannabis related disorders See Official Guidelines "Alcohol use during pregnancy, childbirth and the puerperium" I.C.15.I.1 INCLUDES marijuana</p> <p>^{5th} F12.1 Cannabis abuse EXCLUDES1 cannabis dependence (F12.2-) cannabis use, unspecified (F12.9-)</p> <p>F12.10 Cannabis abuse, uncomplicated AHA: Q4 2017 Cannabis use disorder, mild</p> <p>F12.11 Cannabis abuse, in remission AHA: Q4 2017 Cannabis use disorder, mild, in early remission Cannabis use disorder, mild, in sustained remission</p> <p>^{6th} F12.12 Cannabis abuse with intoxication</p> <p>F12.120 Cannabis abuse with intoxication, uncomplicated HCC AHA: Q4 2017</p> <p>F12.121 Cannabis abuse with intoxication delirium CC HCC CC/MCC/ExC AHA: Q4 2017</p> <p>F12.122 Cannabis abuse with intoxication with perceptual disturbance HCC AHA: Q4 2017</p> <p>F12.129 Cannabis abuse with intoxication, unspecified HCC AHA: Q4 2017</p> <p>^{6th} F12.15 Cannabis abuse with psychotic disorder</p> <p>F12.150 Cannabis abuse with psychotic disorder with delusions CC HCC CC/MCC/ExC AHA: Q4 2017</p> <p>F12.151 Cannabis abuse with psychotic disorder with hallucinations CC HCC CC/MCC/ExC AHA: Q4 2017</p> <p>F12.159 Cannabis abuse with psychotic disorder, unspecified HCC AHA: Q4 2017</p> <p>^{6th} F12.18 Cannabis abuse with other cannabis-induced disorder</p> <p>F12.180 Cannabis abuse with cannabis-induced anxiety disorder HCC AHA: Q4 2017</p> <p>F12.188 Cannabis abuse with other cannabis-induced disorder HCC AHA: Q4 2017 Cannabis use disorder, mild, with cannabis-induced sleep disorder</p>	<p>F12.19 Cannabis abuse with unspecified cannabis-induced disorder HCC AHA: Q4 2017</p> <p>^{5th} F12.2 Cannabis dependence EXCLUDES1 cannabis abuse (F12.1-) cannabis use, unspecified (F12.9-) EXCLUDES2 cannabis poisoning (T40.7-)</p> <p>F12.20 Cannabis dependence, uncomplicated HCC AHA: Q4 2017 Cannabis use disorder, moderate Cannabis use disorder, severe</p> <p>F12.21 Cannabis dependence, in remission HCC AHA: Q4 2017 Cannabis use disorder, moderate, in early remission Cannabis use disorder, moderate, in sustained remission Cannabis use disorder, severe, in early remission Cannabis use disorder, severe, in sustained remission</p> <p>^{6th} F12.22 Cannabis dependence with intoxication</p> <p>F12.220 Cannabis dependence with intoxication, uncomplicated HCC AHA: Q4 2017</p> <p>F12.221 Cannabis dependence with intoxication delirium CC HCC CC/MCC/ExC AHA: Q4 2017</p> <p>F12.222 Cannabis dependence with intoxication with perceptual disturbance HCC AHA: Q4 2017</p> <p>F12.229 Cannabis dependence with intoxication, unspecified HCC AHA: Q4 2017</p> <p>F12.23 Cannabis dependence with withdrawal HCC AHA: Q4 2018</p> <p>^{6th} F12.25 Cannabis dependence with psychotic disorder</p> <p>F12.250 Cannabis dependence with psychotic disorder with delusions CC HCC CC/MCC/ExC AHA: Q4 2017</p> <p>F12.251 Cannabis dependence with psychotic disorder with hallucinations CC HCC CC/MCC/ExC AHA: Q4 2017</p> <p>F12.259 Cannabis dependence with psychotic disorder, unspecified HCC AHA: Q4 2017</p> <p>^{6th} F12.28 Cannabis dependence with other cannabis-induced disorder</p> <p>F12.280 Cannabis dependence with cannabis-induced anxiety disorder HCC AHA: Q4 2017</p> <p>F12.288 Cannabis dependence with other cannabis-induced disorder HCC AHA: Q4 2017 Cannabis use disorder, moderate, with cannabis-induced sleep disorder Cannabis use disorder, severe, with cannabis-induced sleep disorder</p> <p>F12.29 Cannabis dependence with unspecified cannabis-induced disorder HCC AHA: Q4 2017</p> <p>^{5th} F12.9 Cannabis use, unspecified See Official Guidelines "Psychoactive Substance Use, Unspecified" I.C.5.b.3 EXCLUDES1 cannabis abuse (F12.1-) cannabis dependence (F12.2-)</p> <p>F12.90 Cannabis use, unspecified, uncomplicated AHA: Q4 2017</p> <p>^{6th} F12.92 Cannabis use, unspecified with intoxication</p> <p>F12.920 Cannabis use, unspecified with intoxication, uncomplicated HCC AHA: Q4 2017</p> <p>F12.921 Cannabis use, unspecified with intoxication delirium CC HCC CC/MCC/ExC AHA: Q4 2017</p>
---	---

P04HI Unacceptable principal diagnosis symbol per Medicare code edits
P04 Code exempt from diagnosis present on admission requirement
? Questionable admission
CC Complication or comorbidity
MCC Major complication or comorbidity
CC/MCC/ExC CC/MCC exclusion
HCC HCC diagnosis code
RxC RxHCC diagnosis code
MACRA code
DEFINITION Describes condition/terminology
TIP Coding guidance
G Official Guideline Reference
Z.1 Z code as first-listed diagnosis

<p>F12.922 Cannabis use, unspecified with intoxication with perceptual disturbance AHA: Q4 2017 HCC</p> <p>F12.929 Cannabis use, unspecified with intoxication, unspecified AHA: Q4 2017 HCC</p> <p>F12.93 Cannabis use, unspecified with withdrawal AHA: Q4 2018 HCC</p> <p>^{6th} F12.95 Cannabis use, unspecified with psychotic disorder</p> <p>F12.950 Cannabis use, unspecified with psychotic disorder with delusions AHA: Q4 2017 HCC CC.MCCE</p> <p>F12.951 Cannabis use, unspecified with psychotic disorder with hallucinations AHA: Q4 2017 HCC CC.MCCE</p> <p>F12.959 Cannabis use, unspecified with psychotic disorder, unspecified AHA: Q4 2017 Cannabis induced psychotic disorder, without use disorder HCC</p> <p>^{6th} F12.98 Cannabis use, unspecified with other cannabis-induced disorder</p> <p>F12.980 Cannabis use, unspecified with anxiety disorder AHA: Q4 2017 Cannabis induced anxiety disorder, without use disorder HCC</p> <p>F12.988 Cannabis use, unspecified with other cannabis-induced disorder AHA: Q4 2017 Cannabis induced sleep disorder, without use disorder HCC</p> <p>F12.99 Cannabis use, unspecified with unspecified cannabis-induced disorder AHA: Q4 2017 HCC</p> <p>^{4th} F13 Sedative, hypnotic, or anxiolytic related disorders See Official Guidelines "Alcohol use during pregnancy, childbirth and the puerperium" I.C.15.1.1</p> <p>^{5th} F13.1 Sedative, hypnotic or anxiolytic-related abuse EXCLUDES1 sedative, hypnotic or anxiolytic-related dependence (F13.2-) sedative, hypnotic, or anxiolytic use, unspecified (F13.9-)</p> <p>F13.10 Sedative, hypnotic or anxiolytic abuse, uncomplicated AHA: Q4 2017 HCC</p> <p>F13.11 Sedative, hypnotic or anxiolytic abuse, in remission AHA: Q4 2017 HCC</p> <p>Sedative, hypnotic or anxiolytic use disorder, mild, in early remission Sedative, hypnotic or anxiolytic use disorder, mild, in sustained remission</p> <p>^{6th} F13.12 Sedative, hypnotic or anxiolytic abuse with intoxication</p> <p>F13.120 Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated AHA: Q4 2017 HCC</p> <p>F13.121 Sedative, hypnotic or anxiolytic abuse with intoxication delirium AHA: Q4 2017 HCC CC.MCCE</p> <p>F13.129 Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified AHA: Q4 2017 HCC</p> <p>F13.14 Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder AHA: Q4 2017 HCC</p> <p>Sedative, hypnotic, or anxiolytic use disorder, mild, with sedative, hypnotic, or anxiolytic-induced bipolar or related disorder Sedative, hypnotic, or anxiolytic use disorder, mild, with sedative, hypnotic, or anxiolytic-induced depressive disorder</p>	<p>^{6th} F13.15 Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder</p> <p>F13.150 Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions AHA: Q4 2017 HCC CC.MCCE</p> <p>F13.151 Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations AHA: Q4 2017 HCC CC.MCCE</p> <p>F13.159 Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified AHA: Q4 2017 HCC</p> <p>^{6th} F13.18 Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorders</p> <p>F13.180 Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder AHA: Q4 2017 HCC</p> <p>F13.181 Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction AHA: Q4 2017 HCC</p> <p>F13.182 Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sleep disorder AHA: Q4 2017 HCC</p> <p>F13.188 Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder AHA: Q4 2017 HCC</p> <p>F13.19 Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder AHA: Q4 2017 HCC</p> <p>^{5th} F13.2 Sedative, hypnotic or anxiolytic-related dependence EXCLUDES1 sedative, hypnotic or anxiolytic-related abuse (F13.1-) sedative, hypnotic, or anxiolytic use, unspecified (F13.9-) EXCLUDES2 sedative, hypnotic, or anxiolytic poisoning (T42.-)</p> <p>F13.20 Sedative, hypnotic or anxiolytic dependence, uncomplicated AHA: Q4 2017 HCC</p> <p>F13.21 Sedative, hypnotic or anxiolytic dependence, in remission AHA: Q4 2017 HCC</p> <p>Sedative, hypnotic or anxiolytic use disorder, moderate, in early remission Sedative, hypnotic or anxiolytic use disorder, moderate, in sustained remission Sedative, hypnotic or anxiolytic use disorder, severe, in early remission Sedative, hypnotic or anxiolytic use disorder, severe, in sustained remission</p> <p>^{6th} F13.22 Sedative, hypnotic or anxiolytic dependence with intoxication EXCLUDES1 sedative, hypnotic or anxiolytic dependence with withdrawal (F13.23-)</p> <p>F13.220 Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated AHA: Q4 2017 HCC</p> <p>F13.221 Sedative, hypnotic or anxiolytic dependence with intoxication delirium AHA: Q4 2017 HCC CC.MCCE</p> <p>F13.229 Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified AHA: Q4 2017 HCC</p>
---	---

Unspecified Code
 Other Specified Code
 Manifestation Code
 N Newborn
 P Pediatric
 M Maternity
 A Adult
 ♂ Male
 ♀ Female
● New Code
▲ Revised Code Title
▶◀ Revised Text
NOTES
INCLUDES
EXCLUDES1 Not coded here
EXCLUDES2 Not included here
4th 4th character required
5th 5th character required
6th 6th character required
7th 7th character required
7th Extension 'X' Alert
HAC Hospital-acquired condition (HAC) alert
AHA AHA Coding Clinic[®]
🚨 Code first alert

- F13.939 **Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified** HCC CC/MCC/Exc
AHA: Q4 2017
- F13.94 **Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder** HCC
AHA: Q4 2017
Sedative, hypnotic, or anxiolytic-induced bipolar or related disorder, without use disorder
Sedative, hypnotic, or anxiolytic-induced depressive disorder, without use disorder
- 6th F13.95 **Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder**
- F13.950 **Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions** HCC CC/MCC/Exc
AHA: Q4 2017
- F13.951 **Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations** HCC CC/MCC/Exc
AHA: Q4 2017
- F13.959 **Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified** HCC
AHA: Q4 2017
Sedative, hypnotic, or anxiolytic-induced psychotic disorder, without use disorder
- F13.96 **Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder** HCC
AHA: Q4 2017
- F13.97 **Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting dementia** HCC CC/MCC/Exc
AHA: Q4 2017
Sedative, hypnotic, or anxiolytic-induced major neurocognitive disorder, without use disorder
- 6th F13.98 **Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorders**
- F13.980 **Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder** HCC
AHA: Q4 2017
Sedative, hypnotic, or anxiolytic-induced anxiety disorder, without use disorder
- F13.981 **Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sexual dysfunction** HCC
AHA: Q4 2017
Sedative, hypnotic, or anxiolytic-induced sexual dysfunction disorder, without use disorder
- F13.982 **Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sleep disorder** HCC
AHA: Q4 2017
Sedative, hypnotic, or anxiolytic-induced sleep disorder, without use disorder
- F13.988 **Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder** HCC
AHA: Q4 2017
Sedative, hypnotic, or anxiolytic-induced mild neurocognitive disorder
- F13.99 **Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder** HCC
AHA: Q4 2017
- 4th F14 **Cocaine related disorders**
See Official Guidelines "Alcohol use during pregnancy, childbirth and the puerperium" I.C.15.I.1
EXCLUDES2 other stimulant-related disorders (F15.-)
- 5th F14.1 **Cocaine abuse**
EXCLUDES1 cocaine dependence (F14.2-)
cocaine use, unspecified (F14.9-)
- F14.10 **Cocaine abuse, uncomplicated** HCC
AHA: Q4 2017
Cocaine use disorder, mild
- F14.11 **Cocaine abuse, in remission** HCC
AHA: Q4 2017
Cocaine use disorder, mild, in early remission
Cocaine use disorder, mild, in sustained remission
- 6th F14.12 **Cocaine abuse with intoxication**
- F14.120 **Cocaine abuse with intoxication, uncomplicated** HCC
AHA: Q4 2017
- F14.121 **Cocaine abuse with intoxication with delirium** HCC CC/MCC/Exc
AHA: Q4 2017
- F14.122 **Cocaine abuse with intoxication with perceptual disturbance** HCC
AHA: Q4 2017
- F14.129 **Cocaine abuse with intoxication, unspecified** HCC
AHA: Q4 2017
- F14.14 **Cocaine abuse with cocaine-induced mood disorder** HCC
AHA: Q4 2017
Cocaine use disorder, mild, with cocaine-induced bipolar or related disorder
Cocaine use disorder, mild, with cocaine-induced depressive disorder
- 6th F14.15 **Cocaine abuse with cocaine-induced psychotic disorder**
- F14.150 **Cocaine abuse with cocaine-induced psychotic disorder with delusions** HCC CC/MCC/Exc
AHA: Q4 2017
- F14.151 **Cocaine abuse with cocaine-induced psychotic disorder with hallucinations** HCC CC/MCC/Exc
AHA: Q4 2017
- F14.159 **Cocaine abuse with cocaine-induced psychotic disorder, unspecified** HCC
AHA: Q4 2017
- 6th F14.18 **Cocaine abuse with other cocaine-induced disorder**
- F14.180 **Cocaine abuse with cocaine-induced anxiety disorder** HCC
AHA: Q4 2017
- F14.181 **Cocaine abuse with cocaine-induced sexual dysfunction** HCC
AHA: Q4 2017
- F14.182 **Cocaine abuse with cocaine-induced sleep disorder** HCC
AHA: Q4 2017
- F14.188 **Cocaine abuse with other cocaine-induced disorder** HCC
AHA: Q4 2017
Cocaine use disorder, mild, with cocaine-induced obsessive compulsive or related disorder
- F14.19 **Cocaine abuse with unspecified cocaine-induced disorder** HCC
AHA: Q4 2017
- 5th F14.2 **Cocaine dependence**
EXCLUDES1 cocaine abuse (F14.1-)
cocaine use, unspecified (F14.9-)
EXCLUDES2 cocaine poisoning (T40.5-)

Unspecified Code
 Other Specified Code
 Manifestation Code
 N Newborn
 P Pediatric
 M Maternity
 A Adult
 ♂ Male
 ♀ Female
● New Code
▲ Revised Code Title
▶◀ Revised Text
NOTES
INCLUDES
EXCLUDES1 Not coded here
EXCLUDES2 Not included here
4th 4th character required
5th 5th character required
6th 6th character required
7th 7th character required
7th Extension 'X' Alert
HAC Hospital-acquired condition (HAC) alert
AHA AHA Coding Clinic[®]
🚨 Code first alert

- F15 Other stimulant related disorders**

 - See Official Guidelines "Alcohol use during pregnancy, childbirth and the puerperium" I.C.15.1.1

INCLUDES amphetamine-related disorders
caffeine

EXCLUDES2 cocaine-related disorders (F14.-)
 - F15.1 Other stimulant abuse**

 - EXCLUDES1** other stimulant dependence (F15.2-)
other stimulant use, unspecified (F15.9-)
 - F15.10 Other stimulant abuse, uncomplicated** HCC

AHA: Q4 2017

Amphetamine type substance use disorder, mild
Other or unspecified stimulant use disorder, mild
 - F15.11 Other stimulant abuse, in remission** HCC

AHA: Q4 2017

Amphetamine type substance use disorder, mild, in early remission
Amphetamine type substance use disorder, mild, in sustained remission
Other or unspecified stimulant use disorder, mild, in early remission
Other or unspecified stimulant use disorder, mild, in sustained remission
 - F15.12 Other stimulant abuse with intoxication**

 - F15.120 Other stimulant abuse with intoxication, uncomplicated** HCC

AHA: Q4 2017
 - F15.121 Other stimulant abuse with intoxication delirium** HCC CC/MCC/ExC

AHA: Q4 2017
 - F15.122 Other stimulant abuse with intoxication with perceptual disturbance** HCC

AHA: Q4 2017

Amphetamine or other stimulant use disorder, mild, with amphetamine or other stimulant intoxication, with perceptual disturbances
 - F15.129 Other stimulant abuse with intoxication, unspecified** HCC

AHA: Q4 2017

Amphetamine or other stimulant use disorder, mild, with amphetamine or other stimulant intoxication, without perceptual disturbances
 - F15.14 Other stimulant abuse with stimulant-induced mood disorder** HCC

AHA: Q4 2017

Amphetamine or other stimulant use disorder, mild, with amphetamine or other stimulant induced bipolar or related disorder
Amphetamine or other stimulant use disorder, mild, with amphetamine or other stimulant induced depressive disorder
 - F15.15 Other stimulant abuse with stimulant-induced psychotic disorder**

 - F15.150 Other stimulant abuse with stimulant-induced psychotic disorder with delusions** HCC CC/MCC/ExC

AHA: Q4 2017
 - F15.151 Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations** HCC CC/MCC/ExC

AHA: Q4 2017
 - F15.159 Other stimulant abuse with stimulant-induced psychotic disorder, unspecified** HCC

AHA: Q4 2017
 - F15.18 Other stimulant abuse with other stimulant-induced disorder**

 - F15.180 Other stimulant abuse with stimulant-induced anxiety disorder** HCC

AHA: Q4 2017
 - F15.181 Other stimulant abuse with stimulant-induced sexual dysfunction** HCC

AHA: Q4 2017
 - F15.182 Other stimulant abuse with stimulant-induced sleep disorder** HCC

AHA: Q4 2017
 - F15.188 Other stimulant abuse with other stimulant-induced disorder** HCC

AHA: Q4 2017

Amphetamine or other stimulant use disorder, mild, with amphetamine or other stimulant induced obsessive-compulsive or related disorder
 - F15.19 Other stimulant abuse with unspecified stimulant-induced disorder** HCC

AHA: Q4 2017
 - F15.2 Other stimulant dependence**

 - EXCLUDES1** other stimulant abuse (F15.1-)
other stimulant use, unspecified (F15.9-)
 - F15.20 Other stimulant dependence, uncomplicated** HCC

AHA: Q4 2017

Amphetamine type substance use disorder, moderate
Amphetamine type substance use disorder, severe
Other or unspecified stimulant use disorder, moderate
Other or unspecified stimulant use disorder, severe
 - F15.21 Other stimulant dependence, in remission** HCC

AHA: Q4 2017

Amphetamine type substance use disorder, moderate, in early remission
Amphetamine type substance use disorder, moderate, in sustained remission
Amphetamine type substance use disorder, severe, in early remission
Amphetamine type substance use disorder, severe, in sustained remission
Other or unspecified stimulant use disorder, moderate, in early remission
Other or unspecified stimulant use disorder, moderate, in sustained remission
Other or unspecified stimulant use disorder, severe, in early remission
Other or unspecified stimulant use disorder, severe, in sustained remission
 - F15.22 Other stimulant dependence with intoxication**

 - EXCLUDES1** other stimulant dependence with withdrawal (F15.23)
 - F15.220 Other stimulant dependence with intoxication, uncomplicated** HCC

AHA: Q4 2017
 - F15.221 Other stimulant dependence with intoxication delirium** HCC CC/MCC/ExC

AHA: Q4 2017
 - F15.222 Other stimulant dependence with intoxication with perceptual disturbance** HCC

AHA: Q4 2017

Amphetamine or other stimulant use disorder, moderate, with amphetamine or other stimulant intoxication, with perceptual disturbances
Amphetamine or other stimulant use disorder, severe, with amphetamine or other stimulant intoxication, with perceptual disturbances
 - F15.229 Other stimulant dependence with intoxication, unspecified** HCC

AHA: Q4 2017

Amphetamine or other stimulant use disorder, moderate, with amphetamine or other stimulant intoxication, without perceptual disturbances
Amphetamine or other stimulant use disorder, severe, with amphetamine or other stimulant intoxication, without perceptual disturbances

Unspecified Code
 Other Specified Code
 Manifestation Code
 N Newborn
 P Pediatric
 M Maternity
 A Adult
 ♂ Male
 ♀ Female
 ● New Code
 ▲ Revised Code Title
 ▶◀ Revised Text
 NOTES
 INCLUDES
 EXCLUDES1 Not coded here
 EXCLUDES2 Not included here
 4th 4th character required
 5th 5th character required
 6th 6th character required
 7th 7th character required
 7th Extension 'X' Alert
HAC Hospital-acquired condition (HAC) alert
AHA AHA Coding Clinic[®]
Code first alert

- F16** **Hallucinogen related disorders**
 - See Official Guidelines "Alcohol use during pregnancy, childbirth and the puerperium" I.C.15.1.1
 - INCLUDES** *ecstasy*
 - PCP*
 - phencyclidine*
- F16.1** **Hallucinogen abuse**
 - EXCLUDES1** *hallucinogen dependence (F16.2-)*
 - hallucinogen use, unspecified (F16.9-)*
- F16.10** **Hallucinogen abuse, uncomplicated** HCC
 - AHA:** Q4 2018, Q4 2017
 - Other hallucinogen use disorder, moderate
 - Phencyclidine use disorder, mild
- F16.11** **Hallucinogen abuse, in remission** HCC
 - AHA:** Q4 2017
 - Other hallucinogen use disorder, mild, in early remission
 - Other hallucinogen use disorder, mild, in sustained remission
 - Phencyclidine use disorder, mild, in early remission
 - Phencyclidine use disorder, mild, in sustained remission
- F16.12** **Hallucinogen abuse with intoxication**
 - F16.120** **Hallucinogen abuse with intoxication, uncomplicated** HCC
 - AHA:** Q4 2017
 - F16.121** **Hallucinogen abuse with intoxication with delirium** HCC HCC MCEC
 - AHA:** Q4 2017
 - F16.122** **Hallucinogen abuse with intoxication with perceptual disturbance** HCC
 - AHA:** Q4 2017
 - F16.129** **Hallucinogen abuse with intoxication, unspecified** HCC
 - AHA:** Q4 2017
- F16.14** **Hallucinogen abuse with hallucinogen-induced mood disorder** HCC
 - AHA:** Q4 2017
 - Other hallucinogen use disorder, mild, with other hallucinogen induced bipolar or related disorder
 - Other hallucinogen use disorder, mild, with other hallucinogen induced depressive disorder
 - Phencyclidine use disorder, mild, with phencyclidine induced bipolar or related disorder
 - Phencyclidine use disorder, mild, with phencyclidine induced depressive disorder
- F16.15** **Hallucinogen abuse with hallucinogen-induced psychotic disorder**
 - F16.150** **Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions** HCC HCC MCEC
 - AHA:** Q4 2017
 - F16.151** **Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations** HCC HCC MCEC
 - AHA:** Q4 2017
 - F16.159** **Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified** HCC
 - AHA:** Q4 2017
- F16.18** **Hallucinogen abuse with other hallucinogen-induced disorder**
 - F16.180** **Hallucinogen abuse with hallucinogen-induced anxiety disorder** HCC
 - AHA:** Q4 2017
 - F16.183** **Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks)** HCC
 - AHA:** Q4 2017
 - F16.188** **Hallucinogen abuse with other hallucinogen-induced disorder** HCC
 - AHA:** Q4 2017
- F16.19** **Hallucinogen abuse with unspecified hallucinogen-induced disorder** HCC
 - AHA:** Q4 2017

- F16.2** **Hallucinogen dependence**
 - EXCLUDES1** *hallucinogen abuse (F16.1-)*
 - hallucinogen use, unspecified (F16.9-)*
- F16.20** **Hallucinogen dependence, uncomplicated** HCC
 - AHA:** Q4 2017
 - Other hallucinogen use disorder, moderate
 - Other hallucinogen use disorder, severe
 - Phencyclidine use disorder, moderate
 - Phencyclidine use disorder, severe
- F16.21** **Hallucinogen dependence, in remission** HCC
 - AHA:** Q4 2017
 - Other hallucinogen use disorder, moderate, in early remission
 - Other hallucinogen use disorder, moderate, in sustained remission
 - Other hallucinogen use disorder, severe, in early remission
 - Other hallucinogen use disorder, severe, in sustained remission
 - Phencyclidine use disorder, moderate, in early remission
 - Phencyclidine use disorder, moderate, in sustained remission
 - Phencyclidine use disorder, severe, in early remission
 - Phencyclidine use disorder, severe, in sustained remission
- F16.22** **Hallucinogen dependence with intoxication**
 - F16.220** **Hallucinogen dependence with intoxication, uncomplicated** HCC
 - AHA:** Q4 2017
 - F16.221** **Hallucinogen dependence with intoxication with delirium** HCC HCC MCEC
 - AHA:** Q4 2017
 - F16.229** **Hallucinogen dependence with intoxication, unspecified** HCC
 - AHA:** Q4 2017
- F16.24** **Hallucinogen dependence with hallucinogen-induced mood disorder** HCC
 - AHA:** Q4 2017
 - Other hallucinogen use disorder, moderate, with other hallucinogen induced bipolar or related disorder
 - Other hallucinogen use disorder, moderate, with other hallucinogen induced depressive disorder
 - Other hallucinogen use disorder, severe, with other hallucinogen-induced bipolar or related disorder
 - Other hallucinogen use disorder, severe, with other hallucinogen-induced depressive disorder
 - Phencyclidine use disorder, moderate, with phencyclidine induced bipolar or related disorder
 - Phencyclidine use disorder, moderate, with phencyclidine induced depressive disorder
 - Phencyclidine use disorder, severe, with phencyclidine induced bipolar or related disorder
 - Phencyclidine use disorder, severe, with phencyclidine-induced depressive disorder
- F16.25** **Hallucinogen dependence with hallucinogen-induced psychotic disorder**
 - F16.250** **Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions** HCC HCC MCEC
 - AHA:** Q4 2017
 - F16.251** **Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations** HCC HCC MCEC
 - AHA:** Q4 2017
 - F16.259** **Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified** HCC
 - AHA:** Q4 2017

Unspecified Code
 Other Specified Code
 Manifestation Code
 N Newborn
 P Pediatric
 M Maternity
 A Adult
 ♂ Male
 ♀ Female
 ● New Code
 ▲ Revised Code Title
 ▶◀ Revised Text
 NOTES
 INCLUDES
 EXCLUDES1 Not coded here
 EXCLUDES2 Not included here
 4th 4th character required
 5th 5th character required
 6th 6th character required
 7th 7th character required
 7th Extension 'X' Alert
HAC Hospital-acquired condition (HAC) alert
AHA AHA Coding Clinic[®]
Code first alert

- F18.24 Inhalant dependence with inhalant-induced mood disorder **HCC**
AHA: Q4 2017
 Inhalant use disorder, moderate, with inhalant induced depressive disorder
 Inhalant use disorder, severe, with inhalant induced depressive disorder
- 6th** F18.25 Inhalant dependence with inhalant-induced psychotic disorder
 F18.250 Inhalant dependence with inhalant-induced psychotic disorder with delusions **CC** **HCC** **CC/MCC/ExC**
AHA: Q4 2017
 F18.251 Inhalant dependence with inhalant-induced psychotic disorder with hallucinations **CC** **HCC** **CC/MCC/ExC**
AHA: Q4 2017
 F18.259 Inhalant dependence with inhalant-induced psychotic disorder, unspecified **CC** **HCC**
AHA: Q4 2017
- F18.27** Inhalant dependence with inhalant-induced dementia **CC** **HCC** **CC/MCC/ExC**
AHA: Q4 2017
 Inhalant use disorder, moderate, with inhalant induced major neurocognitive disorder
 Inhalant use disorder, severe, with inhalant induced major neurocognitive disorder
- 6th** F18.28 Inhalant dependence with other inhalant-induced disorders
 F18.280 Inhalant dependence with inhalant-induced anxiety disorder **CC** **HCC**
AHA: Q4 2017
 F18.288 Inhalant dependence with other inhalant-induced disorder **CC** **HCC**
AHA: Q4 2017
 Inhalant use disorder, moderate, with inhalant-induced mild neurocognitive disorder
 Inhalant use disorder, severe, with inhalant-induced mild neurocognitive disorder
- F18.29 Inhalant dependence with unspecified inhalant-induced disorder **HCC**
AHA: Q4 2017
- 6th** F18.9 Inhalant use, unspecified
 See Official Guidelines "Psychoactive Substance Use, Unspecified" I.C.5.b.3
EXCLUDES1 inhalant abuse (F18.1-)
 inhalant dependence (F18.2-)
- F18.90 Inhalant use, unspecified, uncomplicated **AHA:** Q4 2017
- 6th** F18.92 Inhalant use, unspecified with intoxication
 F18.920 Inhalant use, unspecified with intoxication, uncomplicated **HCC**
AHA: Q4 2017
 F18.921 Inhalant use, unspecified with intoxication with delirium **CC** **HCC** **CC/MCC/ExC**
AHA: Q4 2017
 F18.929 Inhalant use, unspecified with intoxication, unspecified **HCC**
AHA: Q4 2017
- F18.94 Inhalant use, unspecified with inhalant-induced mood disorder **HCC**
AHA: Q4 2017
 Inhalant induced depressive disorder
- 6th** F18.95 Inhalant use, unspecified with inhalant-induced psychotic disorder
 F18.950 Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions **CC** **HCC** **CC/MCC/ExC**
AHA: Q4 2017
 F18.951 Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations **CC** **HCC** **CC/MCC/ExC**
AHA: Q4 2017
- F18.959 Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified **HCC**
AHA: Q4 2017
- F18.97** Inhalant use, unspecified with inhalant-induced persisting dementia **CC** **HCC** **CC/MCC/ExC**
AHA: Q4 2017
 Inhalant-induced major neurocognitive disorder
- 6th** F18.98 Inhalant use, unspecified with other inhalant-induced disorders
 F18.980 Inhalant use, unspecified with inhalant-induced anxiety disorder **HCC**
AHA: Q4 2017
 F18.988 Inhalant use, unspecified with other inhalant-induced disorder **HCC**
AHA: Q4 2017
 Inhalant-induced mild neurocognitive disorder
- F18.99 Inhalant use, unspecified with unspecified inhalant-induced disorder **HCC**
AHA: Q4 2017
- 4th** F19 Other psychoactive substance related disorders
 See Official Guidelines "Alcohol use during pregnancy, childbirth and the puerperium" I.C.15.I.1
INCLUDES polysubstance drug use (indiscriminate drug use)
- 6th** F19.1 Other psychoactive substance abuse
EXCLUDES1 other psychoactive substance dependence (F19.2-)
 other psychoactive substance use, unspecified (F19.9-)
- F19.10 Other psychoactive substance abuse, uncomplicated **HCC**
AHA: Q4 2017
 Other (or unknown) substance use disorder, mild
- F19.11 Other psychoactive substance abuse, in remission **HCC**
AHA: Q4 2017
 Other (or unknown) substance use disorder, mild, in early remission
 Other (or unknown) substance use disorder, mild, in sustained remission
- 6th** F19.12 Other psychoactive substance abuse with intoxication
 F19.120 Other psychoactive substance abuse with intoxication, uncomplicated **HCC**
AHA: Q4 2017
 F19.121 Other psychoactive substance abuse with intoxication delirium **CC** **HCC** **CC/MCC/ExC**
AHA: Q4 2017
 F19.122 Other psychoactive substance abuse with intoxication with perceptual disturbances **HCC**
AHA: Q4 2017
 F19.129 Other psychoactive substance abuse with intoxication, unspecified **HCC**
AHA: Q4 2017
- F19.14 Other psychoactive substance abuse with psychoactive substance-induced mood disorder **HCC**
AHA: Q4 2017
 Other (or unknown) substance use disorder, mild, with other (or unknown) substance-induced bipolar or related disorder
 Other (or unknown) substance use disorder, mild, with other (or unknown) substance-induced depressive disorder
- 6th** F19.15 Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder
 F19.150 Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions **CC** **HCC** **CC/MCC/ExC**
AHA: Q4 2017

POBHI Unacceptable principal diagnosis symbol per Medicare code edits **POA** Code exempt from diagnosis present on admission requirement
? Questionable admission **CC** Complication or comorbidity **MCC** Major complication or comorbidity **CC/MCC/ExC** CC/MCC exclusion
HCC HCC diagnosis code **RxHCC** RxHCC diagnosis code **MACRA code** **DEFINITION** Describes condition/terminology
TIP Coding guidance **OG** Official Guideline Reference **Z** Z code as first-listed diagnosis