

AMA Disclaimer

CPT® copyright 2021 American Medical Association. All

Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT®, and the AMA is not recommendation their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

CPT® is a registered trademark of the American Medical Association.



Getting the most out of this training

Key guideline review

- Multiple choice processing
- Time management
- · Process of elimination
- Marking your books



Process of Elimination

2

Training covers the process of elimination:

- Look at the answers first.
- Are there key instructions or guidelines for the answers provided?
- Are there parenthetical statements for CPT® or "code first" statements?
- Typically can eliminate 2 answers immediately

3

Time Management

Just over 2 minutes per question

- Mark difficult questions and come back to them later
- Read the question first, and then the scenario
- No specific format for completion




Marking Your Books

- Underline main terms
- Highlight key points
- · Write effective reminders, such as guidelines




5 6





7



Medical Necessity

Services or supplies that:


• are proper and needed for the diagnosis or treatment of your medical condition,


• are provided for the diagnosis, direct care, and treatment of your medical condition,

• meet the standards of good medical practice in the local area, and

• aren't mainly for the convenience of you or your doctor.

9 10





11 12

HIPAA



- National standards for electronic healthcare transactions and code sets
- · National unique identifiers for providers, health plans, and employers
- Privacy and Security of health data

Health Insurance Portability and Accountability Act (HIPAA)



Code Sets

- HCPCS Healthcare Common Procedure Coding System
- CPT® Current Procedural Terminology
- CDT Dental Procedures and Nomenclature
- ICD-10-CM (ICD-9-CM Prior to October 1, 2015) International Classification of Diseases, 10th revision, Clinical Modification
- NDC National Drug Codes
- Although HIPAA mandates the use of the specified code sets, it does not mandate the
 use of its conventions or guidelines, except for the ICD-10-CM.


13 14

HITECH



The Health Information Technology for Economic and Clinical Health Act

- Promote the adoption and meaningful use of health information technology
- Strengthened HIPAA
- Patient audit trail




15 16

OIG Compliance Plan



- Conduct internal monitoring and auditing.
- Implement compliance and practice standards.
- Designate a compliance officer or contact.Conduct appropriate training and education.
- Respond appropriately to detected offenses and develop corrective action.
- Develop open lines of communication with employees.
- Enforce disciplinary standards through well-publicized guidelines.



17 18

Merit-Based Incentive Payment Systems (MIPS)



Quality Payment Program:

- Eligible Clinicians
- Physicians include: Doctors of chiropractic, dental medicine, dental surgery, medicine, optometry, osteopathy, and podiatric medicine.
- Exclusions
 First year in Medicare
- Qualifying APM ParticipantDo meet the low volume threshold
- Submitter Types
- As an individual
 Group, Virtual Group
- As an APM entity

19

Merit-Based Incentive Payment Systems (MIPS)



MIPS Performance Categories:

- Must submit at least six quality measures during the 12-month period.
- Promoting Interoperability
- Must report measures from each of the four objective measures for 90 continuous days
- Improvement Activities
 Must report a combination of high and medium weighted measures for 90 continuous days

20

Cost
 CMS analyzes data from both Part A and Part B claims to calculate the overall cost of the patient care.

Advanced Alternative Payment Models (APM)



- An APM is a group of clinicians who have voluntarily come together in an organized way to deliver coordinated high-quality care to Medicare patients.
- Advanced APM entities agree to:
 - Use of certified EHR technology (Must be certified under 2015 criteria);
 Base payment on quality measures comparable to MIPS; and
- Either bear more than nominal risk for financial losses or is a Medical Home Model expanded under CMS Innovation Center authority.



22 21

ICD-10-CM Layout

- Coding Conventions
- · Index to Diseases and Injuries (Alphabetic Index)
- · Table of Neoplasms
- Table of Drugs and Chemicals
- · Index to External Cause of Injuries

23

Official ICD-10-CM Guidelines for Coding and Reporting



Index to Diseases and Injuries: History



History family (of) (see also History, personal (of)) alcohol abuse Z81.1 allergy NEC Z84.89 anemia Z83.2 arthritis Z82.61

24

arthrits Z82.61 asthma Z82.5 blindness Z82.1 cardiac death (sudden) Z82.41 carrier of genetic disease Z84.81 chromosomal anomaly Z82.79


chronic
disabling disease NEC Z82.8
lower respiratory disease Z82.5


Personal (of) (see also History, family (of)) childhood Z62.819


forced labor or sexual exploitation in childhood Z62.813 physical Z62.810 psychological Z62.811 sexual Z62.810

adult Z91.419 forced labor or sexual exploitation Z91.42 physical and sexual Z91.410 psychological Z91.411

alcohol dependence F10.21








Coding Conventions and Guidelines


Overview

Conventions for the ICD-10-CM

Official ICD-10-CM Guidelines for Coding and Reporting


27 28





29 30

Coding Conventions Pneumonia (acute) (double) (migratory) (purulent) (septic) (unresolved) J18.9 **Parentheses** with Iung abscess J85.1 due to specified organism – see Pneumonia, in (due to) influenza – see influenza, with, pneumonia adenoviral J12.0 adynamic J18.2 alba A50.04 allergic (eosinophilic) J82 alveolar – see Pneumonia, lobar • Enclose supplementary words Nonessential modifiers anaerobes J15.8 anthrax A22.1



32 31

ICD-10-CM Official Guidelines for Coding and Reporting



Referencing the Guidelines

- A documented reference appears as Section I.C.4.a.2.
- This indicates the guideline is found in:
 - Section I. Conventions, General Coding Guidelines and Chapter Specific Guidelines
 - Section I.C. Chapter-Specific Coding Guidelines
- Section I.C.4. Chapter 4: Endocrine, Nutritional, and Metabolic Diseases (E00-E89)
 Section I.C.4.a. Diabetes mellitus
- Section I.C.4.a.2. Type of diabetes mellitus not documented

ICD-10-CM Official Guidelines for Coding and Reporting



Guideline Reference: I.C.4.a.2.

C. Chapter Specific Coding Guideline

4. Chapter 4: Endocrine, Nutritional, and Meta

2) Type of diabetes mellitus not documented if the type of diabetes mellitus is not documented in the medical record the default is E11..., Type 2 diabetes

34 33

Locating the ICD-10-CM Code



Code Structure


- Chapter based on body system or condition.
 Example: Chapter 4: Endocrine, Nutritional, and Metabolic Diseases (E00-E89)
- Section A group of three-character categories
 Example: Diabetes mellitus (E08-E13)
- Categories Three-character code numbers
 Example: E11 Type 2 diabetes mellitus


Locating the ICD-10-CM Code





Code Structure

- Subcategories can be 4, 5, or 6 characters
- 4th character further defines the site, etiology, and manifestation or state of the disease or condition.
- Example: E11.6 Type 2 diabetes mellitus with diabetic arthropathy
- 5th or 6th character represent the most accurate level of specificity.
 Example: E11.610 Type 2 diabetes mellitus with diabetic neuropathic arthropathy













39 40








41 42











(3) **CPT®** Guidelines • Referenced in the introduction of each section and subsection of the CPT® code book · Applicable to the section being referenced · Define the information necessary for choosing the correct code

47 48

CPT® Conventions and Iconography



Used throughout the CPT® code book and include:

- · Code symbols iconology
- Parenthetical instructions

CPT® Conventions and Iconography



The semicolon and the conventional use of indentions

The use of the semicolon divides the description of a code into two parts:

- The "stand-alone" code or the "common portion of the procedure" code descriptor
- The indented descriptor is dependent on the preceding "stand-alone" code

49 50

CPT® Conventions and Iconography



- + The "add-on" code symbol Add-on codes are never reported alone. They are always modifier 51 exempt.
- I The red bullet new procedure code
- p The (blue) triangle code revision
- · ut Opposing triangles indicate new and revised text other than the

CPT® Conventions and Iconography



- The circle with a line through it exempt from the use of modifier 51
- The lightening bolt symbol codes for vaccines that are pending FDA approval.
- # The number symbol Re-sequenced and are out of numerical order

51 52

Category I CPT® Codes

The CPT® code book divides Category I CPT® codes into six main section titles:

- Evaluation and Management
- Anesthesiology
- Surgery Radiology
- Pathology and Laboratory
- Medicine



Category I CPT® Codes

- Section titles have subsections divided by anatomic location, procedure, condition, or descriptor subheadings.
- The subheadings, structured by CPT® conventions, may list alternate coding suggestions in parenthetical instructions.
- · Example:
- Section: Surgery (10021-69990)
- Subsection: Integumentary System
 Subheading: Skin, Subcutaneous and Accessory Structures
- Category: Debridement

(For dermabrasions, see 15780 – 15783) (For nail debridement, see 11720-11721) (For burn(s), see 16000-16036 16035) (For pressure ulcers, see 15920-15999)



The CPT® Code Book

- CPT® Sections
- Section Guidelines
- · Section Table of Contents
- Notes
- Category II codes
- Category III codes
- Appendices A-O Alphabetic Index



CPT® Code Basics



- Review medical documentation thoroughly and gather additional reports
- Reference the alphabetical index for a CPT® numerical code and/or code range.
- Condition
- Procedure or service
- · Anatomic site
- Synonyms, eponyms, and abbreviations
- Review the numerical code and/or code range for specific descriptions
- Follow CPT® Guidelines, Conventions, and Iconology

55

56

Category II CPT® Codes



- Alphanumeric format, with the letter "F" in the last position, eg, 0001F
- · Optional "performance measurement" tracking codes
- Used to report Quality to Medicare under Quality Payment Program
- Formerly referred to as Physician Quality Reporting System (PQRS)

Category III CPT® codes



- Temporary codes
- Alphanumeric structure, with a "T" in the last position, eg, 0042T
- · Can be reported alone, without an additional Category I code

57

58

CPT® Appendices



Appendix A - Modifiers categorized:

- Modifiers applicable to CPT® codes
- Anesthesia Physical Status Modifiers
- CPT® Level I Modifiers approved for Ambulatory Surgery Center (ASC) Hospital Outpatient
- Level II (HCPCS/National) Modifiers

CPT® Appendices



- Appendix B changes and additions to the CPT® codes from the previous year
- Appendix C clinical E/M examples for different specialties
- Appendix D Add-on Codes

59

CPT® Appendices



- Appendix E Exempt from the use of modifier 51 (multiple procedures)
- Appendix F Exempt from the use of Modifier 63 (procedures performed on infants less than 4kg)
- Appendix G Removed from the CPT $^{\tiny{\scriptsize{(0)}}}$ code book (2017).

CPT® Appendices



- Appendix H Alphabetic Index of Performance Measures by Clinical Condition or Topic
- Available only on the AMA website
- Appendix I Genetic Testing Code Modifiers
 Removed from the CPT® code book (2013)
- Appendix J Electrodiagnostic AT4 dicine Listing of Sensory, Motor, and Mixed Nerves

61 62

CPT® Appendices



- Appendix K Product Pending FDA Approval
- Appendix L Vascular Families
- Based on the assumption that a vascular catheterization has a starting point of the aorta
- Appendix M Crosswalk to Deleted CPT® Codes
- Appendix N Summary of Re-sequenced CPT® Codes
- Appendix O Multianalyte Assays
- Laboratory use

CPT® Appendices



- Appendix P CPT[®] Codes that May Be Used for Synchronous Telemedicine Services
- These codes are used with real-time telemedicine services when appended with modifier 95.

63 64

National Correct Coding Initiative (NCCI)



- Implemented by CMS
- Promotes correct coding methodologies
- Controls the improper assignment of codes that results in inappropriate reimbursement

Medicare publishes CCI:

 $\underline{https://www.cms.gov/Medicare/Coding/NationalCorrectCodInitEd/index.html}$

Sequencing



- Based on RBRVS
- Physician Work Practice Expense
- Professional Liability/Malpractice Insurance

Highest RBRVS listed first

https://www.cms.gov/apps/physician-fee-schedule/overview.aspx

Slide 62

Added trademark symbol AT4

Annette Telafor, 9/14/2021

Slide 65

Corrected link to https (instead of http) AT5

Annette Telafor, 9/14/2021

Slide 66

Corrected link to https (instead of http) Annette Telafor, 9/14/2021 AT6

CPT® Assistant



- Articles answering everyday coding questions
- CCI bundling information
- · E/M billing guidance
- · Current code use and interpretation
- Case studies demonstrating practical application of codes
- Anatomical illustration charts and graphs for quick reference
- · Information for appealing insurance denials
- Information to validate code usage when audited

CPT® Global Surgical Package



- Includes a standard package of preoperative, intraoperative, and postoperative services
- · Payer policies may vary
- May be furnished in any service location
 - For example, a hospital, an ambulatory surgical center (ASC), or physician office

67 68

CPT® Global Surgical Package



Included in the surgery package and not separately billable:

Local infiltration, metacarpal/metatarsal/digital block or topical anesthesia

- Subsequent to the decision for surgery, one related E/M encounter on the date immediately prior to or on the date of procedure (including history and physical)
 Immediate postoperative care, including dictating operative notes, talking with the family
- and other physicians
- · Evaluating the patient in the post-anesthesia recovery area
- Writing orders
- Typical postoperative follow-up care

CMS Global Surgical Package



- Major Surgery: Has a preoperative period of 1 day with 90 days for the postoperative period.
- Minor Surgery: The preoperative period is the day of the procedure with a postoperative period of either 0 or 10 days depending on the procedure.

69 70

HCPCS Level II



Types of Level II Codes


- Permanent National Codes maintained by the CMS HCPCS Workgroup
- Responsible for additions, deletions, revisions
- · Updated annually
- Temporary National Codes maintained by the CMS HCPCS Workgroup
- · Responsible for additions, deletions, revisions
- Updated quarterly

Most Common




A Code

- · Codes include:
 - Ambulance codes Ambulance modifiers to indicate origin and destination of transport
 - Medical and surgical supplies



HCPCS Level II • Professional healthcare procedures/services with no CPT® codes G0412 – G0415 – unilateral or bilateral 27215 – 27218 – unilateral only, use modifier 50 for bilateral H codes • Used by state Medicaid agencies for mental health services such as alcohol and drug treatment services


73 74





75 76





Most Common



S Code

- These codes are temporary national, non-Medicare, codes
- Coding concepts include:
- Anatomic site
- Number
- Size
- AgeType of procedure

HCPCS Level II



Appendices:

- Table of Drugs
- Names of Drugs, dosage, delivery method, J code
- · Level II modifiers
- May be used with some CPT® codes, i.e., LT/RT
- List of Abbreviations
- Medicare References
- Jurisdiction List
- · Deleted Code Crosswalk
- (each publisher may have different appendices)

79

80

Modifiers



- 22 Increased Procedural Service
- Service provided is greater than that usually required for the listed procedure
- 24 Unrelated E/M by the same physician during a postoperative period

Global Package Modifiers



- 25 Significant, separately identifiable evaluation and management service by the same physician on the same day of the procedure or other service
- 57 Decision for surgery

81

82

Global Package Modifiers



- 58 Staged or related procedure or service by the same physician during the postoperative period
- 78 Unplanned return to the operating/ procedure room by the same physician following initial procedure for a related procedure during the postoperative period
- 79 Unrelated procedure or service by the same physician during the postoperative period

Surgical Modifiers



- 50 Bilateral Procedure
- 51 Multiple Procedures
- 52 Reduced Services
- 53 Discontinued Procedure

83

Modifier 59 - Distinct Procedural Service



- Procedures not normally reported together
- · Different Session or Patient Encounter
- Different Procedure or Surgery
- Different Site or Organ System
- Separate Incision/Excision
- Separate Lesion

Modifier 59 - Distinct Procedural Service



CMS provides a subset of modifier 59:

- XE Separate Encounter, a service that is distinct because it occurred during a separate encounter:
- · XS Separate Structure, a service that is distinct because it was performed on a separate organ/structure;
- \bullet XP Separate Practitioner, a service that is distinct because it was performed by a different practitioner; and
- XU Unusual Non-Overlapping Service, the use of a service that is distinct because it does not overlap usual components of the main service.

85 86

Multiple Surgeon Modifiers



62 - Two Surgeons

- Work together as primary surgeons
- Perform distinct parts of a procedure
- · Dictate op report of their distinct part
- · Each will submit the same code and append modifier 62

66 - Surgical Team

- · Highly complex procedures
- Require differently specialties
- Modifier 66 appended to procedures coded by the surgical team

Assistant Surgeon Modifiers



80 - Assistant Surgeon

- Assistant surgeon present for entire or substantial portion of the operation
- Reports the same surgical procedure with modifier 80 appended

81 - Minimum Assistant Surgeon

- Circumstances present that require the services of an asst surgeon for a short time. Minimal
- Reports the same surgical procedure with modifier 81 appended

82 - Assistant Surgeon (when qualified resident surgeon not available)


- Used in a teaching hospital that employs residents
 No residents available and another surgeon is used

87

Ancillary Modifiers



- Global a procedure containing both a technical and a professional component
- · Modifier 26 Professional Component
- Modifier TC Technical Component



10000 Series **Integumentary System**

CPC Review


88



AAPC


89 90

Anatomy of the Skin Epidermis Top layer Made up of 4-5 layers; function is protection Dermis Mid layer Blood vessels, connective tissue, nerves, etc. Subcutaneous Tissue Connective tissue and adipose tissue





91 92





93 94





Burns



- · Severity (degree) of burn
- Total Body Surface Area (TBSA)





(3)

Category N60-N65 - Disorders of the breast

Category N60 - Mammary dysplasia

Category N65- Deformity and disproportion of reconstructed breast

- N65.0 Deformity of reconstructed breast
- N65.1 Disproportion of reconstructed breast

97 98

Fine Needle Aspiration (FNA)



(3)

- 10021 Fine needle aspiration biopsy, without imaging guidance; first lesion
- + 10004 each additional lesion
- 10005 Fine needle aspiration biopsy, including ultrasound guidance; first lesion
- 10007 Fine needle aspiration biopsy, including fluoroscopic guidance; first lesion
 + 10008 each additional lesion

Fine Needle Aspiration (FNA)



- 10009 Fine needle aspiration biopsy, including CT guidance; first lesion
- + 10010 each additional lesion
- 10011 Fine needle aspiration biopsy, including MR guidance; first lesion
 - + 10012 each additional lesion

For percutaneous needle biopsy other than fine needle aspiration, see 19081-19086 for breast, 20226 for muscle, 32400 for pleura, 32408 for luar man mediastinum, 42400 for salivary gland, 47000 for liver, 48102 for pancreas, 49180 for abdominal or retroperitoneal mass, 50200 for kidney, 54500 for testis, 54800 for epididymis, 60100 for thyroid, 62267 for nucleus pulposus, intervertebral disc, or paravertebral tissue, 62269 for spinal cord) ◀

99 100

Skin, Subcutaneous, and Accessory Structures



Incision and Drainage

- Simple
- Complicated*
- * Complicated = placement of a drain, presence of infection, hemorrhaging that requires ligation, extensive time

Debridement



Debridement

- · Method for removing dead tissue, dirt, or debris from infected skin, burn or wound
- Based on percent of body surface area

Debridement of necrotizing soft tissue

Based on area of body being debrided

Active Wound Care

• 97597-97606

Added this section below to slide - good to point out this helpful information for coding AT7 tips in the code book Annette Telafor, 9/14/2021

Biopsy





- Obtaining of tissue during another procedure is not considered a separate biopsy.
- · Simple closure repair included.
- · When more than one biopsy is performed by different techniques during the same encounter, only one primary biopsy code is reported and the add-on codes for the additional techniques are used.

Biopsy



- Tangential (shave, scoop, saucerize, curette) is performed with a sharp blade, such as a flexible biopsy blade, obliquely oriented scalpel or curette to remove a sample of epidermal
- Punch requires a punch tool to remove a full-thickness cylindrical sample of skin.
- · Incisional requires the use of a sharp blade to remove a full-thickness sample of tissue via vertical incision or wedge
 - Remember simple closure is included in the biopsy codes.

104 103

Skin, Subcutaneous, and Accessory Structures



Removal of Skin Tags

- 11200 up to and including 15 lesions
- 11201 add-on code for each additional 10 lesions

Shaving of Epidermal Lesions 11300-11313

- · Include local anesthesia & chemical/electrocauterization of wound
- · Select codes on size and anatomic location

Skin, Subcutaneous, and Accessory Structures



Excision of Lesions - Benign or Malignant

- Pay attention to the guidelines for these codes
 - Simple closure is included. Do not report separately.
 - Report separately each lesion excised.
 - Codes are selected based:

 - Anatomic location
 Size (lesion plus margins)
 Malignant lesions: append modifier
 58 if the patient has follow-up, reexcision during the postoperative period

105 106

Skin, Subcutaneous, and Accessory Structures



Coding Tip

- Underline the different anatomical options
- Add notes to the page where you see the codes, such as "code <u>PER</u> lesion"

Nails



- Fingernails and/or toenails
- · Trimming or Debridement

Integumentary System



Pilonidal Cyst

- Coded according to complexity of excision
- Simple
- Extensive
- Complicated

Wound Repair



- Codes for wound closure using sutures, staples or tissue adhesive
- If only adhesive strips used, the service is coded using E/M only.
- · Two important guidelines:
 - Measure and report size in centimeters (cm)
 - When MULTIPLE wounds are repaired, add together the lengths of those in the same classification (repair type) and same anatomic grouping. DO NOT add together lengths from different classifications.

109 110

Wound Repair



Definitions for types of wound repair are found in guidelines

- Simple repair wound is superficial and requires single layer closure
- Intermediate repair wound is deeper and requires layered closure of one or more deeper layers of subcutaneous tissue or superficial fascia. It includes limited undermining. It also includes a heavily contaminated wound that requires extensive cleaning or removal of particulate matter
- Complex repair wound requires more than a layered closure, scar revision, debridement, extensive undermining, stents or retention sutures.

Wound Repair

Book preparation tip



111 112

Adjacent Tissue Transfer



Pay attention to the guidelines for these codes

- These codes do not apply to direct closure or rearrangement of traumatic wounds.
- The excision of benign or malignant lesions is not separately reportable with Adjacent Tissue Transfer when done for the same lesion.
- Skin grafts necessary to close a secondary defect is separately reportable.

Repair



Skin Replacement Surgery & Skin Substitutes

- 15002-15005 based on size of repair and site
- 15040-15261 reported for autografts and tissue cultured autografts
- 15271-15278 reported for skin substitute grafts
 15050 is pinch graft measured in centimeters
- All other skin graft codes are determined by the size of the defect in square centimeters
- Square centimeters calculation length in cm x width in cm

AT12



AT12 Need to verify page # once 2022 CPT book is printed - not available at time of review Annette Telafor, 9/15/2021

Skin Replacement Surgery & Skin Substitutes



- The section starts with codes for the surgical preparation of the recipient site and are based on the anatomical area and size of the wound preparation.
- Harvest and placement of the skin graft is reported based
- Type of graft (ex. Split thickness, full thickness, epidermal, etc.)
 Location (where the graft is going, not from where the graft is taken).
- Size. Note, measurement is square centimeters for adults and children ten years and older. Patients less than ten years of age is measured by percentage.

Destruction



Ablation by any method other than excision

- Electrosurgery
- Cryosurgery
- Laser treatment
- · Chemical treatment
- Benign/premalignant based on number of lesions
- · Malignant lesion according to location and size in centimeters

115 116

Destruction





Guidelines:

- Type of lesion (benign, malignant, premalignant)
- · Location of the lesion
- · Size or lesion diameter
- Destruction methods: ablation, electrosurgery, cryosurgery, laser, chemical, surgical currettement
- Report separately each lesion destroyed.

Mohs Micrographic Surgery

- Removal of complex or ill-defined skin cancer
- Physician acts as surgeon and pathologist
- · Removes tumor tissues and performs histopathologic exam
- Repair of site may be reported separately
- Stage = each deeper layer of tissue removed
- Block = smaller pieces of each stage that will be examined for cancer

117 118

Mohs Micrographic Surgery



To report Mohs surgery:

- Know the anatomic location
- Number of stages (how many layers of tissue removed)
- Number of blocks per stage (how many specimens were created from the layer)

Breast Biopsy





- Performed as percutaneous or open.
- Codes are divided by type of imaging guidance (stereotactic, ultrasound, or magnetic
- Code per lesion biopsied

Mastectomy 19304 Mastectomy, subcutaneous 19305 Mastectomy, radical, including pectoral muscles, axillary lymph nodes 19306 Mastectomy, radical, including pectoral muscles, axillary and internal mammary lymph nodes (Urban type operation) 19307 Mastectomy, modified radical, including axillary lymph nodes, with or without pectoralis minor muscle, but excluding pectoralis major muscle





121 122





123 124





Guidelines for Fracture Treatment



Fracture Guidelines

- Fracture treatment includes application and removal of first cast or traction device only. Subsequent replacement of cast and/or traction device may require an additional listing.
- Treatments:
 - Closed: fracture site is not surgically exposed/opened
 - Open: either fracture site is surgically opened to visualize the repair or site is opened remove from fracture site to insert an intramedullary nail
 - Percutaneous: Neither open or closed. Fixation (pins) are placed across the fracture site, usually under fluoroscopy
 Manipulation: Attempted reduction or restoration of a fracture to normal alignment by applied force.

Fracture Coding



Coding Note

128

- Pay close attention to Fracture/Dislocation sections
- Treatment type
- Bone treated

127

CPT®: Musculoskeletal System





- · Head, Neck (soft tissues) and Thorax
- Back and Flank
- · Spine (vertebral column)
- Abdomen
- Shoulder, Humerus and Elbow
- Forearm and Wrist
- Hand and Fingers
- · Pelvis and Hip Joint
- · Femur and Ankle Joint Foot and Toes
- Application of Casts and Strapping
- Endoscopy/ Arthroscopy



"General" subheading

Many different anatomic sites

Other subheadings

- Divided by anatomic site, procedure type, condition and description
- Incision, excision, introduction or Removal, Repair, Revision and/or Reconstruction, Fracture and/or dislocation, Arthrodesis, Amputation

129 130

Wound Exploration



(3)

- Used for wounds resulting from a penetrating trauma.
- Describe surgical exploration and enlargement of wound, extension of dissection, debridement, removal of foreign body, ligation of minor blood vessels.
- No thoracotomy or laparotomy is done. If those approaches are necessary, report those codes, not these.
- · Wound repair is separately reportable.

General



Excision & Biopsy

- · Muscle or Bone
- Depth of wound or tissue excised

Introduction or Removal

- Injections
- Foreign body removal

131 132

Trigger Point Injections



- Aponeurosis is an abnormal sheet like extension of the tendon. Injection of a tendon or ligament is the medical therapeutic procedure to reduce the aponeurosis formation
- Trigger points are painful knots of muscle that are tight and do not relax.
- · Codes are available for injections with or without medication.
- Codes are selected based on the number of muscles treated, not the number of needles or injections placed.

Spine



- · Cervical C1-C7 · C1 Atlas
- · C2 Axis
- Thoracic T1-T12
- Lumbar L1-L5

Spinal Instrumentation

- Segmental
- · Non-segmental

133 134

Osteotomy



(3)

- Osteotomy procedures are reported when portion(s) of the vertebral segment(s) are removed in preparation for spinal deformity correction.
- · Key concepts include anatomic site and complexity.
- - · Anterior anterior 2/3 of the vertebral body
 - Middle posterior ½ of vertebral body and pedicle
- · Posterior articular facets, lamina and spinous process

Bone Grafting and Vertebral Column



Guidelines

- Bone grafting procedures are separately reportable.
- Instrumentation is separately reportable.
- When arthrodesis (fusion) is also performed, it is reported in addition to the primary procedure with modifier -51.
- When 2 surgeons work together as primary surgeons performing distinct parts of a single procedure, each surgeon reports his distinct work by appending modifier -62 to the procedure code.

135 136

Vertebroplasty




- Vertebroplasty is the injection of material into the vertebral body (rounded portion) to reinforce the structure. This is done under imaging guidance.
- Vertebral augmentation is the process of cavity creation (lifting) after compression fracture of the spine. Bone cement is injected into the vertebral body and fractures to prevent recurrent collapse.
- · Location of the vertebral body guides code selection


Vertebroplasty





Key to coding:

- · Number of levels
- · Location (cervical, thoracic, lumbar) · Imaging guidance not reported separately
- Modifier 50 not reported










141 142





143 144

Mediastinum and Diaphragm Mediastinum-thoracic cavity between the lungs that contains the heart, aorta, esophagus, trachea, thymus gland Diaphragm-muscle that divides the thoracic cavity from the abdominal cavity

Hemic and Lymphatic Systems



- Network of channels
- Structures dedicated to circulation and production of lymphocytes
- · Three interrelated functions
- Removal for interstitial fluid from tissues
- Absorbs and transports fatty acids to circulatory system
 Transport antigen presenting cells to lymph nodes

145 146

Hemic and Lymphatic Systems



(3)

Spleen

- · Located left side of stomach
- Reservoir for blood cells
- Produces lymphocytes involved in fighting infection

ICD-10-CM: Respiratory



- Acute Upper Respiratory Infections (J00-J06)
- Influenza and Pneumonia (J09-J18)
- Other acute lower respiratory Infections (J20-J22) Other diseases of Upper Respiratory tract (J30-J39)
- Chronic Lower Respiratory diseases (J40-J47)
- Bronchitis (J40-J42)
- Emphysema (J43)COPD (J44)
- Asthma (J45)

147 148

ICD-10-CM



- U07 Emergency use of U07
- U07.0 Vaping-related disorder
 U07.1 COVID-19
- Codes for Special Services

ICD-10-CM





Mediastinum and Diaphragm


- · Diaphragm Herniation
- Diaphragmatic Paralysis
- Thymic hyperplasia

Hemic and Lymphatic Systems

- LymphomaLymphadenitis
- Hypersplenism
- Splenic Rupture
- Leukemia













153 154









158

Trachea and Bronchi

Endoscopy

Many bronchoscopy codes

Use common portion of main or parent code (up to the semicolon) as the first part of each indented code descriptor under the parent code

Bronchoscopy codes


Bronchial lung biopsies

Foreign body removals


Stent or catheter placements


Flexible or rigid scopes


Many parenthetical statements





159 160



















165 166
















171 172





ICD-10-CM Coding



- Chapter 01: Infectious and parasitic diseases
- Chapter 02: Neoplasms
- Chapter 09: Diseases of the Circulatory System
- · Chapter 17: Congenital Anomalies
- Chapter 18: Signs, Symptoms and Ill-Defined Conditions

ICD-10-CM: Hypertension



Hypertensive Disease

- I10 Essential (primary) Hypertension
- Includes high blood pressure, arterial, benign, essential, malignant, primary, systemic
- I11 Hypertension with heart disease (presumed relationship exists between hypertension and heart disease)
- I12 Hypertensive chronic kidney disease (presumed relationship exists between hypertension and chronic kidney disease)
- I13 Hypertensive heart and chronic kidney disease
- I15 Secondary Hypertension
- I16 Hypertensive Crisis

175 176

ICD-10-CM: Arteriosclerosis



CAD of native coronary artery (I25.10)

- The patient is not a heart transplant
- The patient has CAD with no history of CABG
- The patient had a prior PTCA of native coronary artery and the patient is admitted with re-occlusion of this lesion

ICD-10-CM Coding



- Endocarditis
- · Heart Failure
- Pericarditis
- Peripheral Arterial Disease (PAD)
- Valve Disorders
- Myocardial Infarction (MI)
- Acute MI
 Chronic MI and Old MI

177 178

ICD-10-CM Coding



Myocardial Infarction (MI)

- Acute MI
- Chronic MI and Old MI

CPT® Coding




Surgical Section

Radiology Section

- Heart
- Vascular
- Diagnostic Ultrasound (various CPT®s)
- Radiologic Guidance
- Nuclear Medicine

Medicine Section


- Cardiovascular
- · Noninvasive Vascular Diagnostic Studies







- Type of pacemaker
 - Permanent
- Temporary
- Type of procedure
- Initial
- Removal
- Conversion
- · Amount of leads Placement
- Transvenously Epicardially
- Approach
- Open
 Endoscopic




Cardiac Valve Procedures



- Aortic Valve
- Mitral Valve
- Tricuspid Valve
- Pulmonary Valve

184 183



Coronary Artery Bypass Grafting (CABG)



Beware of the add-on codes:

- +33508 Endoscopic harvest of the saphenous vein
- +33572 Coronary endarterectomy, open, in conjunction with CABG
- +33530 Reoperation, CABG or valve procedure, more than 1 month after the original operation
- +35500 Harvesting of an upper extremity vein
- +35572 Harvesting of a femoropopliteal vein
- +35600 Harvesting of an upper extremity artery, open

Bypass Grafts



Non-coronary vessels

- In-situ vein
- · Vein is left in native location
- Other than vein

Code by type/location

Central Venous Access Devices (CVAD)



Placed for frequent access to bloodstream

Tip of catheter must terminate in the:

- Subclavian
- Brachiocephalic
- Iliac
- Inferior or superior vena cava

Code by

- Procedure (insertion, repair, replacement, removal, etc.) • Tunneled or not
- With pump or port
- Patient age

See CVAP table in CPT®

188 187

Interventional Procedures





Vascular Injection Procedures

- Selective catheterizations should be coded to the highest level accessed within a vascular
- The highest level accessed includes all of the lesser order selective catheterizations used in
- Additional second and/or third order arterial catheterization within a vascular family of arteries or veins supplied by a single first order should be coded

Hemodialysis (36800-36815)

Portal Decompression (37140-37183)

- · Treat hypertension/occlusion of portal vein
- TIPS (37182, 37183) diverts blood from the portal vein to the hepatic vein

Transcatheter Procedures

- · Removal of clot
- Arterial (37184-37186)
 Venous (37187-37188)
- Other (37191-37216)
- Foreign body retrieval, stent placement, etc.

190 189

Endovascular Revascularization



Treat occlusive disease in lower extremities

Three territories

- · Iliac (common iliac, internal iliac and external iliac)
- Femoral/Popliteal (considered a SINGLE territory)
- Tibial/Peroneal (anterior tibial, posterior tibial, peroneal arteries)

Codes arranged in a hierarchy for each territory

- stent placement with atherectomy (highest)
- stent placement
- · atherectomy
- · angioplasty (lowest)

Bundled into Endovascular Revascularization



- Vascular access
- Catheter placement
- Traversing the lesion
- Imaging related to the intervention (previously billed as the supervision and interpretation code for the specific intervention)
- Use of an embolic protection device (EPD)
- Imaging for closure device placement
- Closure of the access site

191 192

Radiology Vascular Procedures



Diagnostic angiography

- Sometimes separately reportable
- Diagnostic angiography performed at a separate setting from an interventional procedure is separately reportable
- Diagnostic angiography performed at the time of an interventional procedure is NOT separately reportable if it is specifically included in the interventional code descriptor

CPT®: Cardiovascular Medicine Section



- · Therapeutic services and procedures
- Cardiography
- · Cardiovascular monitoring services
- Implantable wearable cardiac device evaluations
- Echocardiography
- Cardiac Catheterizations
- Intracardiac Electrophysiological Procedures/Studies
- Peripheral Arterial Disease Rehabilitation
- · Noninvasive physiologic studies and procedures
- · Other procedures

193 194

Percutaneous Coronary Interventions



Major coronary arteries:

- · Left circumflex (LC) and its marginal branches
- Left anterior descending (LD) and its diagonal branches
- Right coronary (RC) and the posteriolateral and posterior descending branches
- All interventions MUST identify the artery, or its branch being touched using modifiers LC, LD, RC

Percutaneous Coronary Interventions



- Each branch (LD, LC, RC) is reported as its OWN intervention
- The add-on code MUST match or share the SAME modifier as the primary.
- Example:
 - Stents were placed in the left anterior descending and the left circumflex 92928-LD, 92928-LC
 - Stents were placed in the left anterior descending and its first diagonal 92928-LD, 92929-LD

195 196

ECG and Stress Testing



- Codes for ECG and Stress Testing include professional and technical concepts already
- TC and 26 modifiers are NOT needed to properly report the providers' service


Technical Component	Professional Component
Machine ownership Technician cost Overhead Supplies used	Supervision of test Interpretation and reporting of results


ECG and Stress Testing




	ECG routine with at least 12 leads	CV Stress Test	Rhythm ECG, 1-3 leads
Global (Tech and Professional)	93000	93015	93040
Supervision Only		93016	
Technical Only	93005	93017	93041
Professional Only	93010	93018	93042

197 198









Digestive System Lips/Mouth • Gums Tongue Pharynx · Conduit for respiration and digestion Esophagus Conduct food from the pharynx to the stomach Peristaltic action moves the food

201 202





203 204

ICD-10-CM: Digestive



- · Chapter 1: Infectious and Parasitic Diseases
- Chapter 2: Neoplasms
- Chapter 11: Disease of the Digestive System
- Chapter 17: Congenital Anomalies
- Chapter 18: Signs, Symptoms, and III-Defined Conditions

Diseases of the Digestive System



Esophageal and Swallowing Disorders

- Barrett's Esophagus
- Esophagitis
- Esophageal varices
- Mallory-Weiss Tear
- · Hiatal Hernia
- Swallowing Disorders/Dysphagia
- Gastritis and Peptic Ulcer Disease
- Gastrointestinal Bleeding
- Gastroenteritis

205 206

Diseases of the Digestive System



- Inflammatory Bowel Disease (IBD)
- Irritable Bowel Syndrome (IBS)
- Foreign Bodies
- Diverticular Disease
- Diverticulosis
- Diverticulitis

Diseases of the Digestive System



Anorectal Disorders

- · Rectal prolapse
- Abscess
- HemorrhoidsAnal fissure
- Anal fistula
- Pancreatitis
- Benign and Malignant Neoplasms of the Gastrointestinal Tract
- Congenital Disorders

207 208

Digestive System



Organized by anatomic site and procedure


Endoscopy

- Visualization of a hollow viscus or canal by means of an endoscope or scope
- Laparoscope is an endoscope


Guidelines




- Diagnostic services are listed as separate procedure
- When done in conjunction with a surgical service (diagnostic becomes surgical), only the surgical service is billable.





211 212








213 214


















219 220










.23



Anatomy: Male Reproductive System

Testicles (sperm production, contained in scrotum)
Duct system (transport sperm)

• Epididymis

• Vas deferens

Accessory glands (contribute to ejaculate)

• Seminal vesicles

• Prostate gland


Penis


• shaft

• glans

• prepuce

225 226







227 228

AT8 Added with diabetes to slide

Annette Telafor, 9/15/2021







ICD-10-CM: Male Genital System


Look primarily to N40-N53
Listed anatomically
Prostate
Testes
Penis


Also...
Congenital Anomalies
Neoplasms
Signs/Symptoms





231 232




















239 240

(3) Penile Implants Туре Inflatable Non-inflatable · Multi-components • Repair Removal · Removal and replacement

Transurethral Resection of Prostate (TURP)




 Prostate resection can be done transurethrally or open. Watch the approach. 52601

Transurethral electrosurgical resection of prostate, including control of postoperative bleeding, complete (vasectomy, meatotomy, cystourethroscopy, urethral calibration and/or dilation, and internal urethrotomy are included)

Watch the parenthetical statements for guidance on repeat or staged procedures

241 242



Anatomy



External genitalia

- Mons pubis
- Labia (majora and minora)
- Hymen Bartholin's glands
- Clitoris
- Urethra

Internal Genitalia

- Vagina
- Uterus
- Cervix • Fallopian tubes ("tubes" or oviducts)
- Ovaries

243 244

ICD-10-CM: Female Genital System



- Chapter 14: Disease of the Genitourinary System
- Chapter 15: Complications of Pregnancy, Childbirth, and the Puerperium
- · Chapter 2: Neoplasms
- Chapter 21: Z Codes

ICD-10-CM: Female Genital System




Female Genitourinary System

Complications of Pregnancy, Childbirth, and the Puerperium

- · Have sequencing priority
- Report any condition that affects pregnancy (labor, delivery, post-partum)
- If pregnancy is incidental to condition treated, report Z33.1 as secondary code
- Only for mother, not newborn


ICD-10-CM: Female Genital System Routine outpatient prenatal visits w/o complication • First pregnancy • Subsequent pregnancy • First-listed diagnosis • Not to be used with other Chapter 15 Codes High-risk Pregnancy • Code from category 009 • First-listed diagnosis • May be reported with other Chapter 15 codes


247




(3)


248






249 250


















255 256







257 258











261 262






263 264

Anatomy: Nervous System The Brain Frontal lobe Cerebrum Two temporal lobes Parietal lobes Primary sensory cortex Cocipital lobe Cerebellum Brainstem Ventricles

265




266


ICD-10-CM: Endocrine


Addison's disease (E27.1)
Primary hyperparathyroidism (E21.0)
Diabetes


• Secondary diabetes (E08)
• Always has an underlying cause
• Drug/Chemical induced (E09)
• Type 1 (E10)
• Type 2 (E11)
• Systems affected
• Complications/manifestations




267 268













272





273 274





Laminotomy (Hemilaminectomy) vs Laminectomy



- Laminotomy is also known as a Hemilaminectomy. Removal of $\frac{1}{2}$ of the lamina from one side of a
- Laminectomy is a complete removal of the lamina on both sides of the vertebra which also results in the removal of the spinous process.
- Purpose is decompression of the spinal cord and/or spinal root.

Laminotomy (Hemilaminectomy) vs Laminectomy



Coding concepts include:

- Anatomical site (cervical, thoracic, lumbar)
- · Segments vs Interspaces
- Approach (percutaneous, endoscopic, open)

277 278

CPT®: Nervous System



Decompression

- Must consider approach
- Discectomy
- Osteophytectomy (removal of bony outgrowth)
- Corpectomy (vertebral body resection)
- Intra/extradural excision of intraspinal lesion
- Stereotaxis/radiosurgery
- Spinal Neurostimulators
 - Electrodes
- Pulse generator

CPT®: Nervous System



Extracranial nerves, PNS, Autonomic

- 12 pair cranial nerves
- 31 pair spinal nerves
- Autonomic ganglia/plexi

PNS

- Somatic nerves
- · Autonomic nerves
- Sympathetic and parasympathetic

279 280

CPT®: Nervous System



Facet Joint injections

- Nerve block
- Unilateral · Focus on "joint" between vertebrae
- Nerve "destruction"
- Somatic or sympathetic nerve
- Number of levels
- · If infused, duration

CPT®: Nervous System



Injection of sympathetic nerves


Peripheral Neurostimulators

surface or percutaneous

Destruction by neurolytic agent Neuroplasty

Freeing of nerves from scar tissue

Transection/avulsion (divide/tear away)




CPT®: Nervous System


Excision
By nerve

Neurorrhaphy
Suturing of nerve
Without or with graft
By nerve

Operating microscope
Beware bundling issues

283 284







285 286





287 288

(3)













291 292







Corrected based on CPT guidelines Annette Telafor, 9/15/2021 AT9












297 298














Diagnosis Coding

Code the definitive diagnosis
Code signs and symptoms if no definitive diagnosis is available
Diagnostic tests
Code sign or symptom that prompted the test
Do not code questionable, rule out, or probably diagnoses
Routine radiology
Z01.89 Radiological examination, NEC


303 304



















309 310




















Breast, Mammography

- · Digital Breast Tomosynthesis

· Mammary ductogram or galactogram

- Mammography
- Diagnostic

Bone/Joint Studies

· Bone age studies

(3)

- Bone length studies
- · Osseous survey
- · Joint survey
- · Bone mineral density studies
- Bone marrow blood supply

320 319

Radiation Oncology

- Consultation: Clinical Management
- · Clinical Treatment Planning
- Medical Radiation Physics, Dosimetry, Treatment Devices, and Special Services
- · Stereotactic Radiation Treatment Delivery
- Other Procedures
- · Radiation Treatment Delivery
- · Neutron Beam Treatment Delivery
- Radiation Treatment Management · Proton Beam Treatment Delivery
- · Hyperthermia
- Clinical Intracavitary Hyperthermia
- Clinical Brachytherapy

Radiation Oncology Treatment




"Code 77427 is ... reported if there are three or four fractions beyond a multiple of five at the
end of a course of treatment; one or two fractions beyond a multiple of five at the end of a
course of treatment are not reported separately."

321 322

Radiation Oncology Treatment

- Reduced services modifier is NOT necessary
- Code for the number of fractions or treatments the patient had during the months



Nuclear Medicine

Diagnostic - Use of small amounts of radioactive material to examine organ

- Thyroid function (Endocrine System)
- · Renal (Gastrointestinal System)
- Bone (Musculoskeletal System) Heart (Cardiovascular System)
- Brain (Nervous System)

Therapeutic – uses radioactive material to treat cancer and other medical conditions affecting the thyroid gland



























Provide metabolic and functional information of the body unlike CT and MRI PET scans create computerized images of chemical changes within the organ or tissue SPECT scans use radioactive tracers and a scanner to record data that a computer constructs into 2D or 3D images. SPECT can give detailed images of blood flow to tissues in the body. Planar studies are flat images of a 2D object (think xray) Tomographic studies create 3D images of 2D objects



Regulatory Terms

Clinical Laboratory Improvement Amendment (CLIA)

CMS issues a waiver

Approximately 80 tests

Little risk of error


For more info, see https://www.cms.hhs.gov/CLIA/10_Categorization_of_Tests.asp

Advance Beneficiary Notice (ABN)


Non-covered laboratory tests


Patient is responsible for payment

For more info., Web search "CMS-R-131"



327 328






Corrected link to https (instead of just http) Annette Telafor, 9/15/2021 AT10

Presumptive Drug Class Screening Presumptive Drug Test used to identify the use or non-use of a drug

331



Therapeutic Drug Assays

Quantitative tests for drugs given for therapeutic purposes

Can become toxic or too low for therapeutic benefit

Measures specific drugs at specific intervals to determine if there is an appropriate and constant level of drug in the patient's system

Evocative Suppression Testing

Baseline and subsequent measurement


Supplies and drug billed separately

Physician attendance
Use Prolonged care codes

Prolonged infusion codes from Medicine section

333 334

Clinical Pathology Consultations Requested by attending physician Rendered by pathologist Written report provided Patient not present Lab test Specimen Silde Imited – no patient history or medical records Comprehensive – complex problem with history and records



335 336



Laboratory Tests

Hematology and Coagulation

- Immunology
- Microbiology
- Anatomic Pathology
- Gross examination only Gross and microscopic exam
- Limited
- These are further divided:
- · With brain
- · With brain and spinal cord
- Infant



337 338

Cytopathology

Study of cells for disease

Obtained by several methods

- Washing or brushing
- Smears
- · Fine needle aspiration

Cytogenetic studies are the study of cells for inherited disorders

Most Common

Cytology

- Cytology is the examination of cells from the body under a microscope.
- Bethesda vs non-Bethesda
 - Bethesda reporting allows for uniform reporting of results
 Samples of Bethesda reporting:

 - ASC
 ASC-US
 ASC-H
 LSIL

 - HSIL

339 340

Surgical Pathology

Specimen - tissue sample

Has to be separately identifiable

Divided into levels of progressive complexity

- Level I gross
- Level II-VI gross and microscopic

Additional codes for special stains



Most Common

Surgical Pathology


- Levels of surgical pathology give specific examples of tissue inspected and reason
 - 88305 Level IV Uterus, w or wo tubes and ovaries, for prolapse
 88307 Level V Uterus, w or wo tubes and ovaries, other than
 neoplastic/prolapse
 88309 Level VI Uterus, w or wo tubes and ovaries, neoplastic


341 342

Pathology Consultations: Report on prepared slides Report on tissue requiring prep of slides Review records and specimen Consultation during surgery Frozen sections Cytology examination




343 344





345 346





347 348

Intraperitoneal vs Extraperitoneal Organs



Intraperitoneal - within the peritoneum

- Upper abdomen stomach, liver, gallbladder, spleen, jejunum, ascending and transverse colon
- · Lower abdomen appendix, cecum, ileum and sigmoid colon

Extraperitoneal/Retroperitoneal - space in the abdominal cavity behind or outside the peritoneal cavity

- Upper abdomen kidneys and adrenal glands and lower esophagus
- Lower abdomen ureter and urinary tract
- · Other aorta and inferior vena cava

Anesthesia Guidelines



Services included with the anesthesia code:

- Preoperative visits
- Postoperative visits
- Anesthesia during the procedure
- Administration of fluids/blood
- Usual monitoring
 - Unusual forms include CVP, Arterial line insertion, and Swanz-Ganz and are coded separately

349 350

Anesthesia Fees



Base Units + Time Units + Modifying Factors = Total Anesthesia Units

Total Units * Conversion Factor = Anesthesia Fee

- Time is usually calculated in 15-minute increments unless payor contract says differently.
- Qualifying Factors are not billable to MEDICARE.

Anesthesia Time



 Time begins when the anesthesiologist begins to prepare the patient for anesthesia (either in the operating room or in an equivalent area) and ends when the patient is safely under postop supervision.

TIP:

 Place a chart in your book to help calculate time in 15 minute increments

Unit(s)
1
2
3
4

351 352

Physical Status Modifiers




- Assigned by the anesthesia provider
- Coder needs to look for a diagnosis to report it
- Documented in anesthesia record
- P1 normal healthy
- P2 mild systemic disease
- P3 severe systemic disease 1 unit
 P4 constant threat to patient's life 2 units
- P4 constant threat to patient's life 2 units
 P5 not expected to survive w/o surgery 3 units
- P6 declared brain-dead patient

Qualifying Circumstances



- + 99100 under 1 or over 70 years of age Additional 1 unit
- + 99116 anesthesia complicated by hypothermia Additional 5 units
- + 99135 anesthesia complicated by controlled hypotension Additional 5 units
- + 99140 anesthesia complicated by emergency Additional 2 units

Coding Tip – Watch parenthetical statements below the anesthesia CPT codes to determine when these codes are NOT billable.




Coding Concepts

Multiple Surgeries

Only one anesthesia code is selected
Exception – anesthesia add-on codes
Example: +01968 Anesthesia for cesarean delivery following neuraxial labor analgesia/anesthesia
Report most extensive or most complex
Use total anesthesia time for all procedures

355 356



Coding Concepts

Additional Anesthesia Modifiers

• 23 – Unusual Anesthesia

• 53 – Discontinued Procedure

• 73 – Discontinued Procedure prior to anesthesia administration

• 74 – Discontinued Procedure after to anesthesia administration

357 358




ICD-10-CM Coding


Primary diagnosis – reason for the visit


Signs and Symptoms


Code only if no definitive diagnosis is stated
Routinely associated with a disease process should not be coded separately

359 360












363 364







Hospital Inpatient Services



- · Codes used for inpatient facility and partial hospitalization
- Use codes 99234-99236 for admit/discharge on same date
- · Subsequent hospital care codes used for subsequent visits while admitted
 - Includes reviewing medical record, test results, etc.

367 368

Hospital Inpatient Services





- · Initial Hospital care is reported by the admitting physician on the first date of inpatient hospital
- For Medicare patients, these codes are also used by ALL providers who provide initial consultation services.
- The admitting physician is identified with modifier AI.



- Parenthetical notes
- · How to code for concurrent care on the discharge date
- Discharge of a Newborn see code 99238 or 99463

369 370

Consultations

(3) Consultations

(3)

Consultations

- · Service provided by a physician whose opinion or advice regarding evaluation and/or management of a specific problem is requested by another physician or appropriate source
- Divided by location

Three Rs to meet consultation criteria

Medicare:

- Office Consultations
- · Report with new and established patient codes
- Inpatient Consultations
 Report with initial hospital care codes for the first encounter regardless if performed by the admitting physician.
 - Use Modifier AI for the Principal Physician of Record

Emergency Department



- · Does not distinguish between new/established
- Facility must be hospital-based and available 24 hours a day, 7 days a week
- Physician direction of EMS emergency care, advanced life support

Critical Care Services



- · Critical care is dependent on patient status, not patient location.
- "A critical illness or injury acutely impairs one or more vital organ systems such that there is a high probability of imminent or life-threatening deterioration in the patient's condition."
- Time based service
- Some services are included in critical care. Pay close attention to the list of services in the Critical Care guidelines.

 - Any service NOT listed in the guidelines CAN be billed separately.
 The time for performing these carved out services is not included in critical care.

373 374

Critical Care Services



- Services provided in a critical care unit to a patient who is not considered critically ill are reported with other E/M codes.
- Guidelines contain instructions for coding
 - · Pediatric Critical Care
- Neonatal Critical Care
- Critical Care and other E/M services may be coded on same date by the same provider.

Critical Care Services



Billing is based on location, time and patient age:

- Inpatient
- Birth to 28 days billed per day 99468, 99469
 29 days to 24 months billed per day 99471, 99472
 - 2 years to 5 years billed per day 99475, 99476
- 6 years and older billed by minutes 99291, 99292
- Outpatient
- Any age 99291, 99292

375 376

Critical Care Transport



Billing is based on location, time and patient age:

- · Sending provider:
 - All ages 99291, 99292
- Transport provider (face to face with patient during transfer)
 Age birth to 24 months 99466, 99467
- Control (receiving) provider
 - Age birth to 24 months 99485, 99486

Nursing Facility Services



Nursing Facility Services

- · Nursing facility
- Psychiatric residential treatment center
- · Divided into Initial and Subsequent

Nursing Facility Discharge

· Similar to hospital discharge – instructions for care, prescriptions, etc.

Annual Assessment

· Annual assessment required by law

Domiciliary, Rest Home, or Custodial Care Services



- Also includes Assisted Living
- Physician see patient in one of these types of facilities
- No medical component
- Either new patient or established patient

Domiciliary, Rest Home, or Home Care Plan Oversight Services



- Physician provides oversight of the patient's care plan
- Review the case management plan
- · Write new orders
- Make a new care plan

379

380

Home Services & Prolonged Services



Home Services

- Seen in home by physician
- Home may be private residence, temporary lodging, or short-term accommodation
- · Separated by new and established patient

Prolonged Services

- Direct patient contact or without direct patient contact
- Settings are office/outpatient and inpatient
- Most are add-on codes

Standby Services



- Used to report time when a provider is on standby at the request of another provider
- Only report for more than 30 minutes duration
- Reported with additional units for each additional 30 minutes
- Do not report if the period of standby results in the performance of a procedure

381 382

Case Management & Medical Team Conference



Case Management Services

Anticoagulant Management - Deleted

Medical Team Conference

- Requires three healthcare professionals
- Divided by direct contact or without direct contact

Care Plan Oversight Services



- Home Health Agency
- Hospice
- Nursing Facility
- Billed on a monthly basis
- For the amount of time physician spends overseeing care of patient

Preventive Medicine Services



- · Two sets of codes: new or established
- For patients who are not ill, but to prevent future illness
- Extent of service will depend on patient age and risk factors
- If a problem is encountered that is significant to require additional work beyond that of the preventative visit, the appropriate office/outpatient code (99202-99215) should be billed with modifier 25 added.

Counseling Risk Factor Reduction and Behavior Change Intervention



- For patient without symptoms or established illness
- · No distinction between new and established patient
- · Preventive Medicine, Individual Counseling
- Behavior Change Intervention
- Preventive Medicine, Group Counseling

385

386

Non-Face-to-Face Physician Services





- **Telephone Services**
- Must be provided by a physician
- Based on amount of time
- · Patient must be established

On-Line Medical Evaluation

- Reported only once for the same episode of care during a 7-day period
- Must be provided by a physician

- · Basic Life and/or Disability Evaluation Services
- Work Related or Medical Disability Evaluation Services
- Specific guidelines under each code

387

388

Newborn Care Services



Newborn Care Services

- · Newborn care age 28 days or less
- Separated by location and by initial or subsequent visits

Delivery or Birthing Room Attendance and Resuscitation Services

Attendance at delivery at request of delivering physician

Inpatient Neonatal Intensive Care Pediatric & Neonatal Critical Care



- Pediatric Critical Care Patient Transport
- · Inpatient Neonatal and Pediatric Critical Care
- · Initial and Continuing Intensive Care Services

Inpatient Neonatal and Pediatric Critical Care Services



Defined by age of patient:

- Neonates 28 days of age or less
- Infant or young child 29 days through 24 months of age
- Young child two through five years of age



Initial and Continuing Intensive Care Services



- Used to report services to a child who is not critically ill but requires intensive observation and frequent interventions
- 99477 used for Initial Hospital Care
- 99478-99480 used for Subsequent Intensive Care
- · Code selection based on the present body weight of the child

391 392

Chronic and Complex Chronic Care Coordination



- 2 or more chronic illnesses requiring coordination of care among multiple disciplines
- Reported by the provider overseeing the care plan and coordination
- · Reported only once per month
- · Code selection
- Time spent overseeing
- Whether a face-to-face encounter occurs

Advance Care Planning



- Advance Care Planning codes report face-to-face discussion of advance directives
- Based on time
 Healthcare Proxy
 - Durable Power of Attorney for Healthcare
- Living Will
- Medical orders for Life-Sustaining Treatment

393 394

Evaluation and Management Coding Leveling



- Select the category or subcategory of service and review the guidelines
- · Review the level of E/M service descriptors and examples
- Select the appropriate level of E/M service
 Office and Other Outpatient

 - Total Time
 Medical Decision Making
 - · All other categories

 - Determine the level of history
 Determine the level of exam
 Determine the level of medical decision making

2021 Guidelines Office and Other Outpatient




- · Guideline for Total time
- Medical Decision Making determination


	SF
•	99202 99212


Low • 99203 • 99213 Moderat • 99204 • 99214

High • 99205 • 99215

395 396









History and Exam

Medically appropriate history
Medically appropriate exam
Determined by the Physician/Healthcare provider
Not counted in the level for office and other outpatient
2021 E/M level are selected based on MDM or Total Time


399 400






401 402


AT11 Need to verify page # once 2022 CPT book is printed - not available at time of review Annette Telafor, 9/15/2021





AT13

403 404



E/M Leveling

Three Key Components


History


Exam

Medical Decision Making


Generally the influential factors in determining level of service
Influential in the level of service unless counseling dominates the encounter
Categories/subcategories describe the number of key components required


405 406







AT13 Need to verify page # once 2022 CPT book is printed - not available at time of review Annette Telafor, 9/15/2021











411 412





413 414



Medical Decision Making



Thought process of the physician throughout the visit

- Three elements to consider
- Number of management options
 Minimal, limited, multiple, extensive
- Amount and/or complexity of data to be reviewed
- Minimal or none, limited, moderate, extensive
- Risk of complications, morbidity, and/or mortality

Minimal, low, moderate, high

Table 1: Complexity of Medical Decision Making – CPT® Codebook pa 1142

415 416

Medical Decision Making



# of dx or mgmt options	Amt and/or complexity of data	Risk of Complications	Type of Decision Making
Minimal	Minimal or none	Minimal	Straightforward
Limited	Limited	Low	Low complexity
Multiple	Moderate	Moderate	Moderate complexity
Extensive	Extensive	High	High complexity

E/M Leveling



Contributing Components

- Counseling: risk factor reduction, patient/family education
- Coordination of Care: arrange follow up treatment not typically provided by the provider, e.g. physical therapy
- Nature of Presenting Problem: Taken into consideration in the medical decision making portion of the encounter.
- Time: If counseling/coordination of care dominates more than 50 percent of encounter, time may be considered as the controlling factor

417 418

Modifiers



- Modifier 24 Unrelated evaluation and management service by the same physician during a postoperative period.
- Modifier 25 Significant, separately identifiable evaluation and management service by the same
- physician on the same day of the procedure or other service.


 Modifier 32 Mandated Services
- Modifier 57 Decision for surgery

E/M Leveling



- Many factors to consider when determining a level of Evaluation and Management Service.
- Be sure to Review the Guidelines and code descriptions.


AT14 Need to verify page # once 2022 CPT book is printed - not available at time of review Annette Telafor, 9/15/2021




























429 430





431 432

Noninvasive Vascular Diagnostic Studies



- Cerebrovascular Arterial Studies
- Extremity Arterial Studies (Including Digits)
- Extremity Venous Studies (Including Digits)
 Visceral and Penile Vascular Studies
- Extremity Arterial-Venous Studies
- Duplex and Doppler

Allergy and Immunology



- Allergy Testing
- Allergen Immunotherapy

Pulmonary Studies

433 434

Medical Genetics and Genetic Counseling Services



- Gene
- Genetics
- Genetic counseling

Hydration



- Hydration, Therapeutic, Prophylactic, Diagnostic Injections and Infusions, and Chemotherapy and Other Highly complex Drug or Highly Complex Biologic Agent Administration.

435 436

Non-Chemotherapy Complex Drugs and Substances




- Infusions therapeutic, prophylactic or diagnostic
- Specific to time, technique, substances added and additional set-up
- Multiple drugs

Chemotherapy



- Services included with chemotherapy:
- · Use of local anesthesia
- · Access to indwelling IV, subcutaneous catheter or port
- Flush at conclusion of infusion
- Standard tubing, syringes and supplies
- Preparation of chemotherapy agent(s)

Chemotherapy Paracentesis Thoracentesis Peritoneocentesis Intrathecal Ventricular or Intraventricular



439 440




Wound Care Management Orthotic Management and Prosthetic Management

Active wound care

Not to be reported with 11042-11047

Orthotic management and Prosthetic Management
Orthotics
Prosthetics

441 442





On-line Medical Evaluation



- On-line encounter or other electronic communication mode of the medical kind
- · Includes all services provided

Moderate Sedation



- · Neither local nor general anesthesia.
- Patient is still conscious and able to respond to verbal commands but is in a drug induced depression of consciousness.
- · Patients are breathing on their own and not intubated.
- Code concepts include:
 Age of the patient

 - Service provider
- Time
- If the provider also performs the moderate sedation, an independent observer is required.

445 446

Special Services, Procedures and Reports



Miscellaneous services

- 99024 "tracking"
- Mandatory on-call hospital personnel
- Patient encounters outside the normal posted business hours or special circumstances at the request of the patient.

Home Health Procedures/Services



Define home setting:

- · Patient's residence
- Assisted living apartments
- · Group homes
- Nontraditional private homes
- · Custodial care facilities or schools

447 448

Medication Therapy Management Services



Performed by a pharmacist

Documentation required:

- Patient history
- Current medications
- Recommendations

Most Common





Ophthalmology

- Services under General are broken out by new or established patient and type of service (limited or comprehensive)
- Special Ophthalmological Services include:
- Testing (ex. Refraction, visual fields, glaucoma evaluation, etc)
- Prescription and fitting of lenses
- Assessment of eye muscles
- · Contact lens services
- · Spectacle (eyeglasses) services
- Ophthalmoscopy

449 450







Exam Registration

Www.aapc.com

You will receive a confirmation email including:

• Exam date and location of exam

• Proctor's name and telephone number

• Start time


Arrive at the exam early

• Allow for time to find a seat

• Arrange your books and supplies

• Book check

453 454



During the Test

Listen carefully while proctor reads instructions
Stay relaxed and confident
Scan the entire test
Answer the easiest first
Read all choices before answering
Pace yourself
Answer every question

455 456

Slide 454

AT15 Added/changed last bullet

Annette Telafor, 9/15/2021

AT17 Should be more than 10-15 minutes to find seat, book check, and bathroom....

Annette Telafor, 9/15/2021

Slide 455

AT16 Should be more than 10-15 minutes to find seat, book check, and bathroom....

Annette Telafor, 9/15/2021

Exam Completion Exam results released within 5-7 business days after AAPC receives the exam package from the proctor My AAPC area on the AAPC website Official documents mailed to you Exam results may NOT be released over the telephone

