

#### **AMA Disclaimer**

 $\mathsf{CPT}^{\circledcirc}$  copyright 2022 American Medical Association. All rights reserved.

Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT®, and the AMA is not recommendation their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

 $\mathsf{CPT}^{\text{\tiny{(0)}}}$  is a registered trademark of the American Medical Association.



2

#### Getting the most out of this training

#### Key guideline review

- Multiple choice processing
- Time management
- Process of elimination
- Marking your books



#### **Process of Elimination**

#### Training covers the process of elimination:

- Look at the answers first.
- Are there key instructions or guidelines for the answers provided?
   Are there parenthetical statements for CPT® or "code first" statements?
   Typically can eliminate 2 answers immediately



4

#### Time Management

#### Just over 2 minutes per question

- Mark difficult questions and come back to them later
   Read the question first, and then the scenario
- No specific format for completion




5


#### Marking Your Books

- Underline main terms
- · Highlight key points
- Write effective reminders, such as guidelines









#### Medical Necessity



#### Services or supplies that:

- are proper and needed for the diagnosis or treatment of your medical condition,
- are provided for the diagnosis, direct care, and treatment of your medical condition,
- meet the standards of good medical practice in the local area, and
- aren't mainly for the convenience of you or your doctor.

10

#### National Coverage Determinations



圖

- National Coverage Determinations (NCD) help to spell out CMS policies on when Medicare will pay for items or services.
- Each Medicare Administrative Carrier (MAC) is then responsible for interpreting national policies into regional policies (LCDs).
- LCDs only have jurisdiction within their regional area.

11

#### Advance Beneficiary Notice

- Providers are responsible for obtaining an ABN prior to providing the service or item to a beneficiary.
   The form must be filled out in its entirety as well as the potential cost to the patient and the reason why Medicare may deny the service.
  - Only the approved Form CMS-R-131 is valid for Medicare beneficiaries and the forms may not be altered other than to add the practice name on the form.

B. Patient Name:		
MCTE: F Medicare doesn't	temeficiary Notice of Noncoverage ( pay for D	pay une provider have below
	E. Reason Midicare May Not Pay	F. Estimated Cost
MINAT YOU NEED TO DO	NOW:	-
<ul> <li>Ask un any questions</li> <li>Choose an option to Note: If you choose: that you regts</li> </ul>	NOV.  Inc. can inside an inflammed dentices about your can but you may have after your freely made of any case. The first your may have after your freely made of your ground with their to receive the D. Cydden 1 or 2. we may help you to love any coffee or freely the day of their control to the control freely the control freely the day freely freely the day freely freely the day freely freely freely the day freely freel	beted street
Nemed that makes, so     Ask is any gardenine     Choose an option to     Nede 7 year (frame)     Real year (frame)     G. Orritowes     Check or     Orritowes     Check or     Orritowes     O	you can make an order-wall devices about your pay your had you may been after you finant-madeling inter global white the entire that the made in the global whitefile to require the DL. Topical to all you can say had you to have any officer in how. In the devices or convol require in the do that you can been. Why cannot device a black they you. James devices. You may seek to the your are officer in the convolution on propersed, which is you do have a collected devices on the your pay. I am may be not a still and device the convolution of your, I can may be your payments. I made to you proper and the payment of the	_boled discue. marianza
Nemed that makes, so     Ask is any gardenine     Choose an option to     Nede 7 year (frame)     Real year (frame)     G. Orritowes     Check or     Orritowes     Check or     Orritowes     O	you can replace an efformed derection about your pro- bat give into the waste of the pro- bat give into the waste of the pro- lication 1 or 2, we may have you to a view any other home. In 2, we may have you to be view any other home. We cassed chooses a beat for your by see look. We cassed chooses a beat for your by see look. We cassed chooses a beat for your to be a see to be a see to be a see to be a your board about the pro- ton of the pro	_boled discue. marianza

#### HIPAA



- National standards for electronic healthcare transactions and code sets
- · National unique identifiers for providers, health plans, and employers
- Privacy and Security of health data

13

#### Health Insurance Portability and Accountability Act (HIPAA)



#### Code Sets

- HCPCS Healthcare Common Procedure Coding System
- CPT® Current Procedural Terminology
- CDT Dental Procedures and Nomenclature
  ICD-10-CM (ICD-9-CM Prior to October 1, 2015) International Classification of Diseases, 10th revision, Clinical Modification
- NDC National Drug Codes
- Although HIPAA mandates the use of the specified code sets, it does not mandate the
  use of its conventions or guidelines, except for the ICD-10-CM.

14

#### HITECH




The Health Information Technology for Economic and Clinical Health Act

- Promote the adoption and meaningful use of health information technology
   Strengthened HIPAA
   Patient audit trail



## Old Compliance Plan Conduct internal monitoring and auditing. Implement compliance and practice standards. Designate a compliance officer or contact. Conduct appropriate training and education. Respond appropriately to detected offenses and develop corrective action. Develop open lines of communication with employees. Enforce disciplinary standards through well-publicized guidelines.



#### Merit-Based Incentive Payment Systems (MIPS)



#### **Quality Payment Program:**

- Eligible Clinicians
- Physicians include: Doctors of chiropractic, dental medicine, dental surgery, medicine, optometry, osteopathy, and podiatric medicine.
- Exclusions
   First year in Medicare
   Qualifying APM Participant
   Do meet the low volume threshold
   Submitter Types

- As an individual
   Group, Virtual Group
   As an APM entity

19

#### Merit-Based Incentive Payment Systems (MIPS)



#### MIPS Performance Categories:

- Quality
   Must submit at least six quality measures during the 12-month period
- Most opening at reason and squary interested conting in the period interpoperability
   Must report measures from each of the four objective measures for 90 continuous days
- Improvement Activities
   Must report a combination of high and medium weighted measures for 90 continuous days
- Cost
   CMS analyzes data from both Part A and Part B claims to calculate the overall cost of the patient care.

20

#### Advanced Alternative Payment Models (APM)



- An APM is a group of clinicians who have voluntarily come together in an organized way to deliver coordinated high-quality care to Medicare patients.
- Advanced APM entities agree to:
- Use of certified EHR technology (Must be certified under 2015 criteria);
   Base payment on quality measures comparable to MIPS; and
- Either bear more than nominal risk for financial losses or is a Medical Home Model expanded under CMS Innovation Center authority.



#### ICD-10-CM Layout

- Coding Conventions
- Index to Diseases and Injuries (Alphabetic Index)
- Table of Neoplasms
- Table of Neoplasms
   Table of Drugs and Chemicals
   Index to External Cause of Injuries
- Official ICD-10-CM Guidelines for Coding and Reporting



23


#### Index to Diseases and Injuries: History




History
family (of) (see also History, personal (of))
alcohol abuse 281.1
allergy NEC Z84.89
anemia Z83.2
arthritis Z82.61
asthma Z82.5
blindness Z82.1
cardiac death (sudden) Z82.41
carrier of genetic disease Z84.81
chromosomal anomaly Z82.79
chronic
disabling disease NEC Z82.8
lower respiratory disease Z82.5

childhood Z62.819 forced labor or sexual exploitation in childhood Z62.813 physical Z62.810 psychological Z62.811 sexual Z62.810 adult Z91.419 forced labor or sexual exploitation Z91.42 physical and sexual Z91.410 psychological Z91.411 alcohol dependence F10.21

Personal (of) (see also History, family (of))



le of Drugs ar							
Substance	Polisoning, Accidental (windentional)	Polsoning, Intentonal self- ham	Poisoning, Assault	Poisoning, Undsterminad	Acherse effect	Underdosing	
1-propanol	T51.3X1	T51.3X2	T51.3X3	T51.3X4	_	_	1
2-propanol	T51.2X1	T51.2X2	T51.2X3	T51.2X4	-	-	1
2, 4-D (dichlorophen- oxyacetic acid)	T60.3X1	T60.3X2	T60.3X3	T60.3X4	-	-	ĺ
2, 4-toluene dilsocyanate	T65.0X1	T65.0X2	T65.0X3	T65.0X4	_	_	1
2, 4, 5-T (trichloro- phenoxyacetic acid)	T60.1X1	T60.1X2	T60.1X3	T60.1X4	-	-	
14-hydroxydihydro- morphinone.	T40.2X1	T40.2X2	T40.2X3	T40.2X4	T40.2X5	T40.2X6	1
		A					1
ABOB	T37.5X1	T37.5X2	T37.5X3	T37.5X4	T37.5X5	T37.5XB	1
Abrine	T62.2X1	T62.2X2	T62.2X3	T62.2X4	_	_	1
Abrus (seed)	T62.2X1	T62.2X2	T62.2X3	T62.2X4	_	_	1
Absinthe	T51.0X1	T51.0X2	T51.0X3	T51.0X4			
beverage	T51.0X1	T51.0X2	T51.0X3	T51.0X4	_	_	
Acaricide	T60.8X1	T60.8X2	T60.8X3	T60.8X4		_	1



# Coding Conventions and Guidelines Overview Conventions for the ICD-10-CM Official ICD-10-CM Guidelines for Coding and Reporting

28

# Referencing the Guidelines - Guidelines found at beginning of the ICD-10-CM code book - Guidelines found at beginning of the ICD-10-CM code book - Conventions for the ICD-10-CM - Format and Structure - Specific Guidelines - Conventions for the ICD-10-CM - The Alphabetic Index and Tabular List - Format and Structure - Sues of codes for reporting purposes - Piaceholder character - Specific Guidelines - Specific Guidelines - Conventions, General Coding Guidelines and Chapter - Specific Guidelines - Conventions - Format and Structure - Sues of codes for reporting purposes - Piaceholder character - Specific Guidelines - Specific Guidelines - Conventions, General Coding Guidelines and Chapter - Specific Guidelines - Conventions, General Coding Guidelines and Chapter - Specific Guidelines - Conventions, General Coding Guidelines and Chapter - Specific Guidelines - Conventions, General Coding Guidelines and Chapter - Specific Guidelines - Conventions for the ICD-10-CM - The Alphabetic Index and Tabular List - Piaceholder character - Specific Guidelines - Conventions, General Coding Guidelines and Chapter - Specific Guidelines - Conventions, General Coding Guidelines and Chapter - Specific Guidelines - Conventions, General Coding Guidelines and Chapter - Specific Guidelines - Conventions, General Coding Guidelines and Chapter - Specific Guidelines - Conventions, General Coding Guidelines and Chapter - Specific Guidelines - Conventions for the ICD-10-CM - The Alphabetic Index and Tabular List - Piaceholder Character - Specific Guidelines - Conventions for the ICD-10-CM - The Alphabetic Index and Tabular List - Piaceholder Character - Specific Guidelines - Conventions for the ICD-10-CM - The Alphabetic Index and Tabular List - Piaceholder Character - Specific Guidelines - Conventions for the ICD-10-CM - The Alphabetic Index and Tabular List - Piaceholder Character - Specific Guidelines - Piaceholder Character - Specific Guidelines - Specific Guidelines - Specif

29

# Coding Conventions Abbreviation NOS Not otherwise specified Lacks information to use a more specific code Index to Diseases and Injuries: Sinusitis (accessory) (chronic) (hyperplastic) (nasal) (nonpurulent) (purulent) 32.9 Tabular List: J32.9 Chronic sinusitis, unspecified Sinusitis (chronic) NOS

#### **Coding Conventions**

#### Parentheses

- Enclose supplementary words
- Nonessential modifiers

(3) Pneumonia (acute) (double) (migratory) (purulent) (septic) (unresolved) J18.9 with with
lung abscess J85.1
due to specified organism – see Pneumonia,
in (due to)
influenza – see influenza, with, pneumonia
adenoviral J12.0
adynamic J18.2
alba A50.04
allergic (eosinophilic) J82
alveolar – see Pneumonia, lobar
anaerobes J15.8
anthrax A22.1

31

#### **Coding Conventions**

- Means "associated with" or "due to" when it appears in a code title, the Alphabetic Index, or an instructional note in the Tabular List.
- Presumed causal relationship between the main term and the terms listed under the entry "with."

Diabetes, diabetic (melitus) (sugar) E11.9 with amyotrophy E11.44 arthropathy NEC E11.618 autonomic (poly)neuropathy E11.43 cataract E11.36 Charcots joints E11.610 Chronic kidney disease E11.22

32

#### ICD-10-CM Official Guidelines for Coding and Reporting



#### Referencing the Guidelines

- A documented reference appears as Section I.C.4.a.2.
- This indicates the guideline is found in:
- Section I. Conventions, General Coding Guidelines and Chapter Specific Guidelines
   Section I.C. Chapter-Specific Coding Guidelines
- Section I.C.4. Chapter 4: Endocrine, Nutritional, and Metabolic Diseases (E00-E89)
   Section I.C.4.a. Diabetes mellitus
- Section I.C.4.a.2. Type of diabetes mellitus not documented

1	1

#### ICD-10-CM Official Guidelines for Coding and Reporting Guideline Reference: I.C.4.a.2. C. Chapter Specific Coding Guidelines 4. Chapter 4: Endocrine, Nutritional, and M

2) Type of diabetes mellitus not documented. If the type of diabetes mellitus is not documented in the medical record the default is E11.-, Type 2 diabetes.

34

#### Locating the ICD-10-CM Code



#### Code Structure

- Chapter based on body system or condition.
   Example: Chapter 4: Endocrine, Nutritional, and Metabolic Diseases (E00-E89)
   Section A group of three-character categories
   Example: Diabetes melitius (E08-E13)
- Categories Three-character code numbers
   Example: E11 Type 2 diabetes mellitus

35

#### Locating the ICD-10-CM Code



#### **Code Structure**

- Subcategories can be 4, 5, or 6 characters


  4 bar character further defines the site, etiology, and manifestation or state of the disease or condition.


  Example: E11.6 Type 2 diabetes mellitus with diabetic arthropathy


  5 or 6 bar character represent the most accurate level of specificity.


  Example: E11.610 Type 2 diabetes mellitus with diabetic neuropathic arthropathy


## Locating the ICD-10-CM Code Code Structure • 7th character extenders • Example: The Foreign body in ear The appropriate 7th character is to be added to each code from category T16 A = initial encounter D = subsequent encounter S = sequela T16.1XXA Foreign body in right ear, initial encounter




















#### Introduction to CPT®

- $\bullet$  The CPT  $\!^{\scriptscriptstyle (\!0\!)}$  code set includes three categories of medical nomenclature with descriptors.
- Category I
   Category II
   Category III



46

#### Introduction to CPT®

#### Instructions for use of the CPT® code book

- Unlisted procedure
- CPT® use by any qualified healthcare professional
- Parenthetical notes
- Accuracy and quality of coding
   Related guidelines
   Parenthetical instructions
   Other coding resources



47

#### CPT® Guidelines



- Referenced in the introduction of each section and subsection of the CPT® code book
- Applicable to the section being referenced
- Define the information necessary for choosing the correct code

### (3) CPT® Conventions and Iconography Used throughout the CPT® code book and include: Code symbols - iconology Parenthetical instructions 49 CPT® Conventions and Iconography ; The semicolon and the conventional use of indentions The use of the semicolon divides the description of a code into two parts: • The "stand-alone" code or the "common portion of the procedure" code descriptor $\bullet$ The indented descriptor is dependent on the preceding "stand-alone" code 50 CPT® Conventions and Iconography The "add-on" code symbol - Add-on codes are never reported alone. They are always modifier 51 exempt. • • The red bullet - new procedure code • ▲ The (blue) triangle - code revision ▶ ◀ Opposing triangles - indicate new and revised text other than the procedure descriptors

#### CPT® Conventions and Iconography



- The circle with a line through it exempt from the use of modifier 51
- The lightening bolt symbol codes for vaccines that are pending FDA approval.
- # The number symbol Re-sequenced and are out of numerical order

52

#### Category I CPT® Codes

The CPT® code book divides Category I CPT® codes into six main section

- Evaluation and Management
- Anesthesiology
- SurgeryRadiology
- Pathology and Laboratory
- Medicine



53

#### Category I CPT® Codes

- Section titles have subsections divided by anatomic location, procedure, condition, or descriptor subheadings.
- The subheadings, structured by CPT® conventions, may list alternate coding suggestions in parenthetical instructions.
- Example:
   Section: Surgery (10021-69990)
- Subsection: Integumentary System
   Subheading: Skin, Subcutaneous and Accessory Structures
- Category: Debridement

ate coding (For dermabrasions, see 15780 – 15783) (For nail debridement, see 11720-11721) (For burn(s), see 16000-16035) (For pressure ulcers, see 15920-15999)



#### The CPT® Code Book

- CPT® Sections
- Section Guidelines
- Section Table of Contents
- Notes
- · Category II codes
- Category III codes
- Appendices A-T
- Alphabetic Index



55

#### CPT® Code Basics



- Review medical documentation thoroughly and gather additional reports
- Reference the alphabetical index for a CPT® numerical code and/or code range.
   Condition

  - Procedure or service
  - Anatomic site
  - Synonyms, eponyms, and abbreviations
- Review the numerical code and/or code range for specific descriptions
   Follow CPT® Guidelines, Conventions, and Iconology

56

#### Category II CPT® Codes



- Alphanumeric format, with the letter "F" in the last position, eg, 0001F
- Optional "performance measurement" tracking codes
- Used to report Quality to Medicare under Quality Payment Program
- Formerly referred to as Physician Quality Reporting System (PQRS)


# Category III CPT® codes • Temporary codes • Alphanumeric structure, with a "T" in the last position, eg, 0042T • Can be reported alone, without an additional Category I code • "If a Category III code is available, this code must be reported instead of a Category I unlisted code." CPT® Appendices Appendix A - Modifiers categorized: • Modifiers applicable to CPT® codes

 CPT® Level I Modifiers approved for Ambulatory Surgery Center (ASC) Hospital Outpatient Use

59

Anesthesia Physical Status Modifiers

Level II (HCPCS/National) Modifiers



#### CPT® Appendices



- Appendix E Exempt from the use of modifier 51 (multiple procedures)
- Appendix G Removed from the  $CPT^{\scriptsize\textcircled{\tiny{10}}}$  code book (2017).

61

#### CPT® Appendices



- Appendix H Alphabetic Index of Performance Measures by Clinical Condition or Topic
   Available only on the AMA website
- Appendix I Genetic Testing Code Modifiers
   Removed from the CPT® code book (2013)
- Appendix J Electrodiagnostic Medicine Listing of Sensory, Motor, and Mixed Nerves

62

#### CPT® Appendices



- Appendix K Product Pending FDAApproval
- Appendix L Vascular Families
   Based on the assumption that a vascular catheterization has a starting point of the aorta
- Appendix M Crosswalk to Deleted CPT® Codes
- Appendix N Summary of Re-sequenced CPT® Codes
- Appendix O Multianalyte Assays
  - · Laboratory use

#### CPT® Appendices



- Appendix P CPT® Codes that May Be Used for Synchronous Telemedicine Services
   These codes are used with real-time telemedicine services when appended with modifier 95.
- Appendix Q Severe Acute Respiratory Syndrome Coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) Vaccines
- Appendix R Digital Medicine-Services Taxonomy
- Appendix S Artificial Intelligence Taxonomy for Medical Services and Procedures
- Appendix T CPT codes That May Be Used for Synchronous Real-Time Interactive Audio-Only Telemedicine Services

64

#### National Correct Coding Initiative (NCCI)



- Implemented by CMS
- Promotes correct coding methodologies
- $\bullet \ \ Controls \ the \ improper \ assignment \ of \ codes \ that \ results \ in \ in appropriate \ reimbursement$

#### Medicare publishes CCI:

https://www.cms.gov/Medicare/Coding/NationalCorrectCodInitEd/index.html

65

#### Sequencing



#### Based on RBRVS

- Physician Work
- Practice Expense
- Professional Liability/Malpractice Insurance

#### Highest RBRVS listed first

https://www.cms.gov/apps/physician-fee-schedule/overview.aspx

#### CPT® Assistant



- Articles answering everyday coding questions
- CCI bundling information
- E/M billing guidance
   Current code use and interpretation
- Case studies demonstrating practical application of codes
- Anatomical illustration charts and graphs for quick reference
- Information for appealing insurance denials
- Information to validate code usage when audited

67

#### CPT® Global Surgical Package



- Includes a standard package of preoperative, intraoperative, and postoperative services
- · Payer policies may vary
- May be furnished in any service location
- · For example, a hospital, an ambulatory surgical center (ASC), or physician office

68

#### CPT® Global Surgical Package



#### Included in the surgery package and not separately billable:


- Local infiltration, metacarpal/metatarsal/digital block or topical anesthesia
- Subsequent to the decision for surgery, one related E/M encounter on the date immediately prior to or on the date of procedure (including history and physical)
- Immediate postoperative care, including dictating operative notes, talking with the family
- and other physicians

   Evaluating the patient in the post-anesthesia recovery area
- Writing orders
- Typical postoperative follow-up care

# CMS Global Surgical Package • Major Surgery: Has a preoperative period of 1 day with 90 days for the postoperative period. • Minor Surgery: The preoperative period is the day of the procedure with a postoperative period of either 0 or 10 days depending on the procedure.


Permanent National Codes maintained by the CMS HCPCS Workgroup
 Responsible for additions, deletions, revisions

Temporary National Codes maintained by the CMS HCPCS Workgroup
 Responsible for additions, deletions, revisions
 Updated quarterly




71

Updated annually



## G Code Codes include: Temporary codes Some CMS service/procedure codes CMS Quality Reporting codes




(3)

73

# HCPCS Level II G codes Professional healthcare procedures/services with no CPT® codes Example: G0412 - G0415 - unilateral or bilateral 27215 - 27218 - unilateral only, use modifier 50 for bilateral H codes Used by state Medicaid agencies for mental health services such as alcohol and drug treatment services

74



J Code		
J Code	(E)	
Appendix A: Table of Drugs and Biologicals		
76		
70		
L Code		
Primarily orthotic and prosthetic supplies, devices and services		
<ul><li>Coding concepts:</li><li>Product</li></ul>		
<ul><li>Anatomic site</li><li>Number</li></ul>		
• Size		
77		
Q Code		
<ul> <li>Codes includes are temporary codes</li> <li>Can be added, changed and deleted <u>quarterly</u></li> </ul>		
Coding concepts:     Anatomic site		
<ul> <li>Number</li> </ul>		
<ul><li>Size</li><li>Type of procedure</li></ul>		
Patient age		

#### S Code



- These codes are temporary national, non-Medicare, codes
- Coding concepts include:

  Anatomic site

  - Number Size

  - Age Type of procedure

79

#### HCPCS Level II



#### Appendices:

- Table of Drugs
   Names of Drugs, dosage, delivery method, J code
- · Level II modifiers
- May be used with some CPT® codes, i.e., LT/RT
- List of Abbreviations
- Medicare References
- Jurisdiction List
- Deleted Code Crosswalk
- (each publisher may have different appendices)

80

#### Modifiers



- 22 Increased Procedural Service
- Service provided is greater than that usually required for the listed procedure
- 24 Unrelated E/M by the same physician during a postoperative period

## Global Package Modifiers 25 - Significant, separately identifiable evaluation and management service by the same physician on the same day of the procedure or other service • 57 - Decision for surgery 82 Global Package Modifiers 58 - Staged or related procedure or service by the same physician during the postoperative period • 78 - Unplanned return to the operating/ procedure room by the same physician following initial procedure for a related procedure during the postoperative period $\bullet$ 79 $\,$ - Unrelated procedure or service by the same physician during the postoperative period 83 Surgical Modifiers • 50 - Bilateral Procedure • 51 - Multiple Procedures • 52 - Reduced Services • 53 - Discontinued Procedure

#### Modifier 59 - Distinct Procedural Service



- Procedures not normally reported together
- Different Session or Patient Encounter
- Different Procedure or Surgery
- Different Site or Organ System
- Separate Incision/Excision
- Separate Lesion

85

#### Modifier 59 - Distinct Procedural Service



#### CMS provides a subset of modifier 59:

- XE Separate Encounter, a service that is distinct because it occurred during a separate encounter;
- XS Separate Structure, a service that is distinct because it was performed on a separate
- Separate Organistructure;
   XP Separate Practitioner, a service that is distinct because it was performed by a different practitioner; and
- XU Unusual Non-Overlapping Service, the use of a service that is distinct because it does not overlap usual components of the main service.

86

#### Multiple Surgeon Modifiers



#### 62 - Two Surgeons

- Work together as primary surgeons
- Perform distinct parts of a procedure
- · Dictate op report of their distinct part
- Each will submit the same code and append modifier 62

#### 66 - Surgical Team

- Highly complex procedures
- Require differently specialties
- Modifier 66 appended to procedures coded by the surgical team

#### Assistant Surgeon Modifiers



#### 80 - Assistant Surgeon

- Assistant surgeon present for entire or substantial portion of the operation
- Reports the same surgical procedure with modifier 80 appended

#### 81 - Minimum Assistant Surgeon

- Circumstances present that require the services of an asst surgeon for a short time. Minimal assistance.
- Reports the same surgical procedure with modifier 81 appended

#### 82 – Assistant Surgeon (when qualified resident surgeon not available)


- Used in a teaching hospital that employs residents
- · No residents available and another surgeon is used

88

#### **Ancillary Modifiers**



- Global a procedure containing both a technical and a professional component
- Modifier 26 Professional Component
- Modifier TC Technical Component



89

#### 10000 Series Integumentary System

CPC Review



#### **AAPC**

Copyright © 2022 AAPC

### Anatomy of the Skin **Epidermis** Made up of 4-5 layers; function is protection Dermis Mid layer Blood vessels, connective tissue, nerves, etc. Subcutaneous Tissue Connective tissue and adipose tissue 91 ICD-10-CM: Integumentary Chapter 2: Neoplasms Chapter 12: Diseases of the Skin and Subcutaneous Tissue Chapter 19: Injury and Poisoning 92 (3) ICD-10-CM: Integumentary Chapter 12: Diseases of the Skin and Subcutaneous Tissue Skin infections (bacterial and fungal) Inflammatory conditions of the skin Other disorders of the skin Corns and calluses Keloid scars Keratosis

#### Inflammatory Conditions of the Skin



#### Erythema multiforme:

- Code for erythema multiforme
- Code associated manifestation
- Code percent of skin exfoliation (L49.0-L49.9)
- An additional E code if drug induced

94

#### Pressure Ulcers



#### Decubitus ulcers/bed sores

#### Coding

- · Identify the location of the ulcer
- Identify the stage of the ulcer
- Ulcers present on admission but healed at the time of discharge, assign the code for the site and stage of the pressure ulcer at the time of admission
- Ulcers evolving to a higher stage, two separate codes should be assigned: one code for the site and stage of the ulcer on admission and a second code for the same ulcer site and the highest stage reported during the stay

95

#### Injury and Poisoning



#### Wounds

- Superficial injuries (abrasions, burns, blisters, insect bites, splinters)
- Contusions (bruises, hematomas)
- Open wounds (lacerations, punctures, open bites)

Burns (fire, heat source, hot appliance) Corrosions (chemicals)



#### Burns



- Location
- Severity (degree) of burn
- Total Body Surface Area (TBSA)

97

#### Disorders of the Breast



Category N60-N65 - Disorders of the breast

Category N60 - Mammary dysplasia

Category N65- Deformity and disproportion of reconstructed breast

- N65.0 Deformity of reconstructed breast
- N65.1 Disproportion of reconstructed breast

98

#### Fine Needle Aspiration (FNA)



- 10021 Fine needle aspiration biopsy, without imaging guidance; first lesion
- + 10004 each additional lesion
- 10005 Fine needle aspiration biopsy, including ultrasound guidance; first lesion
   10005 each additional lesion.
- + 10006 each additional lesion
- 10007 Fine needle aspiration biopsy, including fluoroscopic guidance; first lesion
   + 10008 each additional lesion
- 10009 Fine needle aspiration biopsy, including CT guidance; first lesion
- + 10010 each additional lesion
   10011 Fine needle aspiration biopsy, including MR guidance; first lesion
  - + 10012 each additional lesion

(For percutaneous needle biopsy other than fine needle aspiration, see 19081-19086 for breast, 20226 for muscle, 32400 for pleura, 32408 for lung or mediastinum, 42400 for salivary gland, 47000 for liver, 48102 for pancreas, 49180 for abdominal or retroperitoneal mass, 50200 for kidney, 54500 for testis, 54800 for epididymis, 60100 for thyroid, 62267 for nucleus pulposus, intervertebral disc, or paravertebral tissue, 62269 for spinal cord)

Skin, Subcutaneous, and Accessory Structures		
Incision and Drainage  • Simple		
* Complicated*		
<ul> <li>* Complicated = placement of a drain, presence of infection, hemorrhaging that requires ligation, extensive time</li> </ul>		
100		
Debridement		
Pebridement  Method for removing dead tissue, dirt, or debris from infected skin, burn or wound		
Based on percent of body surface area		
Debridement of necrotizing soft tissue  Based on area of body being debrided		
Active Wound Care		
• 97597-97606		
101		
Biopsy	(3)	
Biopsies are reported by technique.	•	
Obtaining of tissue during another procedure is not considered a separate biopsy.     Simple closure repair included.		
<ul> <li>When more than one biopsy is performed by different techniques during the same encour only one primary biopsy code is reported and the add-on codes for the additional technique are used.</li> </ul>	ues	
	1	

#### **Biopsy**



- Tangential (shave, scoop, saucerize, curette) is performed with a sharp blade, such as a flexible biopsy blade, obliquely oriented scalpel or curette to remove a sample of epidermal
- Punch requires a punch tool to remove a full-thickness cylindrical sample of skin.
- Inclisional requires the use of a sharp blade to remove a full-thickness sample of tissue via vertical incision or wedge
   Remember simple closure is included in the biopsy codes.

103

#### Skin, Subcutaneous, and Accessory Structures



#### Removal of Skin Tags

- 11200 up to and including 15 lesions
- 11201 add-on code for each additional 10 lesions

#### Shaving of Epidermal Lesions 11300-11313

- Include local anesthesia & chemical/electrocauterization of wound
- · Select codes on size and anatomic location

104

#### Skin, Subcutaneous, and Accessory Structures



#### Excision of Lesions - Benign or Malignant

#### Pay attention to the guidelines for these codes

- Simple closure is included. Do not report separately.
- Report separately each lesion excised.
- Codes are selected based:
- Anatomic locationSize (lesion plus margins)
- Malignant lesions: append modifier 58 if the patient has follow-up, re-excision during the postoperative period

## Skin, Subcutaneous, and Accessory Structures **Coding Tip** • <u>Underline</u> the different anatomical options Add notes to the page where you see the codes, such as "code <u>PER</u> lesion" 106 Nails • Fingernails and/or toenails Trimming or Debridement 107 Integumentary System Pilonidal Cyst Coded according to complexity of excision Simple Extensive Complicated

### Wound Repair



- Codes for wound closure using sutures, staples or tissue adhesive
- If only adhesive strips used, the service is coded using E/M only.
- Two important guidelines:
- Measure and report size in centimeters (cm)
- When MULTIPLE wounds are repaired, add together the lengths of those in the same classification (repair type) and same anatomic grouping. DO NOT add together lengths from different classifications.

109

### Wound Repair



### Definitions for types of wound repair are found in guidelines

- Simple repair wound is superficial and requires single layer closure
- Intermediate repair wound is deeper and requires single algor lossure of one or more deeper layers of subcutaneous tissue or superficial fascia. It includes limited undermining. It also includes a heavily contaminated wound that requires extensive cleaning or removal of particulate matter
- Complex repair wound requires more than a layered closure, scar revision, debridement, extensive undermining, stents or retention sutures.

110

### Wound Repair

### Book preparation tip

- Make notes from guidelines on the pages where the codes are found:
  - Add together wounds by type and by anatomical grouping
- Underline or highlight the different anatomical groupings



# Adjacent Tissue Transfer Pay attention to the guidelines for these codes • These codes do not apply to direct closure or rearrangement of traumatic wounds. • The excision of benign or malignant lesions is not separately reportable with Adjacent Tissue Transfer when done for the same lesion. • Skin grafts necessary to close a secondary defect is separately reportable. 112 Repair Skin Replacement Surgery & Skin Substitutes


113

• 15002-15005 based on size of repair and site

• 15271-15278 reported for skin substitute grafts
• 15050 is pinch graft measured in centimeters

• 15040-15261 reported for autografts and tissue cultured autografts

All other skin graft codes are determined by the size of the defect in square centimeters
 Square centimeters calculation length in cm x width in cm



## Destruction Ablation by any method other than excision Electrosurgery Cryosurgery Laser treatment Chemical treatment Benign/premalignant based on number of lesions Malignant lesion according to location and size in centimeters

115

### Destruction



### Guidelines:

- Type of lesion (benign, malignant, premalignant)
- · Location of the lesion
- Size or lesion diameter
- Destruction methods: ablation, electrosurgery, cryosurgery, laser, chemical, surgical curettement
- Report separately each lesion destroyed.

116

### Mohs Micrographic Surgery




### Mohs Micrographic Surgery

- Removal of complex or ill-defined skin cancer
- Physician acts as surgeon and pathologist
- Removes tumor tissues and performs histopathologic exam
- Repair of site may be reported separately
- Stage = each deeper layer of tissue removed
- Block = smaller pieces of each stage that will be examined for cancer

### Mohs Micrographic Surgery To report Mohs surgery: Know the anatomic location · Number of stages (how many layers of tissue removed) Number of blocks per stage (how many specimens were created from the layer) 118 **Breast Biopsy** • Performed as percutaneous or open. Codes are divided by type of imaging guidance (stereotactic, ultrasound, or magnetic resonance). Code per lesion biopsied 119 Mastectomy • 19301 Mastectomy, partial (eg. lumpectomy, tylectomy, quadrantectomy, segmentectomy); with axillary lymphadenectomy • 19302 • 19303 Mastectomy, simple, complete • 19305 Mastectomy, radical, including pectoral muscles, axillary lymph nodes • 19306 Mastectomy, radical, including pectoral muscles, axillary and internal mammary lymph nodes (Urban type operation) 19307 Mastectomy, modified radical, including axillary lymph nodes, with or without pectoralis minor muscle, but excluding pectoralis major muscle



### Anatomy Skeleton Axial Appendicular Muscles – assist with heat production and posture Ligaments – attach bones to other bones Tendons – attach muscles to bones Cartilage – acts as a cushion between bones in a joint



### Diseases of the Musculoskeletal System and Connective Tissue



### Chapter 13

- Arthropathy pathology or abnormality of a joint
- Dorsopathies disorders affecting the spinal column
- Rheumatism non-specific term for any painful disorder of the joints, muscles, or connective tissue
- Enthesopathies disorders of ligaments
- Bursitis inflammation of the bursa
- · Pathological fractures

124

### Injury and Poisoning



### **Sprains and Strains**

### Fractures

- Comminuted
- Impacted
- Simple Greenstick
- Pathologic
- Compression
- · Torus or Incomplete

125

### **Guidelines for Fracture Treatment**



### Fracture Guidelines

- Fracture treatment includes application and removal of first cast or traction device only. Subsequent replacement of cast and/or traction device may require an additional listing.
- Treatments:
- Closed: fracture site is not surgically exposed/opened
- Open: either fracture site is surgically opened to visualize the repair or site is opened remove from fracture site to insert an intramedullary nail
- Percutaneous: Neither open or closed. Fixation (pins) are placed across the fracture site, usually under fluoroscopy
  Manipulation: Attempted reduction or restoration of a fracture to normal alignment by applied force.

### Fracture Coding



### **Coding Note**

- Pay close attention to Fracture/Dislocation sections
  - 1. Treatment type Closed, Open, Percutaneous, Arthroscopic
  - 2. Bone treated

127

### CPT®: Musculoskeletal System



### Formatted by anatomic site:

- Head, Neck (soft tissues) and Thorax
- Back and Flank
- · Spine (vertebral column)
- Abdomen
- Shoulder, Humerus and Elbow
- Forearm and Wrist
- Hand and Fingers
- Pelvis and Hip Joint
- Femur and Ankle Joint
- Foot and Toes
- Application of Casts and Strapping
- Endoscopy/ Arthroscopy

128

### Musculoskeletal System



### "General" subheading

Many different anatomic sites

### Other subheadings

- Divided by anatomic site, procedure type, condition and description
   Incision, excision, introduction or Removal, Repair, Revision and/or Reconstruction, Fracture and/or dislocation, Arthrodesis, Amputation

### Wound Exploration



- Used for wounds resulting from a penetrating trauma.
- Describe surgical exploration and enlargement of wound, extension of dissection, debridement, removal of foreign body, ligation of minor blood vessels.
- No thoracotomy or laparotomy is done. If those approaches are necessary, report those codes, not these.
- Wound repair is separately reportable.

130

### General



### Excision & Biopsy

- Muscle or Bone
- Depth of wound or tissue excised

### Introduction or Removal

- Injections
- Foreign body removal

131

### Trigger Point Injections



- Aponeurosis is an abnormal sheet like extension of the tendon. Injection of a tendon or ligament is the medical therapeutic procedure to reduce the aponeurosis formation
- Trigger points are painful knots of muscle that are tight and do not relax.
- Codes are available for injections with or without medication.
- Codes are selected based on the number of <u>muscles</u> treated, not the number of needles or injections placed.

### Spine Anatomy Cervical C1-C7 C1 AtlasC2 Axis Thoracic T1-T12 • Lumbar L1-L5 **Spinal Instrumentation** Segmental Non-segmental

133





- Osteotomy procedures are reported when portion(s) of the vertebral segment(s) are removed in preparation for spinal deformity correction.
- Key concepts include anatomic site and complexity.
- Anterior anterior 2/3 of the vertebral body
  Middle posterior ½ of vertebral body and pedicle
  Posterior articular facets, lamina and spinous process

134

### Bone Grafting and Vertebral Column



- Bone grafting procedures are separately reportable.
- Instrumentation is separately reportable.
- When arthrodesis (fusion) is also performed, it is reported in addition to the primary procedure with modifier -51.
- When 2 surgeons work together as primary surgeons performing distinct parts of a single procedure, each surgeon reports his distinct work by appending modifier -62 to the procedure code.

### Vertebroplasty



- Vertebroplasty is the injection of material into the vertebral body (rounded portion) to reinforce the structure. This is done under imaging guidance.
- Vertebral augmentation is the process of cavity creation (lifting) after compression fracture of the spine. Bone cement is injected into the vertebral body and fractures to prevent recurrent collapse.
- Location of the vertebral body guides code selection.

136

### Vertebroplasty



### Key to coding:

- Number of levels
- · Location (cervical, thoracic, lumbar)
- Imaging guidance not reported separately
- Modifier 50 not reported

137

### Application of Casts and Strapping



### Cast application is billable if:

- It is a replacement cast during follow-up or after care for a fracture
- It is an initial service performed without restorative treatment or procedure to stabilize or protect a fracture, injury or dislocation or to provide comfort to a patient.

### Endoscopy/Arthroscopy



- Divided by body area shoulder, elbow, wrist, hip, knee, ankle
- Surgical endoscopy/arthroscopy includes a diagnostic endoscopy/arthroscopy
   Multiple surgical procedures performed through scope may be reported
   "Separate procedure" included in more extensive procedure



### Endoscopy/Arthroscopy



Many services can be reported as either arthroscopic or as open incisional

- Look for key words in the operative report such as scope or port to identify an arthroscopic procedure.
- Watch parenthetical statements under the codes for services that are included with other arthroscopic services


140

### **HCPCS** Level II



Orthotic and Prosthetic **Basic Orthopedic Supplies** 

- Crutches
- Canes
- Walkers
- Traction Devices
- Wheelchairs
- Other orthopedic supplies



### Respiratory System

- Nose
- Larynx
- Pharynx
- TracheaBronchi
- Bronchioles
- Lungs

### Alveoli

- · Located at the ends of the bronchioles
- Function is gas exchange (CO<sub>2</sub> and O<sub>2</sub>)

### Pleura

143

### Mediastinum and Diaphragm



- Mediastinum-thoracic cavity between the lungs that contains the heart, aorta, esophagus, trachea, thymus gland
- Diaphragm-muscle that divides the thoracic cavity from the abdominal cavity

# Hemic and Lymphatic Systems • Network of channels • Structures dedicated to circulation and production of lymphocytes • Three interrelated functions • Removal for interstitial fluid from tissues • Absorbs and transports fatty acids to circulatory system • Transport antigen presenting cells to lymph nodes

Hemic and Lymphatic Systems


• Produces lymphocytes involved in fighting infection


Located left side of stomachReservoir for blood cells


146


Spleen
















### (3) **Epistaxis** Coding concepts include: Anatomical site Codes are unilateral and require use or RT or LT Bilateral nosebleed would require modifier -50. 154 Accessory Sinuses Four pairs of sinuses: frontal, ethmoid, sphenoid and maxillary **Procedures** Obliterative Non-obliterative Endoscopies Diagnostic/Surgical All surgical endoscopies always include a diagnostic endoscopy 155 The Larynx Laryngotomy Laryngectomy PharyngolaryngectomyArytenoidectomy Incision Emergency endotracheal intubation Change of tracheotomy tube

### The Larynx Endoscopy



- Use of operating microscope or telescope
- Parenthetical statement instructs not to code the operating microscope
- Direct visualization
- View anatomical structures via bronchoscope inserted into laryngoscope
- · Indirect visualization
  - Structures viewed in a laryngoscopic mirrored reflection

157

### Trachea and Bronchi



### Endoscopy

- Many bronchoscopy codes
   Use common portion of main or parent code (up to the semicolon) as the first part of each indented code descriptor under the parent code
- Bronchoscopy codes
   Bronchial lung biopsies

  - Foreign body removals

  - Stent or catheter placements
     Flexible or rigid scopes
     Many parenthetical statements

158

### Trachea and Bronchi




### **Excision and Repair**


- Carinal reconstruction
- Needed after removal of cancer at this site
- Tracheal tumor excision
   Thoracic and intrathoracic
- Stenosis and anastomosis excision
- Injury suturing
- Tracheostomy scar revision


1	Е	Λ
T	2	9



### Introduction and Removal Thoracostomy (chest tube) Endoscopy Diagnostic vs. surgical VATS








## Mediastinum & Diaphragm Mediastinom Mediastinotomy – based on approach Excision (cyst, tumor) Endoscopy Diaphragm Hernia repair Resections

## Hemic and Lymphatic Systems Spleen Splenectomy Code selection based on type Splenorrhaphy Reported when a ruptured spleen is repaired General Bone marrow or stem cell services


167



### Heart 4 Chambers • Two atria Valves • Two ventricles Atrioventricular valves Tricuspid Three layers Bicuspid (Mitral) Endocardium Myocardium Epicardium Semilunar valves Pulmonary Aortic 169 Oxygenation Process • RA > tricuspid valve > RV RV > pulmonary valve > pulmonary artery LUNGS (gas exchange) > pulmonary vein > LA > mitral valve > LV LV > aortic valve > BODY via arteries

170

• BODY > via veins > RA



### Coronary Arteries & Blood Vessels Carry oxygenated blood Take blood away from heart to the body Veins Carry deoxygenated blood Bring blood back to the heart from the capillary beds Capillaries Connect arteries and veins 172 Circulations **Pulmonary Circulation** Pushes deoxygenated blood into the lungs Carbon dioxide removed and oxygen added Blood flows to the left atrium Systemic Circulation Blood flows from left atrium into the left ventricle • Pumped to the body to deliver oxygen and remove carbon dioxide 173 ICD-10-CM Coding Chapter 01: Infectious and parasitic diseases Chapter 02: Neoplasms Chapter 09: Diseases of the Circulatory System Chapter 17: Congenital Anomalies Chapter 18: Signs, Symptoms and Ill-Defined Conditions

### ICD-10-CM: Hypertension



### Hypertensive Disease

- I10 Essential (primary) Hypertension
- Includes high blood pressure, arterial, benign, essential, malignant, primary, systemic
- I11- Hypertension with heart disease (presumed relationship exists between hypertension and heart disease)
- I12- Hypertensive chronic kidney disease (presumed relationship exists between hypertension and chronic kidney disease)
- I13- Hypertensive heart and chronic kidney disease
- I15- Secondary Hypertension
- I16- Hypertensive Crisis

175

### ICD-10-CM: Arteriosclerosis



### CAD of native coronary artery (I25.10)

- The patient is not a heart transplant
- The patient has CAD with no history of CABG
- The patient had a prior PTCA of native coronary artery and the patient is admitted with re-occlusion of this lesion

176

### ICD-10-CM Coding



- Endocarditis
- Heart Failure
- Pericarditis
- Peripheral Arterial Disease (PAD)
- Valve Disorders
- Myocardial Infarction (MI)
- Acute MI
   Chronic MI and Old MI



## Pacemakers/Defibrillators Type of pacemaker Permanent Temporary Type of procedure Initial Removal Conversion Amount of leads Placement Transvenously Epicardially Approach Open Endoscopic



- Subcutaneous Cardiac Rhythm Monitor and Implantable Hemodynamic Monitors

  Implantable loop recorder (ILR) –an event recorder that is activated by irregular cardiac activity.
- eventy.


  Wireless pressure sensor for hemodynamic monitoring sensor is placed in the pulmonary artery via a right heart catheterization.

182






- Aortic Valve
- Mitral Valve
- Tricuspid Valve
- Pulmonary Valve



### Coronary Artery Bypass Grafting (CABG) Beware of the add-on codes: + 33508 – Endoscopy, surgical, including video-assisted harvest of vein(s) for CABG 33509 – Harvest of upper extremity artery. 1 segment, for CABG, endoscopic + 33572 – Coronary endarterectomy, open, in conjunction with CABG + 33530 – Reoperation, CABG or valve procedure, more than 1 month after the original operation + 35500 – Harvesting of an upper extremity vein + 35572 – Harvesting of a femoropopliteal vein © 35600 – Harvest of upper extremity artery, 1 segment, for CABG, open



### Central Venous Access Devices (CVAD)



### Placed for frequent access to bloodstream

### Tip of catheter must terminate in the:

- Subclavian
- Brachiocephalic
- Iliac
- Inferior or superior vena cava

### Code by

- Procedure (insertion, repair, replacement, removal, etc.)
- Tunneled or not
- With pump or port
- Patient age

See CVAP table in CPT®

187

### Interventional Procedures



### Vascular Injection Procedures

- Selective catheterizations should be coded to the highest level accessed within a vascular
- The highest level accessed includes all of the lesser order selective catheterizations used in
- Additional second and/or third order arterial catheterization within a vascular family of arteries
  or veins supplied by a single first order should be coded

188

### CPT®: Cardiovascular



### Hemodialysis (36800-36815)

### Portal Decompression (37140-37183)

- Treat hypertension/occlusion of portal vein
- TIPS (37182, 37183) diverts blood from the portal vein to the hepatic vein

### **Transcatheter Procedures**

- · Removal of clot
  - Arterial (37184-37186)
- Venous (37187-37188)
  Other (37191-37216)
- Foreign body retrieval, stent placement, etc.

### Endovascular Revascularization



### Treat occlusive disease in lower extremities

### Three territories

- Iliac (common iliac, internal iliac and external iliac)
- Femoral/Popliteal (considered a SINGLE territory)
   Tibial/Peroneal (anterior tibial, posterior tibial, peroneal arteries)

### Codes arranged in a hierarchy for each territory

- stent placement with atherectomy (highest)
- stent placement
- atherectomy
   angioplasty (lowest)

190

### Bundled into Endovascular Revascularization



- Vascular access
- Catheter placement
- Traversing the lesion
- Imaging related to the intervention (previously billed as the supervision and interpretation code for the specific intervention)
- Use of an embolic protection device (EPD)
- Imaging for closure device placement
   Closure of the access site

191

### Radiology Vascular Procedures



### Diagnostic angiography

- Sometimes separately reportable
- Diagnostic angiography performed at a separate setting from an interventional procedure is separately reportable
- Diagnostic angiography performed at the time of an interventional procedure is NOT separately reportable if it is specifically included in the interventional code descriptor

### CPT®: Cardiovascular Medicine Section



- Therapeutic services and procedures
- Cardiography
- · Cardiovascular monitoring services
- Implantable wearable cardiac device evaluations
- Echocardiography
- Cardiac Catheterizations
- Intracardiac Electrophysiological Procedures/Studies
- Peripheral Arterial Disease Rehabilitation
- Noninvasive physiologic studies and procedures
- Other procedures

193

### Percutaneous Coronary Interventions



### Major coronary arteries:


- · Left circumflex (LC) and its marginal branches
- Left anterior descending (LD) and its diagonal branches
- Right coronary (RC) and the posteriolateral and posterior descending branches
- All interventions MUST identify the artery, or its branch being touched using modifiers LC, LD, RC


194


### Percutaneous Coronary Interventions





- Each branch (LD, LC, RC) is reported as its OWN intervention
- $\bullet$  The add-on code MUST match or share the SAME modifier as the primary.
- Example:
  - Stents were placed in the left anterior descending and the left circumflex ....... 92928-LD, 92928-LC
  - Stents were placed in the left anterior descending and its first diagonal ....... 92928-LD, 92929-LD
















## Stomach Cardia Fundus Pylorus (antrum) Body Small Intestine (small bowel) Duodenum Uejunum Ileum






### Diseases of the Digestive System **Esophageal and Swallowing Disorders** Barrett's Esophagus Esophagitis Esophageal varices Mallory-Weiss Tear Hiatal Hernia Swallowing Disorders/Dysphagia Gastritis and Peptic Ulcer Disease Gastrointestinal Bleeding Gastroenteritis 205 Diseases of the Digestive System Inflammatory Bowel Disease (IBD) Irritable Bowel Syndrome (IBS) Foreign Bodies Diverticular Disease Diverticulosis Diverticulitis 206 Diseases of the Digestive System Anorectal Disorders Rectal prolapse Abscess Hemorrhoids Anal fissureAnal fistula Pancreatitis Benign and Malignant Neoplasms of the Gastrointestinal Tract Congenital Disorders


### Digestive System Organized by anatomic site and procedure Visualization of a hollow viscus or canal by means of an endoscope or scope Laparoscope is an endoscope 208 Guidelines • Diagnostic services are listed as separate procedure When done in conjunction with a surgical service (diagnostic becomes surgical), only the surgical service is billable. 209 (3) Digestive System Lips Vermilionectomy Cheiloplasty Mouth VestibuloplastyGlossectomyPalatoplasty

### (3) Digestive System Pharynx, Adenoids and Tonsils Adenoidectomy • Biopsy Pharyngoplasty Pharyngostomy Esophagus 211 Esophagoscopy • Esophagoscopy is direct visualization of the esophagus only Can be performed multiple ways. Pay attention to the parent codes: Rigid transoral Flexible transnasal Flexible transoral • Pay attention to the service performed (biopsy, foreign body removal, injection, etc.) 212 Esophagogastroduodenoscopy (EGD) • EGD includes visualization of the esophagus, stomach and proximal duodenum or jejunum Also known as an Upper GI exam Many parenthetical statements If duodenum/jejunum is not examined: Report with modifier 52 if repeat exam is not planned Report with modifier 53 if repeat exam is planned


### Endoscopic Retrograde Cholangiopancreatography Visualization of the biliary or pancreatic duct systems Considered complete if one or more of the ductal system(s) is visualized Many guidelines to review 214 Digestive System Stomach Gastrectomy Bariatric and Gastric Bypass Endoscopic procedures 215 Gastric Bypass Treatments for morbid obesity include bariatric surgery and gastric bypass. Procedures include: · Roux-en-Y Banding Laparoscopic gastric restriction Open gastric restrictive procedures Gastric bypass


# Intestines (except rectum) Incision Enterolysis Exploratory procedures Endoscopic Small intestines Beyond the second portion of the duodenum and stomal endoscopy Colonoscopies Enterostomy






Digestive System		
• Liver		
Billary Tract		
Pancreas		
220		-
Digestive System		
Abdomen, Peritoneum, and Omentum	4	-
Exploratory laparotomy     Drainage of abscess – open or percutaneous		
Laparoscopy     Hernia codes		
Type of hernia     Strangulated or incarcerated     Initial or subsequent repair		
- initial of subsequent tepan		
		-
221		
HCPCS: Digestive System		
Colorectal cancer screening		
• G0104-G0106		
• G0120-G0122		







# ICD-10-CM: Urinary Look primarily to N00-N99 Listed anatomically · Kidney · Ureters · Bladder · Urethra ICD-10-CM: Urinary Inflammation N00-N08 · Nephritis · Giomerulonephritis


227

Renal failure (acute) (N17-)


With hypertension (I12)With diabetes (E11.22)


• ESRD

Chronic Kidney Disease (CKD) (N18-)









## ICD-10-CM: Male Genital System Spermatic cord, Testis, Tunica Vaginalis, Epididymis Orchitis Penis Phimosis Balanitis Routine circumcision Male infertility Peyronie's disease 232 ICD-10-CM: Male Genital System **Congenital Anomalies** Cryptorchidism Hypospadias Epispadias Neoplasms (by location) Injury Signs and Symptoms 233 CPT®: Urinary Arranged by location/procedure type · Incision, excision, repair, etc. · Bilateral vs. Unilateral Operating Microscope (69990) may be separate Surgical endoscopy always includes diagnostic endoscope

### CPT®: Kidney Incision ("otomy") Nephrotomy = incision of kidney

- - Pyelotomy = incision of renal pelvis
- Nephrolithotomy
- Percutaneous removal of calculi
   Nephrostomy tract

### Excision ("ectomy")

- e.g., nephrectomy
- Radical
- Ablation

235

### CPT®: Kidney

### Repair

- Ureteral repair
- Creation of ureteral conduit

### Introduction (aspiration, injection, instillation)

- Ureteral stents
- Catheter changes
- Bladder irrigation and/or instillation

236

### Kidney Abscess




- Treatment for renal abscess or renal stone extraction may require a nephrostomy tube to be placed.
- Often performed under CT guidance.


- Report radiological guidance separately.


  Percutaneous removal of stones is coded by the size of the stone

  Usually under fluoroscopic guidance and via existing nephrostomy tube/tract.

  If no existing tube/tract, a nephrostomy tract must be created and reported







### Transurethral Resection of Prostate (TURP)



• Prostate resection can be done transurethrally or open. Watch the approach.

52601

<u>Transurethral</u> electrosurgical resection of prostate, including control of postoperative bleeding, complete (vasectomy, meatotomy, cystourethroscopy, urethral calibration and/or dilation, and internal urethrotomy are included)

Watch the parenthetical statements for guidance on other approaches and repeat or staged procedures

241

### Orchiopexy



Orchiopexy is the surgical fixation of undescended testis in the scrotum.

### 3 approaches:

- OPEN Inguinal
   OPEN Abdominal
   LAPAROSCOPIC

242

### Anatomy



### External genitalia

- Mons pubis
- · Labia (majora and minora)
- Hymen
- Bartholin's glands
   Clitoris
- Urethra

### Internal Genitalia

- Vagina
- Uterus
- Cervix
- Fallopian tubes ("tubes" or oviducts)
- Ovaries

1	-
,	I ≺

### ICD-10-CM: Female Genital System



- Chapter 14: Disease of the Genitourinary System
- Chapter 15: Complications of Pregnancy, Childbirth, and the Puerperium
- Chapter 2: Neoplasms
- Chapter 21: Z Codes

244

### ICD-10-CM: Female Genital System



### Female Genitourinary System

### Complications of Pregnancy, Childbirth, and the Puerperium

- Have sequencing priority
   Report any condition that affects pregnancy (labor, delivery, post-partum)
   If pregnancy is incidental to condition treated, report Z33.1 as secondary code
- Must document that condition treated does not affect pregnancy
- Only for mother, not newborn

245

### ICD-10-CM: Female Genital System



### Routine outpatient prenatal visits w/o complication

- First pregnancy
- Subsequent pregnancy
- · First-listed diagnosis
- Not to be used with other Chapter 15 Codes

### High-risk Pregnancy

- Code from category 009
- First-listed diagnosis
- May be reported with other Chapter 15 codes

## CPT®: Female Genital System Arranged by anatomy "outside to inside" Terms used to describe external female genitalia Perineum Vulva Pudenda Introitus Consider terminology to determine procedure • -ectomy = removal • etc. 247 CPT®: Female Genital System Vulva Vagina • 57022 - Only CPT® code related to obstetrical complications NOT in labor/delivery section Cervix Uteri • Os = opening of cervix 248 Vaginectomy

249

Surgical removal of all or part of the vagina.

Simple – removal of skin and superficial subcutaneous tissue
 Radical – removal of skin and deep subcutaneous tissue

Partial – Removal of less than 80% of the vulvar area
 Complete – Removal of more than 80% of the vulvar area

Depth of tissue removed:

Area of tissue removed:

## D&C



- D&C is a surgical procedure in which the cervix is dilated, and the uterine lining is scraped.
- The service can be either diagnostic or therapeutic:
- 58120 Dilation and curettage, diagnostic and/or therapeutic (nonobstetrical)

250

### Hysterectomy



There are multiple codes to report hysterectomy.

### Coding concepts include:

- Approach abdominal (open), vaginal, laparoscopic
- Total vs subtotal removal of the uterus
- With or without tubes (salpingectomy)
- With or without ovaries (oophorectomy)
- · With or without total or partial vaginectomy
- Size of the uterus less than or greater than 250 g

251

### Maternity Care/Delivery



### Antepartum care

- Initial visit during pregnancy
- Ongoing visits during pregnancy
   Average of 13 visits (global OB package)


### OB package includes...


- Antenatal careDeliveryEpisiotomy and repair
- Postpartum care




# Maternity Care/Delivery Postpartum care includes... Hospital visits G-week checkup in the office Services related to cesarean delivery e.g., two-week incision check Unrelated encounters are reported separately













# Anatomy: Endocrine Comprised of ductless glands that secrete hormones into the circulatory Parathyroid Thymus Adrenal glands Medulla Cortex 259 Anatomy: Endocrine Pancreas Endocrine and digestive functions Carotid body • Contains glandular tissue Pituitary gland Anterior and posterior lobes Pineal gland Structures classified elsewhere • eg, kidneys, testes, ovaries 260 Anatomy: Nervous System Comprised of two components CNS Brain Spinal Cord • PNS Nerves running throughout the body

# Anatomy: Nervous System Nerve Plexi Cervical • Head, neck, shoulders Brachial • Chest, shoulders, arms, hands Lumbar • Back, abdomen, groin, thighs, knees, calves Sacral • Pelvis, buttocks, genitals, thighs, calves, feet Solar (Coccygeal) • Internal organs





# ICD-10-CM: Endocrine Categories E00-E89, by location Thyroid Parathyroid etc. Neoplasms (Chapter 2) Report neoplasm first Additional diagnosis as a result of neoplasm are secondary

266


Diabetes

• Type 1 (E10)
• Type 2 (E11)


Primary hyperparathyroidism (E21.0)


Secondary diabetes (E08)
 Always has an underlying cause
 Drug/Chemical induced (E09)


Systems affected
 Complications/manifestations



# ICD-10-CM: Nervous System Pain (NEC) (G89) • Pain control is reason for visit • Do not report as primary if you know the underlying cause, and visit is to manage that diagnosis • Acute vs. Chronic Disorders of CNS • Migraine (G43) • Status migrainosus • Aura • Intractable







CPT®: Nervous System

Skull, Meninges, and Brain


Balloons or stents to treat arterial disease


Twist drill
Burr holes
Trephine
Craniectomy/craniotomy

Skull base surgery
Approach
Definitive procedure
Repair/reconstruction

Endovascular therapy

272





### CPT®: Nervous System

### Cranial neurostimulators

- Pulse generator
- Electrodes
- eg, for Parkinson's, epilepsy

### Repair of skull

- Skull fracture
- Encephalocele

### Neuroendoscopy

- CSF Shunt
  - Drain accumulation of CSF
     May require revision

(3)

274

### CPT®: Nervous System

### Spine and Spinal Cord

- · Injection, Drainage, Aspiration
  - Pay careful attention to notes and parenthetical instructions
     Spinal tap (diagnostic /therapeutic)

  - Neurolytic injections
- "Pain pumps"
- · Intrathecal catheter
- Laminectomy vs. Laminotomy
- Complete vs. partial excision of lamina
- Code by spinal region
   Include decompression

275

### Laminotomy (Hemilaminectomy) vs Laminectomy





- Laminotomy is also known as a Hemilaminectomy or removal of  $\frac{1}{2}$  of the lamina from one side of a vertebra.
- · Laminectomy is a complete removal of the lamina on both sides of the vertebra which also
- results in the removal of the spinous process.


  The purpose is decompression of the spinal cord and/or spinal root.

## Laminotomy (Hemilaminectomy) vs Laminectomy Coding concepts include: Anatomical site (cervical, thoracic, lumbar) Segments vs Interspaces Number Approach (percutaneous, endoscopic, open) 277 CPT®: Nervous System Decompression Must consider approach • Discectomy Osteophytectomy (removal of bony outgrowth) Corpectomy (vertebral body resection) • Intra/extradural excision of intraspinal lesion Stereotaxis/radiosurgery Spinal Neurostimulators Electrodes Pulse generator 278 (3) CPT®: Nervous System Extracranial nerves, PNS, Autonomic • 12 pair cranial nerves • 31 pair spinal nerves · Autonomic ganglia/plexi PNS Somatic nerves Autonomic nerves Sympathetic and parasympathetic

## CPT®: Nervous System **Facet Joint injections** Nerve block Unilateral Focus on "joint" between vertebrae Nerve "destruction" Somatic or sympathetic nerve Number of levels • If infused, duration 280 CPT®: Nervous System Injection of sympathetic nerves Peripheral Neurostimulators · surface or percutaneous Destruction by neurolytic agent Neuroplasty Freeing of nerves from scar tissue Transection/avulsion (divide/tear away) 281 Neuroplasty Neuroplasty is the surgical repair nerve tissue Anatomical site is the key concept. • For nerve grafts, location and size of the graft are key coding concepts.







### Anatomy: Ear and Auditory System

## 

- Tympanic membrane
- Ossicles malleus, incus, stapes
- Eustachian tube

### Inner ear

- Labyrinth
- Membranous labyrinth hair cells
- Vibrations into nerve impulse
- Cochlea, vestibule, semicircular canal
   Balance utricle, saccule
- Oval window, round window

286

### ICD-10-CM: Sense Organs




- Chapter 7: Diseases of the Eye and Adnexa
   Chapter 8: Diseases of the Ear and Mastoid Process
   Chapter 2: Neoplasms

287

### Eye and Ocular Adnexa





- Infection and Inflammation
- Neoplastic disease
- InjuryGlaucoma
- Cataracts
- Retinopathy
   Retinal detachment
- Strabismus




### Ear and Mastoid Process Diseases of the Ear and Mastoid Process · Infectious and inflammation Neoplastic disease Injury Vertigo Hearing loss Congenital disorders 289









290




# CPT®: Eye and Ocular Adnexa Ocular Adnexa Strabismus horizontal vertical transposition 292 CPT®: Eye and Ocular Adnexa Operating Microscope Most procedures on the eye are performed with a microscope and are included in the procedure code. procedure code. Guidelines for use of microscope state "Do not report 69990 in addition to codes where use of the operating microscope is an inclusive component – 15756-15758, 15842, 19364, 19368, 20955-20962, 20969-20973, 22551, 22552, 22856-22861, 26551-26554, 26556, 31526, 31531, 31536, 31541, 341545, 31546, 31561, 31571, 43116, 43180, 43496, 46601, 46607, 49906, 61548, 63075-63078, 64727, 64820-64823, 64912, 64913, 63091-68850, 0184T, 0308T, 0402T, 0583T" 293 CPT®: Eye and Ocular Adnexa Medicine Section Special Ophthalmological Services New patient vs established patient Contact lens fittings Ophthalmoscopy Fitting of glasses

# CPT®: Auditory System **Auditory System** • Removal foreign body from external auditory canal - both ears • Removal of cerumen – coding concepts include procedure used and unilateral vs bilateral 295 CPT®: Auditory System Middle Ear Tympanostomy Mastoidectomy; complete -modified radical -radical 296 (3) CPT®: Auditory System Tympanoplasty • Tympanoplasty is the surgical reconstruction or repair of the tympanic membrane (ear drum) Surgery can be done under either local or general anesthesia. without mastoidectomy, with antrotomy/mastoidotomy (cutting into the mastoid bone) or with mastoidectomy (removal of the mastoid bone) with or without ossicular chain (hammer, anvil, stirrup) reconstruction







### Radiologic Projections



- Oblique slanting, neither frontal or lateral
- Lateral side view, X-ray beam travels through the side of the body
  Anteroposterior X-ray beam enters the body through the front and exits through the back
  Posteroanterior X-ray beam enters the body through the back and exits through the front
- Cone focused or spot view

301

### **Additional Terms**



- Proximal closer to the point of attachment to the body
- Distal away from the point of attachment to the body
   Flexion bending
   Extension straightening

302

### Diagnosis Coding





- Code the definitive diagnosis
- Code signs and symptoms if no definitive diagnosis is available

- Diagnostic tests
   Code sign or symptom that prompted the test
   Do not code questionable, rule out, or probably diagnoses
- Routine radiology
   Z01.89 Radiological examination, NEC

_	$\sim$	1
≺	( )	~

# CPT® Subsections Diagnostic Radiology (Diagnostic Imaging) Diagnostic Ultrasound Radiologic Guidance Breast, Mammography Bone/Joint Studies Radiation Oncology Nuclear Medicine





## (3) Diagnostic Radiology (Diagnostic Imaging) Anatomical organization Radiologic procedures include: • MRIs • CTs 307 Diagnostic Radiology (Diagnostic Imaging) Code Selection: · Anatomical location Type of procedure Number of views Type of view (AP, PA, etc.) Laterality (unilateral, bilateral) Contrast material Coding Tip Underline or highlight the anatomy · Highlight the number of views Highlight or circle with/without contrast 308 Heart - Subsection Guidelines • Stress Cause the heart to work harder Cardiac MRI Physiologic evaluation of the cardiac function Velocity flow mapping Cardiac CT Coronary calcium Congenital heart disease


## Vascular Procedures - Subsection Guidelines Aorta and arteries Aortography – imaging of aorta and branches Angiography – imaging of arteries Veins and lymphatics • Lymphangiography – visualization of lymphatics • Splenoportography – injection of contrast into the spleen to visualize the port vessel of the portal circulation • Venography – imaging of veins 310 Vascular Procedures Transcatheter procedures Supervision and interpretation codes Code with codes from: Cardiovascular section Medicine section 311 Diagnostic Ultrasound High frequency sound waves to look at organs and other structures inside the body Used to view: Heart · Blood vessels Kidneys Other organs Fetus (during pregnancy)


# Required: Permanently recorded images with measurements Final written report for the patient's medical record Exception – biometric measure

# Diagnostic Ultrasound Anatomic regions Complete – each element listed in parenthesis within the code description Limited – reported if less than complete is performed Not reported together Definitions A-mode M-mode B-scan Real-time scan



# Ultrasonic Guidance Includes guidance for: Pericardiocentesis Endomyocardial biopsy Vascular access Parenchymal tissue ablation Intrauterine fetal transfusion or cordocentesis Needle placement Chorionic villus sampling Amniocentesis Aspiration of ova Placement of radiation therapy fields





### **Bone/Joint Studies**



- Bone age studies
- Bone length studies
- · Osseous survey
- Joint survey
- Bone mineral density studies
- Bone marrow blood supply

319

### Radiation Oncology



- · Consultation: Clinical Management
- Clinical Treatment Planning
- Medical Radiation Physics, Dosimetry, Treatment Devices, and Special Services
- Stereotactic Radiation Treatment Delivery
- Other Procedures
- Radiation Treatment Delivery
- Neutron Beam Treatment Delivery
- Radiation Treatment ManagementProton Beam Treatment Delivery
- Hyperthermia
- Clinical Intracavitary Hyperthermia
- Clinical Brachytherapy

320


### Radiation Oncology Treatment



- Radiation treatment is reported in units of 5 fractions or treatment sessions.
- "Code 77427 is ... reported if there are three or four fractions beyond a multiple of five at the end of a course of treatment; one or two fractions beyond a multiple of five at the end of a course of treatment are not reported separately."

### Radiation Oncology Treatment

- Reduced services modifier is NOT necessary
- Code for the number of fractions or treatments the patient had during the months



322

### Nuclear Medicine



Diagnostic - Use of small amounts of radioactive material to examine organ function

- Thyroid function (Endocrine System)
- Renal (Gastrointestinal System)
- Bone (Musculoskeletal System)
   Heart (Cardiovascular System)
- Heart (Cardiovascular Sy
   Brain (Nervous System)

• Brain (Nervous System)

Therapeutic – uses radioactive material to treat cancer and other medical conditions affecting the thyroid gland

323

### Nuclear Medicine



Provide metabolic and functional information of the body unlike CT and MRI

- PET scans create computerized images of chemical changes within the organ or tissue
- SPECT scans use radioactive tracers and a scanner to record data that a computer constructs into 2D or 3D images. SPECT can give detailed images of blood flow to tissues in the body.
- Planar studies are flat images of a 2D object (think xray)
- Tomographic studies create 3D images of 2D objects



### Regulatory Terms



### Clinical Laboratory Improvement Amendment (CLIA)

- CMS issues a waiver
- Approximately 80 tests
- · Little risk of error
- For more info, see <a href="https://www.cms.hhs.gov/CLIA/10\_Categorization\_of\_Tests.asp">https://www.cms.hhs.gov/CLIA/10\_Categorization\_of\_Tests.asp</a>

### Advance Beneficiary Notice (ABN)

- Non-covered laboratory tests
- Patient is responsible for payment
  For more info., Web search "CMS-R-131"

326

### Modifiers

- 90 Reference or Outside Laboratory
  - Billed by physician but performed by an outside laboratory
- 91 Repeat clinical diagnostic lab test
  - Same test same day

  - Not used if there is a better code for a series of tests
- 92 Alternative laboratory platform testing

  - Portable test kit
     Single use disposable chamber
- 99 Multiple modifiers



### Organ or Disease-Oriented Panels

- Group of test commonly ordered together
   All test in the panel must be performed
   Additional tests can be coded also

- Some panels are included in other panels and should not be coded separately
- Be on the look out for "or" "and"



328

### Definitions

### Qualitative

· What is present

### Quantitative

• How much is present



329

### Presumptive Drug Class Screening

Presumptive Drug Test
• used to identify the use or non-use of a drug



### **Definitive Drug Testing**

### **Definitive Drug**

- Qualitative positive/negative, present/absent
- Quantitative amount or quantity present



331

### Therapeutic Drug Assays

- Quantitative tests for drugs given for therapeutic purposes
- Can become toxic or too low for therapeutic benefit

  Measures specific drugs at specific intervals to determine if there is an appropriate and constant level of drug in the patient's system



332

### **Evocative Suppression Testing**

- Baseline and subsequent measurement
- Supplies and drug billed separately
- Physician attendance
   Use Prolonged care codes
- Prolonged infusion codes from Medicine section



### Clinical Pathology Consultations

- Requested by attending physician
- Rendered by pathologist
- Written report provided
- Patient not present
- SpecimenSlide
- Limited no patient history or medical records
- Comprehensive complex problem with history and records



334

### Urinalysis

- Urinalysis evaluates a sample of urine for the presence of disease, drugs, metabolites, etc.
- Done by a variety of methods.
- Care should be taken when selecting codes:
   Automated vs non-automated

- With or without microscopy
   Intention (pregnancy test, volume measurement, etc. ...)
- Usually covered under CLIA waived labs



335

### Chemistry

- Material may be from any source (blood, sweat, urine, saliva, feces) unless otherwise specified
- Exams are qualitative unless specified
   When one analyte is measured from different sources or from specimens taken at different times, each can be separately reported.



### Laboratory Tests

### **Hematology and Coagulation**

- Immunology
- Microbiology

- Anatomic Pathology
   Gross examination only
   Gross and microscopic exam
  - Limited
  - Forensic
- These are further divided:
- With brain
   With brain and spinal cord
- Infant



337

### Cytopathology

Study of cells for disease

### Obtained by several methods

- Washing or brushing
- Smears
- Fine needle aspiration

Cytogenetic studies are the study of cells for inherited disorders

338

### Cytology

- Cytology is the examination of cells from the body under a microscope.
- Bethesda vs non-Bethesda
  - Bethesda vs non-Bethesda

    Bethesda reporting allows for uniform reporting of results

    Samples of Bethesda reporting:

    ASC

    ASC-US

    ASC-H

    LSIL

    HSIL



### Surgical Pathology

### Specimen - tissue sample

Has to be separately identifiable

### Divided into levels of progressive complexity

- Level I gross
- Level II-VI gross and microscopic

Additional codes for special stains



340

### Surgical Pathology

- Levels of surgical pathology give specific examples of tissue inspected and reason

  88305 Level IV Uterus, w or wo tubes and ovaries, for prolapse

  88307 Level V Uterus, w or wo tubes and ovaries, other than neoplastic/prolapse

  88309 Level VI Uterus, w or wo tubes and ovaries, neoplastic



341

### Pathology Consultation

### Four types of consultations:


- Report on prepared slides
- Report on tissue requiring prep of slides
   Review records and specimen
- Consultation during surgery

  - Frozen sections
     Cytology examination







### Organization of Codes Organized by anatomical location Lower Leg Shoulder and Axilla • Head • Neck • Upper Arm and Elbow Thorax Intrathoracic Forearm, Wrist, and Hand Radiological Procedures Burn Excisions or Debridement Spine and Spinal Cord Upper Abdomen Lower Abdomen Obstetric • Perineum Other Procedures Pelvis Upper Leg Knee and Popliteal Area



# Types of Anesthesia Local Included in CPT® code No separate anesthesia code MAC - Monitored Anesthesia Care Decreased awareness Regional Blocks Spinals Epidurals General Unconscious





## Anesthesia Guidelines



Services included with the anesthesia code:

- Preoperative visits
- Postoperative visits
- Anesthesia during the procedure
- Administration of fluids/blood
- Usual monitoring
   Unusual forms include CVP, Arterial line insertion, and Swan-Ganz and are coded separately

349

### Anesthesia Fees



Base Units + Time Units + Modifying Factors = Total Anesthesia Units

Total Units \* Conversion Factor = Anesthesia Fee

- Time is usually calculated in 15-minute increments unless payor contract says differently.
- Qualifying Factors are not billable to MEDICARE.

350

### Anesthesia Time

Time begins when the anesthesiologist begins to prepare the patient for anesthesia (either in the operating room or in an equivalent area) and ends when the patient is safely under postop supervision.



Place a chart in your book to help calculate time in 15 minute increments



Minutes	Unit(s)
15	1
30	2
45	3
60	4

### **Physical Status Modifiers**



- · Assigned by the anesthesia provider
- Coder needs to look for a diagnosis to report it
- · Documented in anesthesia record
- P1 normal healthy
- P2 mild systemic disease
- P3 severe systemic disease 1 unit
- P4 constant threat to patient's life 2 units
- P5 not expected to survive w/o surgery 3 units
- P6 declared brain-dead patient

352

### Qualifying Circumstances

Modifiers - HCPCS Level II



- + 99100 under 1 or over 70 years of age Additional 1 unit
- + 99116 anesthesia complicated by hypothermia Additional 5 units
- + 99135 anesthesia complicated by controlled hypotension Additional 5 units
- + 99140 anesthesia complicated by emergency Additional 2 units

 $\begin{tabular}{ll} \textbf{Coding Tip -} Watch parenthetical statements below the anesthesia CPT codes to determine when these codes are NOT billable. \end{tabular}$ 

353

# Anesthesiologist Modifiers AA Performed by anesthesiologist AD Medical supervised by physician; more than 4 concurrent anesthesia procedures QK Medical direction of 2-4 concurrent procedures (cases happening at the same time) QY Medical direction of one CRNA by an anesthesiologist CRNA Modifiers QX CRNA service: with medical direction by physician QZ CRNA without medical direction Monitored Anesthesia Care QS MAC (monitored anesthesia care) GB Monitored anesthesia care (MAC) for deep complex, complicated, or markedly invasive surgical procedures

G9 Monitored anesthesia care for patient who has history of severe cardiopulmonary condition

### **Coding Concepts**



### **Multiple Surgeries**

- Only one anesthesia code is selected
- Exception anesthesia add-on codes
   Example: +01968 Anesthesia for cesarean delivery following neuraxial labor analgesia/anesthesia
- Report most extensive or most complex
- Use total anesthesia time for all procedures

355

### **CPT® Modifiers**



### 53 - Discontinued Procedures

• Used if surgeon discontinues the procedure

### 59 - Distinct procedural services

• Example: General anesthesia during surgery, then an epidural is placed for post op pain management.

356

### **Coding Concepts**



### Additional Anesthesia Modifiers

- 23 Unusual Anesthesia
- 53 Discontinued Procedure
- 73 Discontinued Procedure **prior** to anesthesia administration
- 74 Discontinued Procedure after to anesthesia administration



## ICD-10-CM Coding



Primary diagnosis - reason for the visit

### Signs and Symptoms

- Code only if no definitive diagnosis is stated
- Routinely associated with a disease process should not be coded separately


359


### CPT® Coding




- Select the category or subcategory of service and review the guidelines;
- Review the level of E/M service descriptors and examples;
   Select the appropriate level of E/M service based on either:
   Medical Decision Making (MDM), or
   Total Time performed on the date of service











Office or Other Outpatient Services			
Provided in the physician's office or other outpatient clinic or ambulatory facility			
New patient		-	
Established patient			
364			
Hospital Inpatient and Observation Care Services			
<ul> <li>Codes used for inpatient facility and partial hospitalization as well as for patients d hospital outpatient "observation status"</li> </ul>	lesignated in		
For patients admitted and discharged on the same calendar date, use codes 992	:34-99236.		
Subsequent hospital care codes used for subsequent visits while admitted     Includes reviewing medical record, test results, etc.			
365			
Hospital Inpatient and Observation Care Services			
<ul> <li>Initial Hospital care is reported by the admitting physician on the first date of inpatie care.</li> </ul>	nt hospital		
<ul> <li>For Medicare patients, these codes are also used by ALL providers who provide init consultation services.</li> </ul>	tial		
The admitting physician is identified with modifier AI.		<del></del>	 

# Hospital Inpatient or Observation Discharge Services Codes are based on time Includes time spent with the final exam, paperwork, writing prescriptions, talking with patient's family, etc. Parenthetical notes How to code for concurrent care on the discharge date Discharge of a Newborn see code 99238 or 99463





### **Emergency Department**



- Does not distinguish between new/established
- Facility must be hospital-based and available 24 hours a day, 7 days a week
- Physician direction of EMS emergency care, advanced life support
- Services are selected based solely on Medical Decision Making.

370

### Critical Care Services



- Critical care is dependent on patient status, not patient location.
- "A critical illness or injury acutely impairs one or more vital organ systems such that there is a high probability of imminent or life-threatening deterioration in the patient's condition."
- Time based service
- Some services are included in critical care. Pay close attention to the list of services in the Critical Care guidelines.
- Any service NOT listed in the guidelines CAN be billed separately.
   The time for performing these carved out services is not included in critical care.

371

### Critical Care Services




- Services provided in a critical care unit to a patient who is not considered critically ill are reported with other E/M codes.
- Guidelines contain instructions for coding
- Pediatric Critical Care
- · Neonatal Critical Care
- Critical Care and other E/M services may be coded on same date by the same provider.

# Critical Care Services Billing is based on location, time and patient age: I platient Bith to 28 days – billed per day – 99471, 99472 2 years to 5 years – billed per day – 99471, 99472 6 years and older – billed by minutes – 99291, 99292 Outpatient Any age - 99291, 99292 Critical Care Transport Billing is based on location, time and patient age: Sending provider: All gags – 99291, 99292

374

Transport provider (face to face with patient during transfer)
Age birth to 24 months – 99466, 99467

Control (receiving) provider
 Age birth to 24 months – 99485, 99486



# (3) Home or Residence Services Seen in home by physician Home may be private residence, temporary lodging, or short-term accommodation Also includes assisted living facility, group home, custodial care facility or residential substance abuse facility. Separated by new and established patient 376 **Prolonged Services Prolonged Services** Direct patient contact or without direct patient contact Settings are office/outpatient and inpatient Most are add-on codes 377 Standby Services • Used to report time when a provider is on standby at the request of another provider Only report for more than 30 minutes duration Reported with additional units for each additional 30 minutes Do not report if the period of standby results in the performance of a procedure

Case Management & Medical Team Conference	
Case Management Services  • Anticoagulant Management - Deleted	
Medical Team Conference	
Requires three healthcare professionals     Divided by direct contact or without direct contact	
379	
Care Plan Oversight Sentings	
Home Health Agency     Hospice	
<ul> <li>Nursing Facility</li> <li>Billed on a monthly basis</li> <li>For the amount of time physician spends overseeing care of patient</li> </ul>	
380	
Preventive Medicine Services	
Two sets of codes: new or established For patients who are not ill, but to prevent future illness	
<ul> <li>Extent of service will depend on patient age and risk factors</li> <li>If a problem is encountered that is significant to require additional work beyond that of the preventative visit, the appropriate office/outpatient code (99202-99215) should be billed with</li> </ul>	
modifier 25 added.	

### Counseling Risk Factor Reduction and Behavior Change Intervention



- For patient without symptoms or established illness
- No distinction between new and established patient
- Preventive Medicine, Individual Counseling
- Behavior Change Intervention
- Preventive Medicine, Group Counseling

382

### Non-Face-to-Face Physician Services



### Telephone Services

- Must be provided by a physician
- Based on amount of time
- Patient must be established

- On-Line Medical Evaluation

  Reported only once for the same episode of care during a 7-day period

  Must be provided by a physician

383

### Special E & M Services



- Basic Life and/or Disability Evaluation Services
- Work Related or Medical Disability Evaluation Services
- Specific guidelines under each code

# Newborn Care Services **Newborn Care Services** Newborn care age 28 days or less · Separated by location and by initial or subsequent visits Delivery or Birthing Room Attendance and Resuscitation Services Attendance at delivery at request of delivering physician 385 Inpatient Neonatal Intensive Care Pediatric & Neonatal Critical Care Pediatric Critical Care Patient Transport • Inpatient Neonatal and Pediatric Critical Care • Initial and Continuing Intensive Care Services 386 Inpatient Neonatal and Pediatric Critical Care Services Defined by age of patient: Neonates 28 days of age or less • Infant or young child 29 days through 24 months of age Young child two through five years of age

### Initial and Continuing Intensive Care Services



- Used to report services to a child who is not critically ill but requires intensive observation and frequent interventions
- 99477 used for Initial Hospital Care
- 99478-99480 used for Subsequent Intensive Care
   Code selection based on the present body weight of the child

388

### Chronic and Complex Chronic Care Coordination



- 2 or more chronic illnesses requiring coordination of care among multiple disciplines
- Reported by the provider overseeing the care plan and coordination
- Reported only once per month
- Code selection
- Time spent overseeing
- Whether a face-to-face encounter occurs

389

### Advance Care Planning



- Advance Care Planning codes report face-to-face discussion of advance directives
- Based on time
   Healthcare Proxy

  - Durable Power of Attorney for Healthcare
- Living Will
   Medical orders for Life-Sustaining Treatment

_	_	_
Э	n	n
Э	J	u

### Evaluation and Management Coding Leveling



- Select the category or subcategory of service and review the guidelines
- Review the level of E/M service descriptors and examples
- Select the appropriate level of E/M service based on either:
  - Total Time
  - Medical Decision Making

391

### EM Guidelines - Example



- Level services based on either:
- Total time
- Medical Decision Making determination
- Example for Office or Other Outpatient Services

SF
• 99202
• 99212

Low • 99203 • 99213

Moderate • 99204 • 99214

High • 99205 • 99215

392

### **Total Time Defined**




- Preparing to see the patient (eg, review of tests)Obtaining and/or reviewing separately obtained history
- Performing a medically appropriate examination and/or evaluation
   Counseling and educating the patient/family/caregiver
   Ordering medications, tests or procedures

- Referring and communicating with other health care professionals (not separately reported)
   Documenting clinical information in the electronic or other health record
- Independently interpreting results (not separately reported) and communicating results to the patient/family/caregiver
- Care coordination (not separately reported)


- Do NOT Count time spent on:
  Performance of other services separately reported
- Teaching that is general and not limited to discussion that is required for the management of a specific patient

### EM Example based on Total Time (3) Office or Other Outpatient Services Est Pt Time New Pt Time Code Code 99211 99212 10-19 99202 15-29 99213 20-29 99203 30-44 99214 30-39 99204 45-59 60-74 99215 40-54 99205

394



395



### Medical Decision Making (MDM)




- Medically appropriate history
- Medically appropriate exam
   Determined by the Physician/Healthcare provider
- Not counted in the level for office and other outpatient

397


	Number and Complexity of Problems Addressed
Minimal	1 self-limited or minor problem
Low	2 or more self-limited or minor problems; or
	□ 1 stable chronic illness; or
	1 acute, uncomplicated illness or injury; or
	□ 1 stable, acute illness; or
	<ul> <li>1 acute, uncomplicated illness or injury requiring hospital inpatient or</li> </ul>
	observation level of care
Moderate	1 or more chronic illness with exacerbation, progression, or side effects of
	treatment; or
	<ul> <li>2 or more stable chronic illnesses; or</li> </ul>
	<ul> <li>1 undiagnosed new problem with uncertain prognosis; or</li> </ul>
	<ul> <li>1 acute illness with systemic symptoms; or</li> </ul>
	1 acute complicated injury
High	1 or more chronic illnesses with severe exacerbation, progression, or side effects
· ·	of treatment; or
	<ul> <li>1 acute or chronic illness or injury that poses a threat to life or bodily function</li> </ul>

398



# Risk and Complications and/or Morbidity or Mortality of Patient Management Minimal Minimal isk of morbidity from additional diagnostic testing or treatment Examples: From the Table of Risk (Rest, gargle, elastic bandages, superficial dressings) Low Low risk of morbidity from additional diagnostic testing or treatment Examples: From the Table of Risk (minor surgery wito identified risks, PT/OT therapy, IV fluids wito additives) Moderate Moderate risk of morbidity from additional diagnostic testing or treatment Examples: From the Table of Risk (minor surgery wito identified risks, PT/OT therapy, IV fluids wito additives) Moderate Examples: Results of morbidity from additional diagnostic testing or treatment Decision regarding mapping elective surgery wito identified patient or procedure risk factors Diagnosis or treatment significantly limited by social determinants of health High High risk of morbidity from additional diagnostic testing or treatment Examples: Due therapy requiring intensive monitoring for toxicity Decision regarding elective major surgery with identified patient or procedure risk factors Diagnosis or treatment significantly limited by social determinants of health Decision regarding elective major surgery with identified patient or procedure risk factors Decision regarding hospitalization or escalation of hospital level care Decision not to resuscitate or to de-escalate because of poor prognosis Parenteral controlled substances

400



401

### Modifiers



- Modifier 24 Unrelated evaluation and management service by the same physician during a postoperative period.
- Modifier 25 Significant, separately identifiable evaluation and management service by the same
- physician on the same day of the procedure or other service.

  Modifier 32 Mandated Services
- Modifier 57 Decision for surgery

### E/M Leveling



- Many factors to consider when determining a level of Evaluation and Management Service.
- Be sure to Review the Guidelines and code descriptions.

403

### Modifiers



- Modifier 24 Unrelated evaluation and management service by the same physician during a postoperative period.
   Modifier 25 Significant, separately identifiable evaluation and management service by the same physician on the same day of the procedure or other service.
- Modifier 32 Mandated Services
- Modifier 57 Decision for surgery

404




### Medicine Immunizations Cardiovascular · Vaccines, Toxoids Pulmonary Psychiatry Endocrinology Biofeedback Neurology Dialysis Genetics Gastroenterology Nutritional Therapy Ophthalmology Acupuncture Otorhinolaryngology Moderate Sedation


406



407



# Medicine Guidelines Multiple Procedures Add-on Codes Separate Procedures Unlisted Service or Procedure Special Report Materials Supplied by Physician




410


Immune Globulins

Immune globulins


Botulinum antitoxin


Cytomegalovirus (CMV) immune globulin
 Diphtheria antitoxin
 Hepatitis B immune globulin
 Rabies immune globulin
 Tetanus immune globulin











### Noninvasive Vascular Diagnostic Studies



- Cerebrovascular Arterial Studies
   Extremity Arterial Studies (Including Digits)
   Extremity Venous Studies (Including Digits)
   Visceral and Penile Vascular Studies
   Extremity Arterial-Venous Studies

- Duplex and Doppler

416

### Allergy and Immunology



- Allergy
   Allergy Testing
- Allergen Immunotherapy

### **Pulmonary Studies**



Medical Genetics and Genetic Counseling Services	
Chromosome     Gene	
Genetics     Genetic counseling	
	_
118	
Hydration	
Hydration, Therapeutic, Prophylactic, Diagnostic Injections and Infusions, and Chemotherapy and Other Highly complex Drug or Highly Complex Biologic Agent Administration.	
Time based codes	
119	
Non-Chemotherapy Complex Drugs and Substances	
Infusions – therapeutic, prophylactic or diagnostic     Specific to time, technique, substances added and additional set-up	
Multiple drugs	

# Chemotherapy Services included with chemotherapy: Use of local anesthesia IV start Access to indwelling IV, subcutaneous catheter or port Flush at conclusion of infusion Standard tubing, syringes and supplies Preparation of chemotherapy agent(s) 421 Chemotherapy Paracentesis Thoracentesis Peritoneocentesis Intrathecal · Ventricular or Intraventricular 422 Physical Medicine and Rehabilitation Treatment plan Problem list Goals Physician review progress each 30 days Progress made – recorded Modify or discontinue therapy

# Physical Medicine and Rehabilitation Supervised Constant Attendance Diathermy, Vasopneumatic Devices Key concepts: Anatomic site Type of procedure Number of body regions involved Therapeutic Procedures 424 Wound Care Management Orthotic Management and Prosthetic Management Active wound care Not to be reported with 11042-11047 Orthotic management and Prosthetic Management • Orthotics Prosthetics 425 Medicine Section Acupuncture - Face-to-face time Osteopathic Manipulative Treatment (O.D.) Chiropractic Manipulative Treatment (CMT)

Education & Training for Patient Self-Management	
Education and training Self Management How many in the group?	
Telephone services – patient, parent, or guardian  • 24 hours	
• 7 days	
27	
Online Medical Evaluation	
Online encounter or other electronic communication mode of the medical kind	
Includes all services provided	
Moderate Sedation	
Neither local nor general anesthesia.     Patient is still conscious and able to respond to verbal commands but is in a drug induced depression of consciousness.	i
Patients are breathing on their own and not intubated.  Code concepts include: Age of the patient	
<ul> <li>Age or the patient</li> <li>Service provider</li> <li>Time</li> <li>If the provider also performs the moderate sedation, an independent observer is required.</li> </ul>	

# Special Services, Procedures and Reports Miscellaneous services • 99024 - "tracking" Mandatory on-call hospital personnel Patient encounters outside the normal posted business hours or special circumstances at the request of the patient. 430 Home Health Procedures/Services Define home setting: · Patient's residence Assisted living apartments Group homes Nontraditional private homes Custodial care facilities or schools 431 Medication Therapy Management Services Performed by a pharmacist Documentation required: • Patient history Current medications Recommendations

### Ophthalmology



- Services under General are broken out by new or established patient and type of service (limited or comprehensive)
   Special Ophthalmological Services include:
- Testing (ex. Refraction, visual fields, glaucoma evaluation, etc)
- · Prescription and fitting of lenses
- Assessment of eye muscles
- Contact lens services
- Spectacle (eyeglasses) services
- Ophthalmoscopy

433



434





### Highlight:

- Code first notes
- Use additional notes • Excludes1, Excludes2
- Make notes to reference important guidelines

## **CPT®** Highlight key words in subsection guidelines: New vs. established Definitions such as simple, intermediate, complex repair Musculoskeletal section – open, closed, fixation, percutaneous, manipulation, etc. Parenthetical instructions

436

### Exam Registration



www.aapc.com

### You will receive a confirmation email including:

- · Exam date and location of exam
- Proctor's name and telephone number
- Start time

### Arrive at the exam early

- Allow for time to find a seat
- Arrange your books and supplies
- Book check

437

### Day of the Exam - In-Person Exams



### Arrive early

### Bring:

- Code books
   Photo ID
- #2 pencils and eraser
- NO scrap paper (not allowed)
- Eat a healthy breakfast
   Bring light snacks and water (avoid loud and crunchy snacks)
- Bring a light jacket or sweater



## (3) Day of the Exam - Online Exams Log in to the exam site early. You must have an external webcam that can be positioned to show your face, hands, keyboard and the surrounding area. You must have a reliable internet connection. • Ensure the area is clear of all scraps of paper and notes. Bring: Code books • Photo ID 439 During the Test · Listen carefully while proctor reads instructions Stay relaxed and confident Scan the entire test Answer the easiest first • Read all choices before answering Pace yourself Answer every question 440 **Exam Completion** Exam results released within 5-7 business days after AAPC receives the exam package from the proctor • My AAPC area on the AAPC website Official documents mailed to you • Exam results may NOT be released over the telephone

